3/27/2002

SANIPHOR No. 240

Low Foam IODINE **ACTIVE Detergent Sanitizer** Under the Federal Insecticide, Fungicide, and Rodenticide, Act as amended, for the pesticide, registered under

EPA Reg. No.

ACTIVE INGREDIENTS:	
Butoxypolypropoxypolyethoxy ethanol-iodine complex*	. 16.00%
Phosphoric Acid	. 8.90%
OTHER INGREDIENTS	. <u>75.10%</u>
Total	100 00%

⁽provides 1.75% minimum titratable iodine)

KEEP OUT OF REACH OF CHILDREN DANGER

SEE SIDE PANEL. READ PRECAUTIONS CAREFULLY.

	FIRST AID ntrol Center or doctor immediately for treatment advice. Have the product container or under when calling a poison control center or doctor, or going for treatment.
If Swallowed	 Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
if on Skin or Clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
If Inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
NOTE TO PHY	SICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

F or product information, contact your local distributor.

Manufactured By U S Chemical Corp. **Brookfield WI 53045**

For Medical Emergency ONLY call: 24 Hour Emergency Response Number 1-800-851-

E.P.A. Reg. No. 7546-13

7145 Ext. 075.

E.P.A. Est. No. 7546

PHOSPHOROUS CONTENT: Contains not over 2.21% Elemental Phosphorous.

NET CONTENTS:

U.S. GALLONS (3.79 Liters/Gal.)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Danger. Corrosive. Causes irreversible eye damage or skin burns. Harmful if swallowed or absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear goggles or face shield. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL


PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL: Consult federal, state, or local disposal authorities for approved alternative procedures such as limited open burning.



DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. READ AND UNDERSTAND LABEL AND MATERIAL SAFETY DATA SHEET (MSDS) BEFORE USE.

BAR AND RESTAURANT COLD WATER GLASSWASHING

- 1. Dump waste from glasses and rinse.
- 2. Wash in glasswasher. Don't overload machine. Be sure machine is supplied with detergent.
- 3. Use this product in final rinse to sanitize. Adjust pump to deliver the proper amount of titratable iodine (12.5 ppm = 1 oz. Saniphor No. 240 to 10 gal water) and verify concentration. Saniphor No. 240 should be used in glasswashing equipment with a final rinse cycle of at least 30 seconds as required by FDA Food Code § 4-703.11 (C)(3).
- 4. Allow glasses to air dry do not towel dry.

FOODSERVICE UTENSIL CLEANING AND SANITIZING PROCEDURE

Prepare fresh sanitizing solution daily or more frequently if solution becomes diluted or soiled.

- 1. Pre-flush all surfaces to remove loose, gross soils.
- 2. Wash in a recommended detergent solution.
- 3. Rinse in clear water.
- 4. Sanitize in a solution of 1 oz. of product to 5 gallons of water by immersing for one minute (25 ppm titratable iodine).
- 5. Air dry. Do not towel dry. Store all clean utensils in a clean, dry, protected area.

TABLE OF PROPORTIONS

For 25 ppm (titratable iodine) use 1 oz. of this product to 5 gallons of water. For 12.5 ppm (titratable iodine) use 1 oz. of this product to 10 gallons of water. Use a graduated 1 oz. cup to measure the proper amount of product.

ppm means "parts per million" of active sanitizer.

