

**WARNING: KEEP OUT OF CHILDREN'S REACH**

Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling.

**FIRST AID:** If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.

**WARNING: STRONG OXIDIZER.**

Mix only with water. Use clean dry utensils. Contamination by moisture, organic matter or other chemicals may liberate hazardous gases. Store in a cool, dry, well ventilated area away from heat or open flame. Decomposes at 350°- 475°F with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

EPA Reg. No. 7546-17

EPA Est. No. 7546-WI-1



# Chlor Bac

No. 277

Chlorine Sanitizer

FOR

**GLASSES - DISHES - UTENSILS**

MANUFACTURED BY

**United States Chemical Corporation**

P. O. BOX 366

WATERTOWN WIS. 53094

**ACTIVE INGREDIENT:**

Sodium dichloro-s-triazinetrione dihydrate 25%  
(provides 14% available chlorine)

INERT INGREDIENTS:..... 75%  
TOTAL 100%

**WARNING: KEEP OUT OF CHILDREN'S REACH**  
**HARMFUL IF SWALLOWED**

SEE FIRST AID AND OTHER PRECAUTIONS ON SIDE PANEL

## "Sanitation... For The Nation!"

**GENERAL**

CHLOR-BAC SANITIZER is used on hard (non-porous) surfaces, processing equipment or utility brewery equipment and utility

The sanitizing solution should be mixed. If the solution is used and tests show the level of available chlorine is not maintained, additional CHLOR-BAC should be added to maintain a level of 100 ppm available chlorine.

**DIRECTIONS**

1. Preflush or scrape to remove soil.
2. Wash in a good detergent.
3. Rinse in clear water.
4. Sanitize in a solution of 1/2 oz. Chlor-Bac per 5 gallons water (100 ppm) for 2 minutes.
5. Air dry. Do not towel dry.


**PROPORTIONS**

1/2 oz. CHLOR-BAC per 5 gallons available chlorine.

\*PPM means "parts per million"

**CAUTION: Do not mix**

**Net Content**



**OF CHILDREN'S REACH**  
ge. May be fatal if  
eyes, on skin or on  
and throat. Avoid  
burns to broken skin.

ed gruel, cooked cereal,  
ollowed by olive oil or  
sonal contact, remove  
in or eyes with cold  
s. For eyes get medical  
h contaminated clothing

**OXIDIZER.**  
clean dry utensils.  
organic matter or other  
ardous gases. Store in a  
area away from heat or  
t 350°- 475°F with  
In case of decomposition,  
er in open air. Flood  
r. Keep container tightly  
nse empty container  
ssolve all material before

7546-17  
7546-WI-1



# Chlor Bac

No.277

Chlorine Sanitizer  
FOR

**GLASSES - DISHES - UTENSILS**

MANUFACTURED BY

**United States Chemical Corporation**

**P. O. BOX 366 WATERTOWN WIS. 53094**

**ACTIVE INGREDIENT:**

Sodium dichloro-s-triazinetrione dihydrate 25%  
(provides 14% available chlorine)

INERT INGREDIENTS:..... 75%  
TOTAL 100%

**WARNING: KEEP OUT OF CHILDREN'S REACH**  
**HARMFUL IF SWALLOWED**  
SEE FIRST AID AND OTHER PRECAUTIONS ON SIDE PANEL

## GENERAL USE

CHLOR-BAC SANITIZER is recommended for use on hard (non-porous) surfaces, on dishes, glasses or food processing equipment or utensils, including dairy and brewery equipment and utensils.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional CHLOR-BAC SANITIZER should be added to maintain a minimum concentration of 100 ppm available chlorine.

## DIRECTIONS

1. Preflush or scrape to remove loose, gross soil.
2. Wash in a good detergent solution.
3. Rinse in clear water.
4. Sanitize in a solution of 1/2 oz. CHLOR-BAC to 5 gallons water (100 ppm available chlorine) for 2 minutes.
5. Air dry. Do not towel.

## PROPORTION TO USE

1/2 oz. CHLOR-BAC per 5 gallons water gives 100 ppm\* available chlorine.

\*PPM means "parts per million" of available Chlorine.

**CAUTION: Do not mix with acid detergents.**

**Net Contents      Lbs.**

# "Sanitation . . . For The Nation!"

**ACCEPTED**  
 6-3-71  
 7547-12  
 UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR EQUIPMENT POISON REGISTER  
 NUMBER NO.

# WESTERN ALGAE & SLIME CONTROL PC

**ACTIVE INGREDIENT** ..... 15.5%  
 Poly [oxyethylene (dimethyliminio) ethylene (dimethyliminio) ethylene dichloride] 15.5%  
**INERT INGREDIENT** ..... 84.5%

Weight of active ingredient: 1.34 pounds per gallon

## CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contact with skin and eyes. In case of contact flush with plenty of water for at least 15 minutes. If eye irritation persists get medical attention. Avoid contamination of food.

This product is toxic to fish. Do not add treated effluent to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of waste. Use only as directed on label.

**APPLICATIONS:** Algae & Slime Control PC is used to control algae, bacteria and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime and other

deposits. An initial slug addition of 0.5 to 0.66 pints of Algae & Slime Control PC per 1,000 gallons of water, to provide a concentration of 65 to 86 parts per million of Algae & Slime Control PC based on the total weight of water in the system is recommended. Subsequent slug additions of 0.33 to 0.66 pints of Algae & Slime Control PC per 1,000 gallons of water (43 to 86 parts per million of Algae & Slime Control PC) should be employed every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

USDA Registration No. 7547-12

FORM 102

**PLEASE READ  
 ANY CAUTION OR  
 DIRECTION LABELS  
 ON THIS DRUM**



**WESTERN CHEMICAL COMPANY** 1345 TANEY  
 NORTH KANSAS CITY, MO.  
 64116

**WARNING: KEEP OUT OF CHILDREN'S REACH**

Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling.

**FIRST AID:** If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.

**WARNING: STRONG OXIDIZER.**

Mix only with water. Use clean dry utensils. Contamination by moisture, organic matter or other chemicals may liberate hazardous gases. Store in a cool, dry, well ventilated area away from heat or open flame. Decomposes at 350°- 475°F with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

EPA Reg. No. 7546-17  
EPA Est. No. 7546-WI-1



**Chlor Bac**  
No. 277

Chlorine Sanitizer

FOR

**GLASSES - DISHES - UTENSILS**

MANUFACTURED BY

**United States Chemical Corporation**

P. O. BOX 366 WATERTOWN WIS. 53094

ACTIVE INGREDIENT:

Sodium dichloro-s-triazinetriene dihydrate 25%  
(provides 14% available chlorine)

INERT INGREDIENTS:..... 75%  
TOTAL 100%

**WARNING: KEEP OUT OF CHILDREN'S REACH**  
**HARMFUL IF SWALLOWED**  
SEE FIRST AID AND OTHER PRECAUTIONS ON SIDE PANEL

**"Sanitation . . . For The Nation!"**

CHLOR-BAC SANITIZER  
hard (non-porous)  
processing equipm  
brewery equipme

The sanitizing solution  
mixing. If the solution  
and tests show it is not  
maintained, additional  
should be added to  
of 100 ppm available


1. Preflush or
2. Wash in a
3. Rinse in cl
4. Sanitize in  
5 gallons v  
2 minutes.
5. Air dry. E


1/2 oz. CHLOR-BAC  
available chlorine

\*PPM mean

CAUTION:

Ne





# Chlor Bac

No. 277

Chlorine Sanitizer

FOR

**GLASSES - DISHES - UTENSILS**

MANUFACTURED BY

**United States Chemical Corporation**

P. O. BOX 366 WATERTOWN WIS. 5309A

**ACTIVE INGREDIENT:**

Sodium dichloro-s-triazinetrione dihydrate 25%  
(provides 14% available chlorine)

INERT INGREDIENTS:..... 75%  
TOTAL 100%

**WARNING: KEEP OUT OF CHILDREN'S REACH**  
**HARMFUL IF SWALLOWED**  
SEE FIRST AID AND OTHER PRECAUTIONS ON SIDE PANEL

**"Sanitation . . . For The Nation!"**

### GENERAL USE

CHLOR-BAC SANITIZER is recommended for use on hard (non-porous) surfaces, on dishes, glasses or food processing equipment or utensils, including dairy and brewery equipment and utensils.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional CHLOR-BAC SANITIZER should be added to maintain a minimum concentration of 100 ppm available chlorine.

### DIRECTIONS

1. Preflush or scrape to remove loose, gross soil.
2. Wash in a good detergent solution.
3. Rinse in clear water.
4. Sanitize in a solution of 1/2 oz. CHLOR-BAC to 5 gallons water (100 ppm available chlorine) for 2 minutes.
5. Air dry. Do not towel.

### PROPORTION TO USE

1/2 oz. CHLOR-BAC per 5 gallons water gives 100 ppm\* available chlorine.

\*PPM means "parts per million" of available Chlorine.

**CAUTION: Do not mix with acid detergents.**

**Net Contents      Lbs.**