



7547-15

WESTERN WATER MANAGEMENT, INC.

1345 TANEY, NORTH KANSAS CITY, MISSOURI 64116 USA
PHONE: 816-842-0560



FORMULA 601

DIRECTIONS

It is a violation of Federal law to use this product without its labeling.

INITIAL DOSE: When system is not treated, apply FORMULA 601 per 1,000 gallons of water. Increase initial dosage until 1 ppm chlorine residual is achieved by a chlorine test kit.

The use of this product does not require maintenance dose treatment. The following instructions provide for a 4 hour chlorine-release treatment, repeated as necessary to maintain the control.

SUBSEQUENT DOSE: When microorganisms are present, apply 1 lb. per 1,000 gallons of contained water. Maintain 1 ppm of chlorine residual in the recirculating water frequently enough to ensure proper control. Should be applied to the water system at least once a week. Badly fouled systems must be cleaned.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive to eyes and skin. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Do not handle with bare hands. Wear goggles or face shield, use rubber gloves, and use only thoroughly clean, dry utensils when handling. Irritating to nose or throat. Avoid breathing dust or fumes. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water, unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA. Do not contaminate water when disposing of equipment washwaters. Apply this pesticide only as specified on this label.

FOR CONTROL OF ALGAE & BACTERIAL & FUNGAL SLIMES IN INDUSTRIAL RECIRCULATING COOLING TOWERS, AIR WASHERS (only those maintaining effective mist-eliminating components) AND/OR EVAPORATIVE CONDENSERS IN SCHOOLS, HOTELS, HOSPITALS, AND INDUSTRY; FOR CONTROL OF BACTERIAL & FUNGAL SLIMES IN SWEET WATER SYSTEMS

ACTIVE INGREDIENT

*Sodium dichloro-s-triazinetriolone . . . 10.0%

INERT INGREDIENTS 90.0%

*Available chlorine 6.3%

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

PHYSICAL AND CHEMICAL HAZARDS OXIDIZING AGENT

Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may lead to fire or explosion. Contamination with moisture, organic matter or other chemicals or any foreign matter may start a chemical reaction, with generation of fire or explosion. In case of contamination or decomposition, do not reuse container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary. Avoid any contact with flammable or burning material, such as a lit cigarette.

KEEP OUT OF REACH OF CHILDREN

DANGER

PRACTICAL TREATMENT (FIRST AID): IF SWALLOWED, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available, by administering syrup of ipecac. DO NOT induce vomiting or give anything by mouth to an unconscious person. Avoid alcohol. Call physician immediately. IN CASE OF CONTACT with this material, wash skin with plenty of soap and warm water. Flush eyes with plenty of water for at least 15 minutes and get medical attention.

STORAGE

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat and open flame. Do not contaminate water, food or feed by storage.

DISPOSAL

Do not contaminate water, food or feed by disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance. Do not reuse empty container. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. Dispose of drum in the same manner.

PLEASE READ AND FOLLOW ALL INSTRUCTIONS OR DIRECTION LABELS ON THIS DRUM

NET CONTENTS _____ POUNDS

EPA Reg. No. 7547-15 EPA Est. No. 7547-MO-1

ACCEPTED

FEB 16 1989

(11/88)

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 7547-15