

FORMULA 611

FOR CONTROL OF ALGAE & BACTERIAL & FUNGAL SLIMES IN INDUSTRIAL RECIRCULATING COOLING TOWERS, AIR WASHERS AND/OR EVAPORATIVE CONDENSERS
FOR INDUSTRIAL USE ONLY

ACTIVE INGREDIENT 45.0%
Sodium dichloro-s-triazinetrione dihydrate
INERT INGREDIENTS 55.0%
Includes stabilizing & desiccating agents
Available chlorine—25.2%

DIRECTIONS FOR USE:
INITIAL DOSE: When system is noticeably fouled, apply 1.4 to 1.2 pound of Formula 611 per 1000 gallons of water in the system. Repeat initial dosage until 1 ppm chlorine residual is established, as determined by a chlorine test kit.

SUBSEQUENT DOSE: When microbial control is evident, apply 1.8 to 1.4 pound per 1000 gallons of contained water. Repeat as needed to maintain 1 ppm of chlorine residual in the recirculating water for at least 4 hours. Test water frequently enough to insure proper chlorine residual. This product should be applied to the water basin at a point where good mixing occurs. Badly fouled systems must be cleaned before treatment is begun.

DANGER:


KEEP OUT OF REACH OF CHILDREN

Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling.

FIRST AID: If swallowed, feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Remove and wash contaminated clothing before reuse.

CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well ventilated area away from heat or open flame. Decomposes at 350°-475°F with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.



EPA Reg. No. 7547-24

EPA Est. No. 7547-MO-1

Form 121

**PLEASE READ
ANY CAUTION OR
DIRECTION LABELS
ON THIS DRUM**

WESTERN CHEMICAL COMPANY

1345 TANEY
NORTH KANSAS CITY, MO.
64116

FORMULA 611

FOR CONTROL OF ALGAE & BACTERIAL & FUNGAL SLIMES IN INDUSTRIAL RECIRCULATING COOLING TOWERS, AIR WASHERS AND/OR EVAPORATIVE CONDENSERS
FOR INDUSTRIAL USE ONLY

ACTIVE INGREDIENT 55.0
Sodium dichloro-s-triazinetrione dihydrate
INERT INGREDIENTS 45.0
Includes stabilizing & desiccating agents
Available chlorine: 25.2

DIRECTIONS FOR USE
INITIAL DOSE: When system is noticeably fouled, apply 1.4 to 1.2 pound of Formula 611 per 1000 gallons of water in the system. Repeat initial dosage until 1 ppm chlorine residual is established, as determined by a chlorine test kit.

SUBSEQUENT DOSE: When microbial control is evident, apply 1.8 to 1.4 pound per 1000 gallons of contaminated water. Repeat as needed to maintain 1 ppm of chlorine residual in the recirculating water for at least 4 hours. Test water frequently enough to insure proper chlorine residual. This product should be applied to the water basin at a point where good mixing occurs. Badly fouled systems must be cleaned before treatment is begun.

DANGER:

KEEP OUT OF REACH OF CHILDREN


Corrosive: causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling.

FIRST AID: If swallowed, feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Remove and wash contaminated clothing before reuse.

CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well-ventilated area away from heat or open flame. Decomposes at 350°-475°F with liberation of harmful gases. In case of decomposition, it must be isolated, container re-opened. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

PLEASE READ
ANY CAUTION OR
DIRECTION LABELS
ON THIS DRUM



EPA Reg. No. 7547-24

EPA Est. No. 7547-MO-1

Form 121

WESTERN CHEMICAL COMPANY

1345 TANEY
NORTH KANSAS CITY, MO
64116