

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-757) WASHINGTON, DC 20460	EPA REGISTRATION NO. 7547-33	DATE OF ISSUANCE JUN 27 1980
	TERM OF ISSUANCE Indefinite	
	NAME OF PESTICIDE PRODUCT ...	

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
 (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

[

 ...

 ...

 ...

]

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

[Faint, mostly illegible text, likely bleed-through from the reverse side of the page.]

[Handwritten signature]

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 27 1989

MICROBICIDE BC

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

INDUSTRIAL MICROBICIDE 7547-33

ACTIVE INGREDIENTS:

Methylene bis(thiocyanate)

2 (Thiocyanomethylthio)benzothiazole

INERT INGREDIENTS

5%

5%

90%

This product weighs 8.26 pounds per gallon

KEEP OUT OF REACH OF CHILDREN
DANGER

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, causes irreversible eye damage and causes skin damage. Harmful or fatal if swallowed or absorbed through the skin. This product is a potential skin sensitizer. Workmen handling this product or treated material should wear impervious gloves, goggles or face shield, and protective clothing. All protective clothing, work shoes or boots, and equipment must be left at the work site at the end of the day. Eating, drinking, or smoking during use of this product is prohibited.

FIRST AID: In case of skin contact, wash promptly and thoroughly with soap and water and finally with glycerin. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for 15 to 30 minutes. Get medical attention immediately. If product is swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply directly to water or wetlands. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: Do not expose to extreme temperatures.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not expose to extreme temperatures. Do not stack more than five drums high. Drums should be opened in well ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR

It is a violation of Federal law to use this product in a manner inconsistent with the label directions.

COOLING TOWERS: MICROBICIDE BC
wood against soft or surface rot and internal or dry rot. It is especially effective on wood surfaces containing 1.0 to 1.4% MICROBICIDE BC.

The amount applied should provide 1.2 to 1.6 lb MICROBICIDE BC per 1000 ft² of wood surface. Soft or surface rot can also be controlled by applying MICROBICIDE BC to the recirculating water. The dosage should provide 2.5 lb of MICROBICIDE BC per 1000 gal of water and the bleedoff should be stopped for 4 to 6 hr after treatment. Repeat every four months.

COOLING WATER: MICROBICIDE BC
and fungi in industrial recirculating cooling water systems. Equipment should be cleaned thoroughly to remove old algal growth, microorganisms, and sludge. The cooling water system should then be drained, flushed, refilled with water, and treated with MICROBICIDE BC per 1000 gal water. A dosage of 0.4 to 2.4 fl oz per 1000 gal should be made every 1 to 5 days, depending on the severity of microbiological fouling.

DRILLING FLUIDS: To inhibit bacterial and fungal degradation of drilling fluids, MICROBICIDE BC is recommended at concentrations of 0.1 to 0.5% based on the total wet weight of the fluid.

PETROLEUM SECONDARY RECOVERY: MICROBICIDE BC
control sulfate reducing bacteria, slime-forming bacteria, and micellar floods, water disposal systems, and other oil field water disposal systems. Add MICROBICIDE BC per 1000 gal of water continuously or intermittently by means of a metering pump after injection pumps and injection well headers. Continuous flow is recommended. If the system becomes fouled, add 7.6 to 26.0 fl oz MICROBICIDE BC per 1000 gal of water continuously until desired degree of control is achieved.

CRUDE AND REFINED OILS: MICROBICIDE BC
control Intermittent or Slug Method. When system is noticeably fouled, add 7.6 to 26.0 fl oz MICROBICIDE BC per 1000 gal of water and 1 to 4 times per week, or as needed to maintain control.

CRUDE AND REFINED OILS: MICROBICIDE BC
effective for the control of bacteria and fungi that cause the degradation of storage tanks. It should be added to the oil as it is being transferred to storage tanks at the rate of 1.2 to 12.0 fl oz MICROBICIDE BC per 1000 gal of oil. Addition should be made batchwise where mixing occurs or through a transfer pump.

Manufactured by
WESTERN WATER MANAGEMENT
1345 TANEY, P. O. BOX 100
NORTH KANSAS CITY, MO 64116

EPA REG. NO. _____ EPA REG. NO. _____

NET CONTENTS _____