

Instrument & Equipment Disinfectant

For Disinfecting
Operating Room and
Laboratory Equipment,
Inhalation Therapy
Equipment, Anesthesia
Equipment.

USE DIRECTIONS
Ready to Use —
No Mixing Required

ACTIVE INGREDIENTS:

4-chlorophenylacetic acid, sodium salt	0.0625
4-chlorophenylacetic acid, sodium salt	0.0625
Water	99.8750
Total	100.0000

CAUTION: Keep Out of Reach of Children
Avoid contact with eyes. In case of eye contact, flush with water.
Rinse container thoroughly and discard.

For Disinfecting Instruments: Pre-clean instruments, barber tools, dental equipment, etc. and immerse in "K.I.L. 4" for at least ten (10) minutes.

"K.I.L. 4" at its ready to use level is effective against Pseudomonas Aeruginosa PRD 10. This has been substantiated by the AOAC Use Dilution Confirmation Test.

For Disinfecting Larger Equipment: Wash equipment such as sinks, tables, counters and other hard surfaces thoroughly with "K.I.L. 4"; Rinse and repeat if heavily soiled.

Fungicidal Properties: "K.I.L. 4" at its ready to use level is fungicidal against pathogenic fungi such as Trichophyton a trichophyton.

M.D.

WATER SOLUBLE PRODUCTS
D. J. Green M.D. Inc., Dept. 19, 40015, U.S.A.

**HARMLESS TO METAL, RUBBER, PLASTICS
IN USE SOLUTION.**

CONTENTS: 1 GALLON

CAT. NO. 30-00

7562-8

"K.I.L. 5"

USE DIRECTIONS

Used at 2 ounces per gallon of water (700 ppm active quaternaries) this product will be effective against *Pseudomonas aeruginosa* PRD-10. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi such as *Trichophyton interdigitale*.

For best results, use this product with a cloth or mop and apply to walls, floors and other hard surfaces. For heavy soil or organic matter, a pre-cleaning step is recommended.

When used for sanitization of food process-

ing equipment and food contact items, limit active quaternary to 200 ppm (2.8 fl. ozs. per 5 gallons of water). Rinse with potable water.

Rinse empty container thoroughly with water and discard.

WARNING: Keep Out of Reach of Children. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

"K.I.L. 5"

CONCENTRATE

EPA REG. NO. 7562-9

- DETERGENT
- DISINFECTANT
- DEODORIZER
- FUNGICIDE

ACTIVE INGREDIENTS:

n-Akyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimethyl benzyl ammonium chlorides	2.25%
n-Akyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	2.25%
Sodium Carbonate	3.00%
Tetrasodium ethylenediamine tetraacetate	1.00%
INERT INGREDIENTS:	91.50%
	<hr/> 100.00%

WARNING: Keep Out of Reach of Children. See left side panel for additional first aid and precautionary statements. "K.I.L. 5" is a concentrate and should be diluted before using.



1-24-74
7562-9

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO.

UNDER
FUNGIC
FOR EC
ED UND

"K.I.L. 5"

USE DIRECTIONS

For best results use the product with a little detergent and apply to walls, floor and other hard surfaces. For heavy waterborne material a pre-cleaning step is recommended.

When used for sanitation of food processing equipment...

WARNING: Keep Out of Reach of Children. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

Guaranteed Minimum Phenol Coefficients:
S. aureus 42 *S. typhosa* 27

"K.I.L. 5"

CONCENTRATE

EPA REG. NO. 7562-9

Active ingredient: 5% Sodium hypochlorite
Inert ingredients: 95%
Net weight: 1.0 lb (454 g)
Net volume: 1.0 qt (946 ml)



WARNING: Keep Out of Reach of Children. See left side panel for additional first aid and precautionary statements. "K.I.L. 5" is a concentrate and should be diluted before using.

Distributed by
WATER SOLUBLE PRODUCTS
Division of M.D. Industries, Inc.
Deerfield, Illinois 60015, U.S.A.

**PETROLEUM
RESISTANT
DEODORIZER
• FUNGICIDE**

ACCEPTED

1-24-74
7562-9

ACCEPTED

K.I.L. 5[™]

CONCENTRATE
EPA REG. NO. 7562-9

- **DETERGENT**
- **DISINFECTANT**
- **DEODORIZER**
- **FUNGICIDE**


ACTIVE INGREDIENTS:

n-Akyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	2.25%
n-Akyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	2.25%
Sodium Carbonate	3.00%
Tetrasodium ethylenediamine tetraacetate	1.00%
INERT INGREDIENTS:	91.50%
	<hr/> 100.00%

WARNING: Keep Out of Reach of Children. See left side panel for additional first aid and precautionary statements. "K.I.L. 5" is a concentrate and should be diluted before using.

Hospital and Institutional Formula

FUNGICIDAL
PSEUDOMONACIDAL
VIRUCIDAL*



This specially formulated product is a cleaner, disinfectant and sanitizer designed for Hospitals, Nursing Homes and Institutions where housekeeping will be of prime importance in reducing the hazard of contamination from inanimate surfaces. It can provide the assurance you need in this area when used as directed.

For use on floors, walls, sink tops, garbage pails, telephones, bedpans, in operating rooms, restrooms.

Effective against *Staphylococcus aureus*, *Salmonella choleraesuis* and *Pseudomonas aeruginosa*. Also effective against pathogenic fungi *Trichophyton interdigitale*.

*When this product is used on environmental, inanimate, hard surfaces at 700 ppm active quaternaries (2 fluid ounces per gallon of water) it is Virucidal against:

Influenza A ₂ Virus (Flu)	Adenovirus Type 2 (Acute Respiratory Disease)
Herpes Simplex (Cold Sores, Fever Blisters)	Vaccinia Viruses (Small Pox)

UNDER
FUNGICIDAL
FOR ECOLOGICAL
ED UNDESIRABLE