

PM 4

2579-2

5/26/98 1/1

**DIRECTIONS FOR USE**

This product may not be used after October 1, 1999. It is a violation of Federal Law to use this product in a manner inconsistent to its labeling.

**Training:** Applications must be made by persons trained in bird control.

**Permits:** Local, State and Federal permits must be obtained before use.

**Method of Application:** Do not use product as a surface treatment. Use only in RID-A-BIRD perches.

**Handling:** Do not allow product to contact skin. If it does, refer to "Statement of Practical Treatment."

**Sites:** Perches can be used only at following sites:

1. In and around farm buildings.
2. Building tops and structural steel.
3. Inside other buildings.
4. Power Plants and Substations.
5. Storage Yards.
6. Loading Docks.
7. Bridges.

Do not use perches in the following sites:

1. Food storage areas.
2. Food processing areas.
3. Food handling establishments.
4. Roosting areas near human habitation or non-target animals.

5. Starling roosting areas.

6. Sites utilized by over 200 starlings.

Keep site free of bird food and feed. Do not expose in any manner that may endanger non-target birds and other animals.

**Pests:** Perches can be used only to control the following pests:

1. Starling
2. English Sparrow
3. Pigeon

**Dead Bird Searches:** A search for dead birds must be made in a 100 yard radius around the control area. Pick up and bury or burn any dead birds found. If dead birds continue to be found at the 100 yard mark continue the search, in 25 yard increments, until no dead birds are found. Maintain a log of the number of birds (by species) killed. **Installation of Perches:** Refer to the brochure entitled "INSTRUCTIONS, HOW TO INSTALL RID-A-BIRD PERCHES."

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in original container in a well ventilated area separately from fertilizer, seed and food-stuff. Avoid cross contamination with other pesticides. Spillage or leakage should be contained and absorbed with clay granules, sawdust, or equivalent material and the area of spillage should be washed with detergent and water, and such material and water disposed of as excess pesticide.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by us according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**RESTRICTED USE PESTICIDE**

Due to Very High Acute Toxicity to Birds, Fish and Aquatic Invertebrates.

For retail sale to and use only by Certified Applicator or persons under their direct supervision and only for those uses covered by their Certified Applicators Certification. Certified Applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

This product may not be used in starling roosting area.

This product may not be used on sites utilized by over 200 starlings.

This product may not be used after October 1, 1999.

**Rid-A-Bird  
Perch 1100 Solution**

**ACTIVE INGREDIENTS**

Fenthion (0,0-Dimethyl 0-[4-methylthio]-M-Tolyl) phosphorothioate 11%

INERT INGREDIENTS ..... 89%

(Contains Aromatic Petroleum Distillate) 100%

E.P.A. Registration No. 7579-2

E.P.A. EST. NO. 7579-2-IA-01

QUART

KEEP OUT OF REACH OF CHILDREN

**WARNING**

See Statement of Practical Treatment and other precautionary statements on Side Panel.

Manufactured

**RID-A-BIRD-INC.**

P.O. Box 436, 1903 W. Third Street

WILTON, IOWA 52778

**ACCEPTED**

IN CASE OF EMERGENCY CALL

1-800-228-5635 Ext. 262

MAY 21 1998

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under REV. 4-22-98 EPA Reg. No. 7579-2

**PERSONAL PROTECTIVE EQUIPMENT AND WORK SAFETY - LOAD AND USE ONLY WHEN WEARING THE FOLLOWING PERSONAL PROTECTIVE CLOTHING AND EQUIPMENT.** Long-sleeved shirt, long-legged pants, chemical-resistant gloves, shoes and socks.

**IMPORTANT!** If pesticide comes in contact with skin, wash off with soap and water and contact a physician immediately. Always wash hands, face, and arms with soap and water before smoking, drinking, or using the toilet.

**AFTER WORK:** Before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. Wear clean clothes. Do not reuse contaminated clothing. Personal clothing worn during work must be laundered separately from household articles. Store protective clothing separately from personal clothing. Clean or launder protective clothing after each use. Clothing that becomes heavily contaminated or drenched with Fenthion must be destroyed according to State and local regulations. **HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.**

**PRECAUTIONARY STATEMENTS**

**HAZARD TO HUMANS AND DOMESTIC ANIMALS**

**WARNING**

May be fatal if swallowed or absorbed through skin or inhaled. Causes moderate eye irritation. Do not get in eyes, on skin or on clothing. Do not breathe spray mist. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash clothing before reuse.

**FIRST AID**

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting. **IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.

**IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

**IF IN EYES:** Flush with plenty of water. Call a physician if irritation persists.

**NOTE TO PHYSICIAN:** Atropine sulfate by injection is antidotal only if symptoms of cholinesterase inhibition are present. 2-PAM may also be administered in conjunction with atropine. **NOTE:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**ENVIRONMENTAL HAZARD**

**THIS PESTICIDE IS HIGHLY TOXIC TO SHRIMP, FISH AND WILDLIFE.** RID-A-BIRD concentrate will kill fish if accidentally discharged into fish bearing waters. Non-target birds and wild life coming into contact with RID-A-BIRD perches, with RID-A-BIRD concentrate in it, will be killed or injured. Bird and wildlife food or feed must be kept away from treated areas to minimize hazard to them. Do not contaminate water by cleaning of equipment or disposal of wastes.

**CHEMICAL HAZARD**

Do not use or store near heat or open flame.