

WARNING: Oxidizing material. Contact with organic matter may cause fire. Will burn with evolution of chlorine or equally toxic gases. In case of fire, flood with water. Store in a cool dry place. Keep away from open flame or heat. Avoid contact with paper, rags, wood, paint, etc. May be fatal if swallowed. Keep Container Closed.

 X POISON X

ANTIDOTE: Internally - feed gruel or cooked cereal, followed by olive oil or cooking oil. Externally or in eyes - flood with cold water immediately. CALL A PHYSICIAN.

U.S.D.A. Reg. No. 7616-?

Downey, Calif. 90241

CHEM LAB PRODUCTS INC.

Chamblee, Ga. 30005

↑
BACK
↓

KEMTABS
Stabilized Chlorine Tablets

NET WEIGHT _____ POUNDS

WARNING: KEEP OUT OF CHILDREN'S REACH.

SEE ADDITIONAL WARNING UNDER DIRECTIONS.

ACCEPTED
MAY 15 1968
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR THE FIFTH EDITION REGISTERED
UNDER NO. 76-16-10 SUBJECT
TO ATTACHED COMMENTS.

FRONT

76-16-10

KEMTABS Stabilized Chlorine Tablets
FOR "ROUND-THE-CLOCK" DISINFECTION & ALGAE CONTROL

Because it's stabilized to resist sunlight, KEMTABS Chlorine is long-lasting, often for 24 to 48 hours. It is completely soluble, adding no harsh alkali to irritate skin, cloud water or deposit scale on pool walls, heater and filter.

DIRECTIONS: First, condition pool water with KEMGUARD Chlorine Stabilizer (one treatment at beginning of season only). Thereafter, regular use of KEMTABS will keep water conditioned. Omit KEMGUARD if water is already stabilized.

CHLORINATION: Initially treat pool with 4 ounces (16 tablets) per 10,000 gal. of water. Repeat treatment until 1.0 ppm chlorine residual is established. Thereafter, check regularly with test kit (KEM CHEK) and chlorinate as often as needed to maintain 1.0 ppm minimum chlorine residual. Keep pH between 7.2 and 7.8.

As a guide, tables below show typical daily dosages. Use double the daily amount for every-other-day schedule.

IN GROUND POOLS - DAILY

SIZE FEET	14 X 28	16 X 32	17 X 34	18 X 36	20 X 40
SIZE GAL.	15,000	20,000	25,000	30,000	35,000
TABLETS	6 to 8	8 to 12	10 to 16	12 to 18	16 to 22

ABOVE GROUND POOLS - DAILY

POOL DIA	12 FT.	15 FT.	18 FT.	20 FT.	24 FT.
TABLETS	3 to 4	4 to 5	6 to 8	8 to 10	10 to 12

APPLICATION: Preferably place tablets in skimmer with pump running until all tablets are dissolved (about 20 minutes). A dissolver basket may be used or tablets may be broadcast directly into pool. In the latter case, test in an obscure place first to be sure tablets don't bleach spots in paint or plastic liner.

AVAILABLE CHLORINE 62.5% 64 TABLETS = 1 LB.

9 TABLETS (2 1/4 oc.) per 10,000 gal. = 1.0 ppm available chlorine.

ACTIVE INGREDIENT:

Trichloro-s-triazinetriene 70%

Sodium Carbonate 22%

INERT INGREDIENTS: 8%

BACK

3-17-68
 17-17

AVAILABILITY
 Stabilized Chlorine Tablets
 WEIGHT _____ POUNDS

FORMING: WITH GOVT. OF CHILBIAN...
 INTERNATIONAL JOINTING UNIT... 17-17

1 TABLET (0.525 grams) of Chlorine Tablet
 FOR "GROUND-IN-CHECK" OF CHLORINE & pH

Because it's stabilized to resist sunlight, a TABLET Chlorine Tablet dissolves slowly, often for 24 to 48 hours. If it completely dissolves, it may be "kalk" to irritate skin, cloud water or deposit scale on heater and filter.

DIRECTIONS: First, condition pool water with REMGUARD Chlorine Tablets (one treatment at beginning of season only). Thereafter, regular use of AQUAGUARD will keep water conditioned. Omit REMGUARD if water is already stabilized.

CHLORINATION: Initially treat pool with 4 ounces (16 tablets) per 10,000 gal. of water. Repeat treatment until 1.0 ppm chlorine residual is established. Thereafter, check regularly with test kit (KIM Check) and chlorinate as often as needed to maintain 1.0 ppm minimum chlorine residual. Keep pH between 7.2 and 7.8.

As a guide, tables below show typical daily dosages. Use double the daily amount for every-other-day schedule.

IN GROUND POOLS - DAILY

SIZE FEET	14 X 18	16 X 32	17 X 34	18 X 36	20 X 40
SIZE GAL.	15,000	20,000	25,000	30,000	35,000
TABLETS	6 to 8	8 to 12	10 to 15	12 to 18	16 to 22

ABOVE GROUND POOLS - DAILY

POOL DIA.	12 FT.	15 FT.	18 FT.	20 FT.	24 FT.
TABLETS	5 to 4	4 to 5	6 to 8	8 to 10	10 to 12

APPLICATION: Preferable place tablets in skimmer with pump running until all tablets are dissolved (about 10 minutes). A dissolver basket may be used or tablets may be broadcast directly into pool. In the latter case, test in an obscure place first to be sure tablets don't bleach spots in paint or plastic liner.

AVAILABLE CHLORINE: 0.525 GR. TABLET = 1 LB.
 9 TABLETS (0.6 .) per 10,000 gal. = 1.0 ppm available chlorine.
ACTIVE INGREDIENTS:
 Trichloro-s-triazinetrione 70%
 Sodium Carbonate 5%
INERT INGREDIENTS: 25%

WARNING: Avoid contact with fire. Contact with organic matter may cause fire. Will burn with evolution of chlorine or equally toxic gas. In case of fire, flood with water. Store in a cool dry place. Keep away from open flame or heat. Avoid contact with paper, paper, wood, paint, etc. May be fatal if swallowed. Keep container closed.

X POISON X

ANTIDOTE: Internally - feed gruel or cooked cereal, followed by olive oil or cooking oil. Externally or in eyes - flood with cold water immediately. CALL A PHYSICIAN.

U. S. D. Reg. No. 7016-2

Bozney, C. H. 90341

CHEM LUB PRODUCTS INC. Chamblee, Ga. 30005

11/11