

# ALGY<sup>®</sup> BAR 10

SWIMMING POOL ALGAECIDE

## ACTIVE INGREDIENTS

N-Alkyl (50% C<sub>12</sub>, 40% C<sub>14</sub>, 10% C<sub>16</sub>)  
Dimethyl benzyl ammonium chloride 10.0%

## INERT INGREDIENTS

Water and ethanol 90.0%

EPA Reg. No. 7616-17-ZA

**DANGER!** Keep out of reach of children.

See back panel for additional precautionary instructions.  
Container disposal: When empty, rinse container thoroughly  
with water and destroy it by crushing or burying in a safe  
place.

Manufactured by  
**CHEM LAB PRODUCTS INC.**  
Anaheim, California 92806

NET 32 FL. OZ. (1 QT.)

The presence of algae in outdoor swimming pools is not only an eyesore, but also a source of foul odor and increased chlorine demand of the water. The use of Algy Bar 10 Algaecide will help to maintain the pool in a clear condition.

Algy Bar 10 is compatible with the usual water treatment chemicals. It does not interfere with Algy Bar 10. The chlorine demand of the product is very low.

This product is toxic to fish. Treated effluent should not be discharged into lakes, streams, ponds, or public water. Apply the label directions to the water.

## DIRECTIONS

1. In freshly filled pools or in pools showing no visible algae growth, add one pint of Algy Bar 10 per 6,250 gallons of water to prevent a new growth. To determine the amount of water in your pool, refer to the table below.
2. If algae growth is observed add one pint of Algy Bar 10 for each 6,250 gallons of water. When existing growth is dead, if necessary, repeat the procedure in 7 days and add one pint Algy Bar 10 per 6,250 gallons of water.
3. After steps 1 or 2, add one pint Algy Bar 10 per 6,250 gallons of water every 5-7 days.

## DANGER!

Keep out of reach of children

Corrosive. Causes eye damage and skin irritation. Do not get in eyes or on face or clothing. Wear goggles or face shield and rubber gloves when handling. Wash face if worn. Avoid contamination of food.

## FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, vegetable solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

## NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

POOL SIZE (On ground 3-4 feet deep)	GALLONS
12 FT. Diameter	1,000
15 FT. Diameter	1,500
18 FT. Diameter	2,000
21 FT. Diameter	2,500
24 FT. Diameter	3,000
(On ground 2-3 feet deep)	
14 x 26	1,500
16 x 32	2,000
17 x 34	2,500
18 x 36	3,000
20 x 41	4,000

ACCEPTED

March 19, 1974  
UNDER FEDERAL INSECTICIDE  
REGULATIONS AND THE ACT  
7616-17