7616-28

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

12/1/2009

## **SEPA** United States Environmental Protection Office of Pesticide Programs

Dana Wm. Somesla Chemist Chem Lab Products, Inc. 5160 East Airport Drive Ontario, CA 91761

DEC - 1 2009

# FILE COPY

Subject: Kem Tek Granular Algaecide EPA Registration No. 7616-28 Application Date: October 15, 2009 Receipt Date: November 6, 2009

Dear Mr. Somesla:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

### **Proposed Notification:**

Revision of Storage and Disposal Statement per PR Notice 2007-4

### **General Comments:**

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Henson/ Acting Product Manager (32) Regulatory Management Branch II Antimicrobials Division (7510P)

	tions on reverse before completing form. United States Environmental Protection Age Washington, DC 20460		псу		Registrati Amendme Other	
	······	Application for	Pesticide	- Section		
i <b>. Company/Product Nur</b> r Kem Tek Granular Alga			2. EPA Prod Emily Mitc	uct Manager hell		3. Proposed Classification
4. Company/Product (Name) 7616-28			PM# 32			None Restric
Chem Lab Products, I 5160 East Airport Driv Ontario, CA 91761		ode)	(b)(i), my p to:	roduct is si	milar or identica	e with FIFRA Section 3(c)(3 al in composition and labelin
		Sec	ction - II			
Amendment - Explain below.          Resubmission in response to Agency letter dated         X         Notification - Explain below.			Final printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below.			
	age and Disposal per PF tification Statement.					
Attached is 98-10 Cert	Will Be Packaged In:	Sec	tion - III		· ····································	
Attached is 98-10 Cert	Will Be Packaged In: Will Be Packaged In: Ing Unit Packaging Yes No If "Yes"	No. per	r Soluble Pack Yes No ps*	No. per		Metal Plastic Glass Paper
Attached is 98-10 Cert  1. Material This Product  Child-Resistant Packagin  Yes* No  Certification must be submitted	Will Be Packaged In: Will Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt	No. per No. per container	r Soluble Pack Yes No ss° sge wgt	No. per container		Metal Plastic Glass Paper Other (Specify)
Attached is 98-10 Cert  1. Material This Product  Child-Resistant Packagin  Yes* No  Certification must be submitted  3. Location of Net Conte	Will Be Packaged In: Will Be Packaged In: g Unit Packaging Yes No If "Yes" Unit Packaging wgt ents Information	No. per	r Soluble Pack Yes No ss° sge wgt	No. per container	Location of Label	Metal Plastic Glass Paper Other (Specify) Directions
Attached is 98-10 Cert	Will Be Packaged In: Will Be Packaged In: g Unit Packaging Yes No If "Yes" Unit Packaging wgt ints Information Container	No. per No. per container 4. Size(s) Retail Conta	r Soluble Pack Yes No ss° sge wgt	No. per container	Location of Label On Label On Label	Metal Plastic Glass Paper Other (Specify)
Attached is 98-10 Cert  1. Material This Product  Child-Resistant Packagin  Yes* No  Certification must be submitted  3. Location of Net Conte	Will Be Packaged In: Will Be Packaged In: g Unit Packaging Yes No If "Yes" Unit Packaging wgt ints Information Container	No. per No. per container 4. Size(s) Retail Conta Paper glued Stencifed	r Soluble Pack Yes No ss° sge wgt	No. per container 5. 1 Cother	Location of Label On Label On Label	Metal Plastic Glass Paper Other (Specify) Directions g accompanying product
Attached is 98-10 Cert	Will Be Packaged In: Will Be Packaged In: g Unit Packaging Yes No If "Yes" Unit Packaging wgt ints Information Container	No. per No. per container 4. Size(s) Retail Conta Paper glued Stencifed Sec	r Soluble Pack Yes No bs" age wgt l ainer	No. per container 5. 1 5. 1 E	Location of Label On Label On Label	Metal Plastic Glass Paper Other (Specify) Directions g accompanying product
Attached is 98-10 Cert	Will Be Packaged In: Will Be Packaged In: g Unit Packaging Yes No If "Yes" Unit Packaging wgt ints Information Container el is Affixed to Product	No. per No. per container 4. Size(s) Retail Conta Paper glued Stencifed Sec	r Soluble Pack Yes No age wgt lainer	No. per container 5. 1 5. 1 E	Location of Label On Label On Label On Label	Metal Plastic Glass Paper Other (Specify) Directions og accompanying product 
Attached is 98-10 Cert	tification Statement.	No. per No. per container 4. Size(s) Retail Container 4. Size(s) Retail Container Paper glued Stencifed Sec for identification of indi Title Chemin Certification n this form and all attace	r Soluble Pack Yes No age wgt L ainer	No. per container 5. 1 2. 1 2. 1 2. 1 2. 1 2. 1 2. 1 2. 1 2	ecessary, to prod	Metal Plastic Glass Paper Other (Specify) Directions g eccompanying product Constant g eccompanying product Constant g eccompanying product Constant g eccompanying product Constant Generation.) Companying product Constant Generation.) Companying product Constant Generation.) Companying product Constant Generation.) Companying product Constant Generation.) Companying product Constant Generation.) Companying product Constan
Attached is 98-10 Cert	tification Statement.	No. per No. per container 4. Size(s) Retail Container 4. Size(s) Retail Container Paper glued Stencifed Sec for identification of indi Title Chemin Certification n this form and all attace	r Soluble Pack Yes No age wgt siner	No. per container 5. 1 2. 1 2. 1 2. 1 2. 1 2. 1 2. 1 2. 1 2	ecessary, to prod	Metal Plastic Glass Paper Other (Specify) Directions g accompanying product Constant Securit Securit Security Component No. (Include Area Co 969) 390-0912 Complete. Securit Securit Security Securit Securit Security Securit Securit Security Securit Securit Security Securit Securit Securit Securit Securit Securit Securit S

# Chem Lab Products, Inc.

5160 E. Airport Drive = Ontario = California 91761-7824 Telephone: (909) 390-9912 = Fax: (909) 390-9911

October 15, 2009


Regulatory Management Branch II Antimicrobials Division (7510P) United States Environmental Protection Agency Washington, D.C. 20460

RE: Kem Tek Granular Algaecide EPA Reg. No. 7616-28 Storage and Disposal Update per PR Notice 2007-4

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulation at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Certified by:

Dana Wm. Somesla, Chemist Chem lab products, Inc.







# High Strength · Slow Dissolving For Treatment of Black Algae

KEEP OUT OF REACH OF CHILDREN NO SE DEJE AL ALCANCE DE LOS NINOS

DANGER

See back panel for first aid statement and other precautions

XX Ibs (XX Kg.) Free Pool Care Advice 1-800-SOS-POOL . www.kem-tek.com

NOTE: DO NOT USE ON VINYL POOLS. Do not allow direct contact of this product on the following surfaces: vinyl, metallic, fiberglass, painted or colored plaster.

NOTIFICATION/ Date Reviewed: 12/109 Reviewed By: 00/164407 Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

#### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DANGER: Never mix this concentrated chemical with any other substance except generous amounts of water. See CHEMICAL HAZARDS.

KEM TEK™ GRANULAR ALGAECIDE is a potent algaecide which is effective against all algae when used as directed. It is especially effective against so called "black algae" which appears as spots on the walls and bottom of pools.

1. Check pH of water. Adjust pH (if necessary) to 7.2–7.6. using a reliable test kit and either soda ash (KEM TEK pH PLUS) or dry pool acid (KEM TEK pH MINUS).

2. Similarly, check available chlorine and adjust (if necessary) to a residual of 1.0 to 1.5 ppm using a fast acting chlorine product such as KEM TEK KEMKLOR II<sup>™</sup> CHLORINATING LIQUID or either KEM TEK<sup>™</sup> ALL-IN-ONE CHLORINATING GRANULES or KEM TEK SHOCK QUICK<sup>™</sup>.

3. Place one tablespoon of KEM TEK<sup>™</sup> GRANULAR ALGAECIDE directly on the black spots (if on the pool bottom). If the spots are on the pool walls, place a tablespoon of KEM TEK<sup>™</sup> GRANULAR ALGAECIDE on a 6" square cloth, tie and hang from the edge of the pool by the spot.

4. Wait 24 to 36 hours. Brush spots off with a wire algae brush and repeat steps 1 through 3 until algae free.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMAN AND DOMESTIC ANIMALS DANGER

CORROSIVE: Causes eye damage and skin damage. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove and wash contaminated clothing before reuse.

	了不知道,他们的你们在你们是我们 <b>FIRSTAID</b> 的小学们是你们的人们的人。"
If Inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth -to- mouth if possible. Call a poison control center or doctor immediately for treatment advice.
If on Skin or Clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice.
lf In Eyes	Hold eye open and flush with plenty of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice.
If Swallowed	Call a poison control center or doctor immediately for treatment advice. Promptly drink large quantity of water if able t swallow. DO NOT induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person.
	Have the product container or label with you when calling poison control center or doctor, or going for treatment. For assistance call 1-800-767-7665 Note to Physician: Probable mucosal damage may contraidicate the use of gastric lavage.

ENVIRONMENTAL HAZARD: This pesticide is toxic to fish and aquatic organisims.

### PHYSICAL OR CHEMICAL HAZARD

STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460°F TO 480°F WITH THE LIBERATION OF HARMFUL GASES. Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with the generation of heat, liberation of hazardous gases and possible generation of fire or explosion. IN CASE OF FIRE: If possible, isolate container in open air or well-ventilated area. Flood with a large volume of water. IN CASE OF CONTAMINATION OR DECOMPOSITION: Do not reseal container.

### STORAGE AND DISPOSAL:

STORAGE: Keep product in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container in open area, if possible, and flood with large amounts of water. DISPOSAL: IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if avaiable. IF PARTLY FILLED: Call your local solid waste agency or 1-800-CLEANUP for disposal insructions. Never place unused product down any indoor or outdoor drain.

<u>مر</u>ع

EPA Reg. No. 7616-28 EPA Est. No.7616-CA-1 Manufactured by: CHEM LAB PRODUCTS, INC. Ontario, CA 91761