

**NEW FIRE RESISTANT KEMEX II
CONCENTRATED FOOD CHLORINE**

For use in all types of food processing plants and
Agricultural operations where food is produced.
Will not cause corrosion of metal.
Will not affect the taste or color of food.
Will remain in solution for long periods of time.

The control of pH is readily accomplished by the use of
Concentrated Food Chlorine. It is a strong oxidizing
agent and will destroy all bacteria and fungi.
KEMEX II is a powerful disinfectant and
will destroy all bacteria and fungi.
It is a strong oxidizing agent and will
destroy all bacteria and fungi.
It is a strong oxidizing agent and will
destroy all bacteria and fungi.
It is a strong oxidizing agent and will
destroy all bacteria and fungi.

INSTRUCTIONS

When starting up a new food processing plant
chlorine demand is not known. To determine
it, fill a 100 gallon tank with water and
add 2 1/2 lbs. of **KEMEX II** per
100 gallons per 1000 gallons of water.
After 10 minutes, add 1 lb. of **KEMEX II**
per 100 gallons of water.

KEMEX II is a powerful disinfectant and
will destroy all bacteria and fungi.
It is a strong oxidizing agent and will
destroy all bacteria and fungi.
It is a strong oxidizing agent and will
destroy all bacteria and fungi.

When starting up a new food processing plant
chlorine demand is not known. To determine
it, fill a 100 gallon tank with water and
add 2 1/2 lbs. of **KEMEX II** per
100 gallons per 1000 gallons of water.
After 10 minutes, add 1 lb. of **KEMEX II**
per 100 gallons of water.

When starting up a new food processing plant
chlorine demand is not known. To determine
it, fill a 100 gallon tank with water and
add 2 1/2 lbs. of **KEMEX II** per
100 gallons per 1000 gallons of water.
After 10 minutes, add 1 lb. of **KEMEX II**
per 100 gallons of water.

BEST DOCUMENT AVAILABLE

KEMEX II

NEW FIRE RESISTANT
CONCENTRATED FOOD CHLORINE

Granular Chlorine

ACTIVE INGREDIENT

Sodium Dichloro S-Triazine
Dihydrate

Available Chlorine

DANGER:

**KEEP OUT OF REACH
OF CHILDREN.**

Net Wt. 300 lbs.

EPA Reg. No. 7616-3

EPA Estab. No. 7616-10A

DANGER:

Keep Out of Reach of Children

NEW HIO ASSISTANT REAR
COMMUNAL LABOR CHIEF

TO: [Illegible]

INSTRUCTIONS

1. [Illegible]

2. [Illegible]

3. [Illegible]

4. [Illegible]

5. [Illegible]

6. [Illegible]

7. [Illegible]

8. [Illegible]

9. [Illegible]

10. [Illegible]

11. [Illegible]

12. [Illegible]

13. [Illegible]

14. [Illegible]

15. [Illegible]

16. [Illegible]

17. [Illegible]

18. [Illegible]

19. [Illegible]

20. [Illegible]

21. [Illegible]

22. [Illegible]

23. [Illegible]

24. [Illegible]

25. [Illegible]

26. [Illegible]

27. [Illegible]

28. [Illegible]

29. [Illegible]

30. [Illegible]

31. [Illegible]

32. [Illegible]

33. [Illegible]

34. [Illegible]

35. [Illegible]

36. [Illegible]

37. [Illegible]

38. [Illegible]

39. [Illegible]

40. [Illegible]

41. [Illegible]

42. [Illegible]

43. [Illegible]

44. [Illegible]

45. [Illegible]

46. [Illegible]

47. [Illegible]

48. [Illegible]

49. [Illegible]

50. [Illegible]

51. [Illegible]

52. [Illegible]

53. [Illegible]

54. [Illegible]

55. [Illegible]

56. [Illegible]

57. [Illegible]

58. [Illegible]

59. [Illegible]

60. [Illegible]

61. [Illegible]

62. [Illegible]

63. [Illegible]

64. [Illegible]

65. [Illegible]

66. [Illegible]

67. [Illegible]

68. [Illegible]

69. [Illegible]

70. [Illegible]

71. [Illegible]

72. [Illegible]

73. [Illegible]

74. [Illegible]

75. [Illegible]

76. [Illegible]

77. [Illegible]

78. [Illegible]

79. [Illegible]

80. [Illegible]

81. [Illegible]

82. [Illegible]

83. [Illegible]

84. [Illegible]

85. [Illegible]

86. [Illegible]

87. [Illegible]

88. [Illegible]

89. [Illegible]

90. [Illegible]

91. [Illegible]

92. [Illegible]

93. [Illegible]

94. [Illegible]

95. [Illegible]

96. [Illegible]

97. [Illegible]

98. [Illegible]

99. [Illegible]

100. [Illegible]

RECEIVED
14 AUG 1974
REGISTRATION
PERSONNEL DIV