

7616-57

9/16/2012

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON D C 20460

SEP 16 2012

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Cristina Griffin  
**Delta Analytical Corporation**  
12510 Prosperity Drive / Suite 160  
Silver Spring Maryland 20904

Subject **Algy Bar 230**  
EPA Registration No 7616-57  
Application Date August 14 2012  
Receipt Date August 17 2012

Dear Ms Griffin

This acknowledges receipt of your notification submitted under the provision of PR Notice 98-10 FIFRA section 3(c) 9

**Proposed Notification**

- Correction from Agency s 6/28/12 letter
- Adding an ABN Kem Tek Green Algaecide
- Adding Language to Environmental Hazards section clarify above and below 5 gallons and incorporate requirements
- Under Headings For Pools Having Just visible Algae Growth and Spas Whirlpools delete the word should and use the work Add to make an affirmative statement

**General Comment**

Based on a review of the material submitted as referenced above your notification is acceptable and a copy has been inserted in your file for future reference

Should you have any questions or comments concerning this letter you may contact me by telephone at (703) 308-6416 or by e-mail at [campbell-mcfarlane.jacqueline@epa.gov](mailto:campbell-mcfarlane.jacqueline@epa.gov) or Stacey Grigsby by telephone at (703) 305-6440 or by e-mail at [grigsby.stacey@epa.gov](mailto:grigsby.stacey@epa.gov) during the hours of 8 00am to 4 00pm EST When submitting information or data in response to this letter a copy of this letter should accompany the submission to facilitate processing

Sincerely

Jacqueline Campbell  
Product Manager (34)

CONCURRENT Regulatory Management Branch II

SYMBOL									
SURNAME									
DATE									

	United States <b>Environmental Protection Agency</b> Washington DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number <b>NOTIF</b>
--	--	--	---------------------------------------

**Application for Pesticide - Section I**

1 Company/Product Number <b>7616 57</b>	2 EPA Product Manager <b>Jacqueline Campbell</b>	3 Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4 Company/Product (Name) <b>KIK Pool Additives Inc / Algy Bar 230</b>	PM# <b>34</b>	
5 Name and Address of Applicant (Include ZIP Code) <b>KIK Pool Additives Inc c/o Delta Analytical Corp</b> <b>12510 Prosperity Drive, Suite 160</b> <b>Silver Spring, MD 20904</b>		6 <b>Expedited Review</b> In accordance with FIFRA Section 3(c)(3)(b)(i) my product is similar or identical in composition and labeling to  EPA Reg No _____ Product Name _____

**Section - II**

<input type="checkbox"/> Amendment Explain below <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> Me Too Application <input type="checkbox"/> Other explain below
--	---

**Explanation** Use additional page(s) if necessary (For section I and Section II)

**Notification per PR Notice 98-10 to make EPA requested changes to the label**

This notification is consistent with the provisions of PR Notice 98 10 and EPA regulations at 40 CFR 152 46, and no other changes have been made to the labeling or the confidential statement of formula of this product I understand that it is a violation of 18 U S C Sec 1001 to willfully make any false statement to EPA I further understand that if this notification is not consistent with the terms of PR Notice 98 10 and 40 CFR 152 46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA

**Section - III**

<b>1 Material this Product will be Packaged in</b>			
Child Resistant Packaging <input checked="" type="checkbox"/> Yes For retail <input type="checkbox"/> No  <i>Certification must be submitted</i>	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  If Yes Unit Package wgt      No per container	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  If Yes Unit Package wgt      No per container	2 Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)

3 Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4 Size(s) of Retail Container 1 qt 1 gallon	5 Location of Label Direction <input checked="" type="checkbox"/> On Label or <input type="checkbox"/> On Labeling accompanying product
--	--	---

6 Manner In Which Label Is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input checked="" type="checkbox"/> Other <u>Sleeve</u>
---


**Section - IV**

1 Contact Point (Complete items directly below for identification of individual to be contacted if necessary to process this application)

Name <b>Cristina Griffin</b>	Title <b>Agent for KIK Pool Additives Inc</b>	Telephone No (include Area Code) <b>301 680 7971</b>
---------------------------------	--	---

**Certification**

I certify that the statements I have made on this form and all attachments thereto are true accurate and complete I acknowledge that any kind of knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law

2 Signature 	3 Title <b>Agent for KIK Pool Additives Inc</b>	Date Application Received <b>(Stamped)</b>   
4 Typed Name <b>Cristina Griffin</b>	5 Date <b>August 14, 2012</b>	



August 14 2012

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U S Environmental Protection Agency
One Potomac Yard
2777 S Crystal Drive Room S 4900
Arlington VA 22202

Attn Jacqueline Campbell PM 34

Re Notification per PR Notice 98 10 to make EPA requested changes to the label
Product Algy Bar 230, EPA Reg No 7616-57, Company KIK Pool Additives Inc

Dear Ms Campbell

On behalf of KIK Pool Additives Inc I am submitting a notification per PR Notice 98 10 for the product label for Algy Bar 230 EPA Reg No 7616 57

Background

On 3/28/12 we submitted an amendment to make label changes You contacted me by phone in May to request that we make changes to the label we had submitted On May 17 2012 I sent revised labeling (dated 5/16/12) to you by e-mail incorporating your comments and making a couple other changes that had come to our attention See the attached e-mail

Unfortunately EPA s approval of 6/28/12 used the old label dated 3/28/12 rather than the revised label dated 5/16/12 that incorporated the changes you requested

We are making this notification to correct the error and ensure that EPA has the corrected labeling on file The revised label enclosed is dated 8/8/12 and incorporates the following changes (changes are highlighted on the label)

- Page 1 Added an ABN Kem Tek Green Algaecide previously approved but never added to PPLS (original EPA approval letter attached)
Page 2 Added language to the Environmental Hazards section to clarify above and below 5 gallons and incorporate requirements
Page 3 under headings For Pools Having Just visible Algae Growth and Spas Whirlpools deleted the word should and used the word Add to make an affirmative statement

Enclosures

- EPA form 8570 1
Copy of e-mail to Ms Campbell dated May 17 2012
1 copy of the notification label dated 8/8/12 (changes highlighted)
1 copy of EPA approval letter dated 6/28/12
1 copy of EPA alternate brand name approval letter for Kem Tek Green Algaecide

If you have questions regarding this submission please contact me at 301-680 7971 or cgriffin@delta ac com

Sincerely
Cristina Griffin Agent for KIK Pool Additives Inc

Handwritten marks resembling a signature or initials on the right side of the page.

Enclosures
cc Elvia Angulo KIK Pool Additives
Justin Lowe KIK

# ALGY BAR 230

[Previously approved Alternate Brand Names in EPA letter but didn't appear on EPA's label database]

Kem Tek Green Algaecide

[Previously approved Alternate Brand Names]

Aqua Guard Green Algaecide

**NOTIFICATION**  
Date Reviewed: 8/16/12  
Reviewed By: [Signature]

ACTIVE INGREDIENT	
Poly(oxyethylene(dimethyliminio)ethylene (dimethyliminio)ethylene dichloride)	30.0%
INERT INGREDIENTS	70.0%
TOTAL	100.0%

## KEEP OUT OF REACH OF CHILDREN CAUTION

SEE BACK PANEL FOR FIRST AID STATEMENT AND OTHER PRECAUTIONS  
[or SEE FIRST AID STATEMENT AND ADDITIONAL PRECAUTIONS ON BACK PANEL]  
*[the See back panel may be omitted if all labeling is on the same panel e.g. the kit box]*

Net [Contents] \_\_\_\_\_


[The following may appear in any appropriate place on the label]

Manufactured by [for]  
KIK Pool Additives Inc  
5160 E Airport Dr  
Ontario, Calif 91761

[Optional Following may be included in addition to Manufactured by [for] address above Distributed by  
[or Sold by] [or Marketed by] Insert additional company name and address]

EPA Reg No 7616 57  
EPA Est Nos 7616 CA 01

[Free Pool Care Advice 1-800-SOS-POOL • www kem-tek com]



[In the text 'this product' or alternate brand name may be substituted for name] [[Information in brackets] is optional or instructional italics in brackets indicate instructions not part of labeling]



**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling

ALGY BAR 230 is used to control the growth of algae in swimming pools exterior spas whirlpools hot tubs decorative fountains and ponds that do not contain fish For maximum effectiveness Clean heavy growth of algae prior to using ALGY BAR 230 in pools spas whirlpools hot tubs decorative fountains and ponds that do not contain fish

*[Use one or more of the following sets of directions]*


**TO CLOSE POOL FOR WINTER** Add 23.5 to 36.4 fluid ounces of ALGY BAR 230 per 10,000 gallons Operate the pump system 4-8 hours (minimum) after application

**FOR POOLS HAVING JUST VISIBLE ALGAE GROWTH [or TO OPEN /CLOSE POOL]** Add an initial dose of 23.5 to 36.4 fluid ounces of ALGY BAR 230 per 10,000 gallons of water and remove settled algae debris by cleaning For treatment of freshly cleaned and filled pool add initially 12.8 to 23.5 fluid ounces of ALGY BAR 230 per 10,000 gallons of water Add 4.3 to 8.6 fluid ounces of ALGY BAR 230 per 10,000 gallons every 5 to 7 days after initial treatment for maintenance

**SPAS, WHIRLPOOLS, HOT TUBS DECORATIVE FOUNTAINS AND PONDS HAVING JUST VISIBLE ALGAE GROWTH** Require an initial dose of 2 to 4 fluid ounces of ALGY BAR 230 per 1,000 gallons of water For treatment of freshly cleaned and filled spas whirlpools hot tubs decorative fountains or ponds add initially 1 to 2 fluid ounces of ALGY BAR 230 per 1,000 gallons of water Add 0.5 to 0.8 fluid ounces of ALGY BAR 230 every 5 to 7 days after initial treatment for maintenance ALGY BAR 230 is compatible with those chemicals normally used to treat pools and spas and is effective at both acid and alkaline pH ALGY BAR 230 can be used in pools and spas treated with chlorine chemicals and may reduce the amount of those chemicals normally required However do not mix ALGY BAR 230 with concentrated dry or liquid chlorine products

**STORAGE AND DISPOSAL**

**STORAGE** Keep product in tightly closed container when not in use Store in a cool dry, well-ventilated area away from heat or open flame **CONTAINER HANDLING** Nonrefillable container Do not reuse or refill this container **IF EMPTY** Place in trash [collection] or offer for recycling if available **IF PARTLY FILLED** Call your local solid waste agency for disposal instructions Never place unused product down any indoor or outdoor drain



*[In the text "this product" or alternate brand name may be substituted for name] [[Information in brackets] is optional or instructional italics in brackets indicate instructions not part of labeling]*

[Optional Kit Label front panel]

[Brand name AQUA GUARD™ or Kem Tek™ may be used]

[optional] 5-Step Pool Care System

# SWIMMING POOL WINTERIZING KIT

For Closing Pool for the Winter  
Algaecide – Shock – Metal Out

FREE POOL CARE ADVICE

1-800-SOS-POOL

[this information may be on another panel]

Net Contents

- \_\_\_ Qts [ or Gal]

[insert ABN for 7616-57]

- \_\_\_ Lbs

[insert ABN for 7616-78]

- \_\_\_ Gal **Aqua Guard Metal Out**

[Non-EPA registered product, may substitute name for same product]


KEEP OUT OF REACH OF  
CHILDREN

NO SE DEJE AL ALCANCE DE LOS  
NIÑOS

**DANGER**

See back and side panels and individual  
containers for first aid statements  
and other precautions

[Note Kit is to include EPA Reg No 7616-57 and 7616-78 labels fully visible on outside kit box as well as on the corresponding container inside the box ]



[In the text 'this product' or alternate brand name may be substituted for name] [[Information in brackets [ ] is optional or instructional italics in brackets indicate instructions not part of labeling ]

[Optional Kit Label]

[The following may placed on front side or back panel of box and/or as an insert]

STEPS FOR USING WINTERIZING KIT

- (1) Clean pool by skimming brushing and vacuuming thoroughly
- (2) Add Aqua Guard Metal Out [for similar brand name for non registered product] per dosage in directions for use
- (3) Balance pool water Adjust pH to 7.2- 7.6 Adjust Alkalinity to 80-120ppm
- (4) Shock (superchlorinate) pool Follow [insert ABN for EPA Reg No 7616-78] dosage in directions for use
- (5) Allow the chlorine level to drop below 5.0 ppm before adding algaecide and using pool cover
- (6) When chlorine level reaches 3 ppm add [insert ABN for EPA Reg No 7616-57] per dosage in directions for use
- (7) Lower pool water level 12 - 18 below the skimmer for mesh covers and 3 - 6 below the tile for solid floating covers
- (8) Winterize the pool plumbing and equipment properly according to region weather and manufacturer s instructions

[The following information may be used on the insert or panel containing this information location optional]


**SWIMMING POOL  
WINTERIZING KIT**  
For Closing Pool for the Winter  
Algaecide – Shock – Metal Out  
FREE POOL CARE ADVICE 1-800-SOS-POOL

[The following may appear in any appropriate place on the box label or on the insert]

Manufactured by [for]  
KIK Pool Additives Inc  
5160 E Airport Dr  
Ontario Calif 91761

[Optional Following may be included in addition to Manufactured by [for] address above by] [or Marketed by] Insert additional company name and address]

Distributed by [or Sold]



[In the text 'this product or alternate brand name may be substituted for name] [[Information in brackets] is optional or instructional italics in brackets indicate instructions not part of labeling]



9/9

[Non EPA registered label for inclusion in kit with two registered products other brand name for a non registered product may be used ]

# AQUA GUARD™ METAL OUT

Eliminates and Prevents the Growth of Metal Stains Discoloration and Scale Formation

KEEP OUT OF REACH OF CHILDREN / NO SE DEJE AL ALCANCE DE LOS NIÑOS  
CAUTION IRRITANT / PRECAUCION IRRITANTE

See back panel for First Aid statement and other precautions

Si usted no entiende la etiqueta busque a alguien para que se la explique a usted en detalle

AQUA GUARD™ METAL OUT eliminates and prevents the growth of metal stains discolorations and scale growth

**DIRECTIONS** To close pool for winter add one (1) quart of Aqua Guard Metal Out per 10 000 gallons of water being treated add eight (8) ounces per 10 000 gallons whenever fresh water is added NOTE This product is acidic always add while the recirculation system is running into the outlet stream and away from the wall to assure maximum dispersion If the pH of the water drops below the recommended range (becomes acidic) AQUA GUARD™ METAL OUT should be added prior to correcting the pH

**CONTAINS** Polyphosphonic acid

**PRECAUTIONS** Irritant Avoid contact with eye skin or clothing Harmful if swallowed Keep out of reach of children and pets

**FIRST AID**

**If swallowed** Promptly drink large quantity of water if able to swallow DO NOT induce vomiting Do not give anything by mouth to an unconscious person Avoid alcohol If symptoms occur call the Poison Control Center or a physician immediately Get medical attention

**If in Eyes** Immediately flush with plenty of water for 15 minutes Get medical attention

**If on Skin** Wash area with plenty of warm soapy water Remove contaminated clothing Wash clothing before reuse Get medical attention if irritation persists

Have the product container or label with you when calling a poison control center or doctor or going for treatment For assistance call 1-800-767-7665

**STORAGE AND HANDLING** Store away from direct heat or sunlight Rinse container thoroughly with water before recycling or disposal of empty container

**NOTE** Do not allow direct contact of this product on the following surfaces vinyl metallic fiberglass painted or colored plaster

Net Contents 1 Gallon

Manufactured by [for]  
KIK Pool Additives  
5160 E Airport Dr Ontario Calif 91761

Free Pool Care Advice 1-800-SOS-POOL – [www.kem-tek.com](http://www.kem-tek.com)

[In the text "this product" or alternate brand name may be substituted for name] [[Information in brackets] is optional or instructional italics in brackets indicate instructions not part of labeling ]