

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Irritant to eyes. Causes skin and eye damage. May irritate if inhaled. Do not get in eyes, on skin or on clothing. Wash goggles or face at once if splashed with when handling. Irritating to eyes and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the nearest office of EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Strong Oxidizing Agent. Mix only with water. Use clean dry elements. Do not add this product to any dry, readily decomposing materials of any other product. Such use may cause a violent reaction leading to fire, explosion, or other hazard. Containers, their contents, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion, in case of contamination or decomposition, do not reuse containers. If possible release container in open air or pool ventilation area. Flood with large volumes of water, if necessary.

PRACTICAL MEASURES (FIRST AID): If swallowed lead to oral contact as well followed by severe redness or burning. Call a physician immediately. If on skin: Wash off excess chemical and flush skin with cold water for at least 15 minutes. If irritation develops, get medical attention. If in eyes: Flush with cold water for at least 15 minutes. Get medical attention.

DIRECTIONS FOR USE

If no violation of Federal law in U.S., then product is a restricted use product with its labeling. Read all precautionary and first aid statements before use.

REMARKS: Never mix this concentrated chemical with any other substance except previous amounts of water. Do not combine with other chlorine compounds. Do not use in any automatic chlorinating device that has previously been used with other chlorinating compounds. Do not use in swimming pools. Never use tablets directly into pool or around them to contact metal or plastic pool parts.

Regular use of CHLORINE TABLETS helps to maintain a swimming pool in a sanitary condition by effectively controlling algae growth and eliminating harmful bacteria. Each tablet weighs approximately 1/2 ounce.

START UP: If pool water has not previously been conditioned with stabilizer, condition pool water with Sanol Chlorine Stabilizer as per its label. The presence of stabilizer in the pool will result in a longer lasting chlorine residual and reduced chlorine consumption. For correct chlorination of any pool water, add 1 or 2 tablets CHLORINE TABLETS per 1,000 gallons. Test the chlorine residual with a pool test kit after tablets have completely dissolved. If chlorine reading is not at least 1.0 ppm, repeat above dosage until such residual is

obtained. Do not enter pool unless chlorine residual is in the 1.0-3.0 ppm range.

DAILY CARE: It is important to always keep the chlorine residual at 1.0-1.5 ppm. Test the pool at 8 a.m. or mid-day. Use a test kit frequently to assure that the chlorine residual is in this range. Add CHLORINE TABLETS daily or as needed to maintain a 1.0-1.5 ppm chlorine residual. The table below shows typical daily dosage. One ounce (2 tablets) of this product per 1,000 gallons of water will guarantee the chlorine residual at 1.0 ppm. **NOTE:** If pool is not stabilized, the chlorine dosage should be tripled.

**TYPICAL DAILY DOSAGE (SUMMERTIME)
ON-GROUND POOLS—3' to 4' DEEP**

Pool Diameter	12 ft	15 ft	18 ft	20 ft	24 ft
Approx. Gallons	2,500	4,500	7,000	9,000	13,000
Tablets	1-2	2-3	3-4	4-5	5-6

IN-GROUND POOLS—7' to 9' DEEP

Pool Size (Feet)	14 x 22	16 x 32	17 x 34	18 x 36	20 x 40
Approx. Gallons	15,000	20,000	25,000	30,000	35,000
Tablets	4-6	6-8	8-10	10-12	12-14

pH: Keep pH of water in the 7.2 to 7.6 range. To lower pH, use sodium dichloro-s-triazine-trione (Dichloro Shock) or Sanol Chlorine Pool Acid (S-20). To raise pH, use Sanol Chlorine Pool Alkalinity (S-10) or sodium bicarbonate or other alkaline product as used.

SUPERCHLORINATION: To control algae during the pool season, superchlorinate every two weeks. At the rate of 1 or 2 tablets CHLORINE TABLETS per 1,000 gallons of water. Superchlorinate at 8 a.m. or 4 p.m. average, before 80°F and once every week when the temperature is above 80°F. For superchlorination, add 2 or 4 tablets CHLORINE TABLETS per 1,000 gallons of water. Do not enter pool until chlorine residual is 10.0 ppm.

STORAGE AND DISPOSAL: Store product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flames. In case of decomposition, release container or open area if possible, and flush with large amounts of water. Do not reuse empty containers. Empty container thoroughly with water to remove all material before discarding. Place in accordance with Department approved health codes, or city or state laws.

CHEM LAB PRODUCTS, INC.

EPA Reg. No. 7016-56

Dayton, Ohio 45424

ACCEPTED

25 NOV 1981

7616-56

**U.S. DEPARTMENT OF AGRICULTURE
FEDERAL INSTITUTE FOR
FOOD AND DRUG SAFETY
FOR ECONOMIC POISON ABSTRACTS
AND OTHER INFO.**

