UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JUN 2 7 1997

Chem Leb Products, Inc. 5160 East Airport Drive Ontario, CA 91761

Attn: Dana Somesla

Subject: Algy Bar 206

EPA Registration No. 7616-58 Your Submission of June 13, 1991

This is in regard to the above noted submission of revised labeling for the subject product which includes all of the recommended use patterns.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. A stamped copy is enclosed for your records. Five copies of the finished labeling must be submitted to EPA before you release the product for shipment.

- 1. Revise the "If Swallowed" instructions in your Precautionary Statements to read: "If swallowed drink large quantities of water. Do not induce vomiting. Call the Poison Control Center or a physician immediately.".
- 2. Revise the Environmental Hazards paragraph on your product label to read: "This pesticide is toxic to fish. Do not discharge into lakes, steams, pends, or public water unless in accordance with an NPDES permit. For guidance contact your regional office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste.".
- 3. Place the signal word "CAUTION" immediately beneath "Keep Out Of Reach Of Children".

EPA does not review additional brand names. Such applications should be submitted seperately as notifications. Do not submit labels for additional brand name products. Refer to 40 CFR 152.46(a)(2) regarding additional brand names.

CONCURRENCES							
SYMBOL				****	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	**********	*******
SURHAME JAONE							
ВИННАМЕ) ОТВАНАЙ DATE UN 2 7 1881							

In addition, please submit a revised CSF, with basic product name as requested in our letter of July 17, 1990, in order to satisfy our requirements for the proposed alternate formulation. (Your application dated April 4, 1990).

If you should have any questions concerning this letter, you may call Robert Travaglini on (703) 557-6909.

Sincerely,

Ruth G. Douglas
Acting Product Manager (32)
Antimicrobial Program Branch
registration Division (H7504C)

JUN 2 7 1991

Under the Fisheral Insacticide. Pengicide, and Renterticide Act as amendul for the posticide registered under RPA Bug. No. 7616-58

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for first ald statement and other precautions NET CONTENTS: 1 GALLON (128 FL. OZ.)

The presence of algae in swimming pools and spas is objectionable objectionable and can be difficult to remo"e. Algy—Bar™ 206 helps prevent the growth of chlorine-resistant algaes, (such as mustard and "black" algae), it also acts as an added defense against algae due to low chlorination periods. Once started, algae greatly increases chlorine demand, and the associated increased costs.

Spa Maintenance Tips:

In order to insure the maximum effectiveness of Algy BarTM 206 super-chlorinate with sufficient chlorinating product (such as Spa Kem GranualsTM) to produce a chlorine reading of 5 to 10 ppm. Remove all debris from the water by sweeping and filtering or vacuuming. In order to aid in the removal of the very fine particles resulting from the affected algae, the use of Spa Kem Water Clarifier is recommended. Always maintain pH at 7.2 to 7.6 and a free chlorine residual of 2 to 3 ppm using a reliable test kit.

Pool Maintenance Tips:

In order to insure maximum effectiveness of Algy BarTM 206 Super-chlorinate with fast-acting, unstabilized chlorinating product (such as Kem Tek ShockTM) to chlorine reading of 5 ppm. Remove all debris by vacuuming or sweeping and filtering. In order to aid in the removal of the fine particles resulting from the affected algae the use of KemTek Water Clarifier is recommended. Always maintain pH at 7.2 to 7.6 and a free chlorine residual of 1 to 2 ppm using a reliable test kit.

Directions For Use It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Freshly Filled And/Or Algae-Free Spas: Add 3 to 5 ounces of Algy Bar™ 206 per 500 gallons of spa water. Add 1 to 3 ounces weekly as a maintenance dose to prevent the growth of algaes.

Visible Algae Growth:
Add an initial dose of 5 to 8 ounces of Algy Barm
206 per 500 gallons of water. Thereafter add 1 to
3 ounces (per 500 gallons) weekly to prevent regrowth of algae.

Manufactured by:
CHEM LAB PRODUCTS, INC.
Ontario, CA 91761 - Ocala, FL 32672 - Corsicana, TX 75110

Freshly Filled And/Or Algae-Free Swimming Pools:

Add 69 to 97 ounces of Algy Bar[™] 206 per 10,000 gallons pool water. Add 24 to 48 ounces (per 10,000 gallons) weekly as a maintenance dose to prevent algae growth through the swimming season.

Visible Algae Growth:
Add an initial dose of 97 to 150 ounces of Algy
Bar™ 206 per 10,000 gallons of water to rid the
water of algaes. Thereafter add 24 to 48 ounces

(per 10,000 gallons) weekly during swimming season to prevent regrowth of algae.

Precautionary Statements
Hazards to humans and domestic animals.

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

First Ald: If swallowed, promptly drink a large quantity of milk, egg whites, gelatin solution, or if unavailable, large quantitles of water. Immediately call POISON CENTER or a physician.

Chemical Hazards: Mildly corrosive. Do not mix with acids, ammonia, oxidizers, bleach or other household chemicals.

Environmental Hazarda; This product is toxic to fish. Keep out of lakes, streams, ponds and public waters. For guidance contact the regional office of the EPA.

Storage And Disposal:

Store this product in a cool dry place, away from direct sunlight and heat, in case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sunitary sewer. Do not reuse container, place in trash collection, no not contaminate food or feed by sto, agg, disposal or cleaning of equipment.

EPA Reg. No. 7616-58 EPA Est No. 7616-CA-1; 7616-FL-1; 7616-TX-1

BEST AVAILABLE COPY

EVISED "MASTER" LABEL

6-12-91