

6/2/97


PM 34

7616-58

pg 1/2

Please read Instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration	OPP Identifier Number 210597
		<input type="checkbox"/> Amendment	
		<input checked="" type="checkbox"/> Other	

Section I

1. Company/Product Number 7616-58	2. EPA Product Manager <i>Portia Ruth Douglas Jenkins</i>	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Kem Tek Spa Kem Algy Bar 206	PM# 32 34	
5. Name and Address of Applicant (Include ZIP Code) Chem Lab Products, Inc. 5160 East Airport Drive Ontario, CA 91761 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: NOTIFICATION <i>JUN -2 1997</i> EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)


Addition of pictorial description of product use to front label and other nonpesticidal product claims.

"This is to certify that this notification meets every requirement of PR Notice 88-6".

Section III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted.			
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) of Retail Container	5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input checked="" type="checkbox"/> Other (sleeve)	

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Dana Wm. Somesla		Title Chemist	
		Telephone No. (Include Area Code) (909) 390-9912 ext. 253	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature 		3. Title Chemist	
4. Typed Name Dana Wm. Somesla		5. Date 4/14/97	

KEM TEK™



- Non-foaming • Prevents/treats algae

ALGY BAR™ 206

SPA/WHIRLPOOL ALGICIDE



ACRYLIC/FIBERGLASS
SPAS



WOOD
SPAS



PLASTER/GUNITE
SPAS

NOTE: Do not allow direct contact of this product with the following spa surfaces: vinyl, metallo, fiberglass, painted or colored plaster.

ACTIVE INGREDIENTS:

Poly [oxyethylene (dimethyliminio) ethylene-
(dimethyliminio) ethylene dichloride].....6%

INERT INGREDIENTS.....94%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for first aid statement and other precautions

NET CONTENTS

32

FL OZ

for
SPAS

MADE IN
USA

PLEASE SWIM
SAFELY!
For Spa Care
Advice, Call
1-800-SOS-Pool
(767 7665)

PRODUCT #206



The presence of algae in spas is objectionable and can be difficult to remove. SPA KEM™ ALGY BAR 206™ helps prevent the growth of chlorine-resistant algae (such as mustard and "black" algae). It also acts as an added defense against algae incidents due to low chlorination periods. Once started algae greatly increases chlorine (and other chemicals) demand, and the associated increased costs.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FRESHLY FILLED AND/OR ALGAE FREE SPAS: Add 2 to 5 ounces of SPA KEM™ ALGY BAR 206™ per 500 gallons of spa water. Add 1 to 3 ounces weekly as a maintenance dose to prevent the growth of algae.

VISIBLE ALGAE GROWTH: Add an initial dose of 5 to 8 ounces of SPA KEM™ ALGY BAR 206™ per 500 gallons of water. Thereafter, add 1 to 3 ounces (per 500 gallons) weekly to prevent regrowth of algae.

NOTE: In order to insure the maximum effectiveness of SPA KEM™ ALGY BAR 206™ super-chlorinate with sufficient chlorination product (such as SPA KEM™ CHLORINATING GRANULES) to produce a chlorine reading of 5 to 10 ppm. Remove all debris from the water by sweeping and filtering or vacuuming. In order to aid in the removal of the very fine particles resulting from the affected algae, the use of SPA KEM™ WATER CLARIFIER is recommended. Always maintain the pH at 7.2 to 7.6 and a free chlorine residual of 2 to 3 ppm using a reliable test kit.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed drink large quantities of water. Do not induce vomiting. Call the Poison Control Center or a physician immediately.

CHEMICAL HAZARDS: Mildly corrosive. Do not mix with acids, ammonia, oxidizers, bleach or other household chemicals.

ENVIRONMENTAL HAZARDS: this pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public water unless in accordance with an NPDES permit. For guidance contact your regional office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste.

STORAGE AND DISPOSAL: Store this product in a cool dry place, away from direct sunlight and heat. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse container, place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

EPA Reg. No. 7616-50
EPA Est. 7616-CA-1
EPA Est. 7616-FL-1
EPA Est. 7616-TX-1

Manufactured by:
CHEM LAB PRODUCTS, INC.
Ontario, CA • 91761 • Ocala, FL • 34472
Corsicana, TX • 75110

262

6/2/97


PM 34

7616-58

172

Please read Instructions on reverse before completing form.

Form Approved: OMB No. 2070-0060. Approval expires 11-30-93

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 210595
	Application for Pesticide:		

Section I

1. Company/Product Number 7616-58	2. EPA Product Manager Ruth Douglas	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Kem Tek Algy Bar 206	PM# 3234	
5. Name and Address of Applicant (Include ZIP Code) Chem Lab Products, Inc. 5160 East Airport Drive Ontario, CA 91761 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. JUN : 2 1997 Product Name	

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated
<input type="checkbox"/> Resubmission in response to Agency letter dated	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)


Additional brand name Kem Tek Algy Bar 206 Algicide, including highlighting specific uses from label instructions and other non-pesticidal claims.

"This is to certify that this notification meets every requirement of PR Notice 88-6".

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)	
* Certification must be submitted.		If "Yes," Unit Package wgt.	No. per container	If "Yes," Package wgt.	No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions. <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input checked="" type="checkbox"/> Other (sleeve)			

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Dana Wm. Somesla		Title Chemist		Telephone No. (include Area Code) (909) 390-9912 ext. 253	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment both under applicable law.					6. Date Application Received (Stamped)
2. Signature 		3. Title Chemist			
4. Typed Name Dana Wm. Somesla		5. Date 4/14/97			

Kem TEK

Non-Foaming • Advanced Formula

**PREVENTION
AND TREATMENT
OF POOL ALGAE**

ALGY BAR™ 206 ALGICIDE

KEEP OUT OF REACH OF CHILDREN
NO SE DEJE AL ALCANSE DE LOS NIÑOS

CAUTION

See back panel for first aid statement and other precautions

ACTIVE INGREDIENTS:

Poly [oxyethylene (dimethyliminio) ethylene
(dimethyliminio) ethylene dichloride].....6.0%
INERT INGREDIENTS.....94.0%



PLASTER/GUNITÉ
FIBERGLASS POOL



ABOVE/IN-GROUND
VINYL POOL

NOTE: Do not allow direct contact of this product on the following
pool surfaces: vinyl, metal, fiberglass, painted or colored plaster.
Product will bleach color out.

Net 1 gal.
(3.785 L)

for **SWIMMING POOLS**

Made
in
USA

Kem Tek Algy Bar™ 206 Algicide

The presence of algae in swimming pools is objectionable and can be difficult to remove. Algy Bar™ 206 helps prevent the growth of chlorine-resistant algae (such as mustard and "black" algae). It also acts as an added defense against algae due to low chlorination periods. Once started, algae greatly increase chlorine demand, and the associated chlorine costs.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Freshly Filled And/Or Algae-Free Swimming Pools:

Add 59 to 97 ounces of Algy Bar™ 206 per 10,000 gallons pool water. Add 24 to 48 ounces (per 10,000 gallons) weekly as a maintenance dose to prevent algae growth through the swimming season.

Visible Algae Growth:

Add an initial dose of 97 to 150 ounces of Algy Bar™ 206 (per 10,000 gallons of pool water) weekly during swimming season to prevent regrowth of algae.

Pool Maintenance Tips:

In order to ensure maximum effectiveness of Algy Bar™ 206, super-chlorinate with fast-acting, unstabilized chlorinating product (such as Kem Tek KemKlor II™ Chlorinating Liquid or Kem Tek Shock™) to chlorine reading of 5 ppm. Remove all debris by vacuuming or sweeping and filtering. In order to aid in the removal of the fine particles resulting from the affected algae the use of Kem Tek Water Clarifier is recommended. Always maintain pH at 7.2 to 7.6 and a free chlorine residual of 1 to 2 ppm using a reliable test kit.

Storage And Disposal:

Store this product in a cool dry place, away from direct sunlight and heat. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse container. Place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

Precautionary Statements

Hazards to Humans and Domestic Animals.

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

First Aid: If swallowed, drink large quantities of water. Do not induce vomiting. Call the Poison Control Center or a physician immediately.

Chemical Hazards: Mildly corrosive. Do not mix with acids, ammonia, oxidizers, bleach or other household chemicals.

Environmental Hazards: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public water unless in accordance with an NPDES permit. For guidance, contact your regional office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste.

EPA Reg. No. 7618-58
EPA Est No. 7616-CA1;
7618-FL-1; 7616-TX-1

Manufactured by:

CHEM LAB PRODUCTS, INC.

Ontario, CA 91761 • Corsicana, TX 75110 • Ocala, FL 34472

