

7616-58

9/27/2012

1/12



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON D C 20460

SEP 27 2012

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Cristina Griffin
Agent for KIK Pool Additives Inc
KIK Pool Additives Inc c/o Delta Analytical Corp
12510 Prosperity Drive Suite 160
Silver Spring MD 20904

Subject **Algy Bar™ 206**
EPA Registration Number 7616 58
Application Date July 17 2012
Receipt Date July 18, 2012

Dear Ms Griffin /

The following amendment submitted in connection with registration under the Federal Insecticide Fungicide and Rodenticide (FIFRA) as amended is acceptable

Proposed Amendment

KIK Pool Additives Inc is initiating the following label changes and adding Kit language for EPA reg No 7616 58

On Page One

- Adding readers notes
- Changed Inert to Other in the Ingredients section
- Adding the following alternate brand names Above Ground Pool Kit Above Ground Pool maintenance Kit Aqua Guard Above Ground Pool Maintenance Kit Kem Tek Above Ground Pool Maintenance Kit Above Ground Pool Start Up Kit Aqua Guard above Ground Pool Start Up Kit Kem Tek Above Ground Pool Start Up Kit Above Ground Pool Chemical Kit Aqua Guard Above Ground Pool Chemical Kit and Kem Tek Above Ground Pool Chemical Kit
- Change ABN from Aqua Guard Algaecide & Clarifier to Algy Bar™ 206 to Aqua Guard Algaecide & Clarifier
- Update company name from Chem Lab Products Inc to KIK Pool Additives Inc

On Page Two

- Revised and update First Aid based on EPA approvals for the KIK Pool labels
- Update Environmental Hazards in order to be consistent with to the active ingredient

On Page Three

- Adding optional label claims and graphic

On Page Five

- Revised placement of the Storage and Disposal in order to conform to the Container rule and other KIK Pool labels

CONDITIONS

Revise the label as follows


- 1 Delete the term recommended in both the Pool Maintenance Tips and Spa Maintenance Tips on Page 4 revise the sentences to read use Kem Tek Water Clarifier™ and use Spa Kem Water Clarifier™
- 2 Delete the term recommended in the first sentence of the **Chlorination (daily)** on page 7
- 3 Revise the sentence of the Maintaining Your Pool on page 8 to read
In hot weather and with heavy use due to the size of the pump/filter systems on small above ground pools circulate 24hrs per day

General Comments

If you have further questions concerning this letter, then please contact me by telephone at (703) 308-6416 or by e-mail at campbell.mcfarlane.jacqueline@epa.gov or Lorena Rivas by telephone at (703) 305-5027 or by email at rivas.lorena@epa.gov When you are submitting information or data in response to this letter send a copy of this letter to accompany the submission in order to facilitate processing

A stamped label is enclosed for your records Submit 3 copies of your final printed labeling before distributing or selling the product bearing the revised labeling

Sincerely



Jacqueline Campbell McFarlane
Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510P)

Enclosure stamped label

3/12

Algy Bar™ 206

[Previously approved Alternate Brand Names]

Kem Tek Algaecide & Clarifier

Kem Tek Spa Kem Algy Bar™ 206 Algaecide

Pond Tek Algae Eliminator Algaecide

[Previously approved Alternate Brand Name]

Aqua Guard Algaecide & Clarifier to Algy Bar™ 206

[please delete "to Algy Bar™ 206" so name appears on PPLS as]

Aqua Guard Algaecide & Clarifier

[Alternate Brand Name to be used with kit containing EPA Reg # 7616-58 -70 or -76 [Note that names are repeated on each label because it is not clear which combination of products may be used]

Above Ground Pool Kit

Above Ground Pool Maintenance Kit

Aqua Guard Above Ground Pool Maintenance Kit

Kem Tek Above Ground Pool Maintenance Kit

Above Ground Pool Start Up Kit

Aqua Guard Above Ground Pool Start Up Kit

Kem Tek Above Ground Pool Start Up Kit

Above Ground Pool Chemical Kit

Aqua Guard Above Ground Pool Chemical Kit

Kem Tek Above Ground Pool Chemical Kit

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 27 2012
Under the Federal Insecticide
Fungicide and Rodenticide Act as
amended for the Pesticide
registered under EPA Reg No

7616 58

ACTIVE INGREDIENT

Poly(oxyethylene(dimethyliminio)ethylene
(dimethyliminio)ethylene dichloride)

6 0%

OTHER INGREDIENTS

94 0%

TOTAL

100 0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR FIRST AID STATEMENT AND OTHER PRECAUTIONS

[or SEE FIRST AID STATEMENT AND ADDITIONAL PRECAUTIONS ON BACK PANEL]

[the "See back panel" may be omitted if all labeling is on the same panel e.g. the kit box]

NET [CONTENTS] _____ Gallons [and/or fl oz][ml or liters]

[The following may appear in any appropriate place on the label]

Manufactured by [for]
KIK Pool Additives Inc
5160 E Airport Dr
Ontario Calif 91761

[Optional Following may be included in addition to Manufactured by [for]" address above Distributed by [or Sold by] [or Marketed by] Insert additional company name and address]

EPA Reg No 7616 58
EPA Est Nos 7616-CA 01

[Free Pool Care Advice 1-800-SOS-POOL • www.kem-tek.com]

[In the text this product or alternate brand name may be substituted for ALGY BAR™ 206 name]

[[Information in brackets] is optional or instructional italics in brackets indicate instructions not part of labeling]

f:\shared\KIK Pool Additives\KIT\7616 58 amend label 071712.doc

7/17/12

Page 1 of 8

4/12

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION Harmful if swallowed Avoid breathing vapors Avoid contact with skin, eyes, or clothing

Physical or Chemical Hazard

Mildly corrosive Do not mix with acids, ammonia, oxidizers, bleach or other household chemicals

FIRST AID Call a poison control center [(1-800-222-1222)] or doctor for treatment advice Have the product container or label with you when calling poison control center or doctor or going for treatment **If swallowed** Have person sip a glass of water if able to swallow DO NOT induce vomiting unless told to do so by poison control center or doctor Do not give anything by mouth to an unconscious person **If in Eyes** Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses if present after the first 5 minutes then continue rinsing eye **If on Skin or Clothing** Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes **If inhaled** Move person to fresh air If person is not breathing call 911 or an ambulance then give artificial respiration preferably mouth-to-mouth if possible
[First Aid may be in table form]

[For containers smaller than 5 gallons use the following]

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish aquatic invertebrates and clams

[In accordance with PR notice 95-1 use the following complete Environmental Hazards statement for containers 5 gallons and larger]

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish aquatic invertebrates and clams Do not discharge effluent containing this product into lakes streams ponds estuaries oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority For guidance contact your State Water Board or Regional Office of the EPA

[In the text this product or alternate brand name may be substituted for ALGY BAR™ 206 name]

[[Information in brackets] is optional or instructional italics in brackets indicate instructions not part of labeling]

5/12

Optional Label Claims/location optional] [Claims may be in upper or lower case]

12 Diameter and Under
 13 Diameter and Above
 ABC Smart[er] [Pool Care] [System]
 Advanced Formula
 Algae [Preventer] [Fighter]
 All the Basics Needed for Start-Up and Continued Maintenance
 Built in Clarifier
 Clarifies
 For Above Ground Pool Start-Up
 For All Pools
 For Control of Algae [&] [And]] Bacteria
 For Decorative Fountains or Ponds* *See back for details
 For Fountains
 For Prevention and Treatment of Pool Algae
 For Spas and Hot Tubs
 For Treatment of Green Algae
 Helps Clear Cloudy Water
 Helps Keep Pool Water Clear
 [Insert #] Step Pool Care System
 [Kills] [and] [Controls] Algae
 No Need to Dilute
 Non-Foaming
 Non-Metal Based Algaecide
 Part Of The Kem Tek Pool Care System
 Part Of The Simply Smart[er] [Pool] [Care] [System]
 Pool [and] [&] Spa Care
 Pools Patios & Spas
 Quality & Satisfaction Guaranteed or your money back
 Reduces Chemical Needs
 [Simpler] [Smarter]
 Step [insert #]
 Suitable for All Pools
 Suitable for all Pool Surfaces
 Suitable for Closing / Opening Pool
 Suitable for Spas and Hot Tubs
 Swim [After Use] [In 15 Minutes]
 Treats up to xx xxx gallons of water ** [x will be determined by the set of directions used on the label the asterisk (or other symbol) will tie the claim to a set of directions]
 Use For Above Ground Pool Start-Up
 Use for Winterizing Pool
 Use To Open / Close Pool
 Use Weekly [as [an Algae] Preventative]
 Will Not Stain

| | | | | |
|--------------------|-----------------------|------------------|-----------------------|--------------------|
| Step #1 Balance | Step #2 Chlorinate | Step #3 Shock | Step #4 Algae Care | Step #5 Clarify |
|--------------------|-----------------------|------------------|-----------------------|--------------------|

MAINTAINING YOUR POOL IS AS EASY AS



[READ ALL PRECAUTIONARY STATEMENTS BEFORE USE]

[In the text this product or alternate brand name may be substituted for ALGY BAR™ 206 name]

[[Information in brackets] is optional or instructional italics in brackets indicate instructions not part of labeling]

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

[Reader's note Use one or more of the following directions for use If marketplace label claims include number of gallons treated then asterisk (or other symbol) the appropriate set of directions below to tie it to the claim]

[The presence of algae in swimming pools is objectionable and can be difficult to remove Algy Bar™ 206 helps prevent the growth of chlorine-resistant algae (such as mustard and black algae) It also acts as an added defense against algae due to low chlorination periods Once started algae greatly increases chlorine demand and the associated increased cost]

[[Optional /location optional] Pool Maintenance Tips

In order to insure the maximum effectiveness of Algy Bar™ 206 super chlorinate with sufficient chlorinating product (such as Kem Tek Shock™) to a chlorine of 5 ppm Remove all debris from the water by vacuuming or sweeping and filtering In order to aid in the removal of the very fine particles resulting from the affected algae the use of Kem Tek Water Clarifier™ ~~is recommended~~ Always maintain pH at 7.2 to 7.6 and a free chlorine residual of 1 to 2 ppm using a reliable test kit]

Freshly Filled and/or Algae-Free Swimming Pools [Open/Close Pool] [Pool Start-Up]

Add 69 to 97 ounces of Algy Bar™ 206 per 10 000 gallons of pool water Add 24 to 48 ounces (per 10 000 gallons) weekly as a maintenance dose to prevent algae growth through the swimming season

Visible Algae Growth

Add an initial dose of 97 to 128 ounces of Algy Bar™ 206 per 10 000 gallons of water to rid the water of algae Thereafter add 24 to 48 ounces (per 10 000 gallons) weekly during the swimming season to prevent re-growth of algae

[[Optional /location optional] Spa Maintenance Tips

In order to insure the maximum effectiveness of Algy Bar™ 206 super chlorinate with sufficient chlorinating product (such as Spa Kem Granules™) to produce a chlorine reading of 5 to 10 ppm Remove all debris from the water by sweeping and filtering or vacuuming In order to aid in the removal of the very fine particles resulting from the affected algae the use of Spa Kem Water Clarifier™ ~~is recommended~~ Always maintain pH at 7.2 to 7.6 and a free chlorine residual of 2 to 3 ppm using a reliable test kit]

Freshly Filled and/or Algae-Free Spas

Add 3 to 5 ounces of Algy Bar™ 206 per 500 gallons of water Add 1 to 3 ounces weekly as a maintenance dose to prevent the growth of algae

Visible Algae Growth

Add an initial dose of 5 to 8 ounces of Algy Bar™ 206 per 500 gallons of water Thereafter add 1 to 3 ounces (per 500 gallons) weekly to prevent re-growth of algae

ORNAMENTAL POND/FOUNTAIN TREATMENT

Effectively controls many types of green or green water algae string or hair algae and blackweed in ponds that contain live plants Controls existing algae and helps resolve additional algae blooms Keeps ornamental ponds and water gardens clean & clear Can be used in ponds with fish and plants

Add 1 teaspoon (5 ml) of Algy Bar™ 206 for every 50 gallons (190 L) of pond/fountain water Thoroughly mix Algy Bar™ 206 into pond/fountain by adding near the pump outflow water-fall or aeration device Algy Bar™ 206 can be pre-mixed in a bucket of pond/fountain water Repeat dose every three days until algae is controlled Be prepared to siphon out dead filamentous algae Once algae growth is under control add one dose every 5 days Weekly doses of Algy Bar™ 206 will control growth and reduce pond/fountain maintenance

[In the text this product or alternate brand name may be substituted for ALGY BAR™ 206 name]

[[Information in brackets] is optional or instructional italics in brackets indicate instructions not part of labeling]

7/12

Caution Do not use Algy Bar™ 206 with crustaceans including crabs shrimp freshwater shrimp and freshwater lobsters

***Warm Weather Caution** Before using Algy Bar™ 206 make certain that the pond has vigorous aeration – i.e. a fountain waterfall or aeration device to avoid fish loss due to low oxygen levels. When algae is removed by the filter or settles to the bottom of the pond/ fountain the oxygen level may drop to a harmful level if adequate aeration is not provided. Therefore when using Algy Bar™ 206 during warm summer months adequate aeration is required. Do not shut pond pumps and aeration devices off at night.

***Compatibility** Algy Bar™ 206 can be used in ponds with live plants. Do not use with crustaceans including crabs shrimp and freshwater lobsters.

For ornamental pond use only where all water is contained without any out flow

[Reader's Note Throughout this label, product names for other similar products (i.e. pH adjusters stabilizers chlorinators etc.) may be substituted as appropriate.]

STORAGE AND DISPOSAL

STORAGE Keep product in tightly closed container when not in use. Store in a cool dry well-ventilated area away from heat or open flame. **CONTAINER HANDLING** IF EMPTY Nonrefillable container. Do not reuse or refill this container. Place in trash [collection] or offer for recycling if available. IF PARTLY FILLED Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[In the text this product or alternate brand name may be substituted for ALGY BAR™ 206 name]

[[Information in brackets] is optional or instructional. Italics in brackets indicate instructions not part of labeling.]

8/12

[Optional Kit Label front panel]

[Brand name AQUA GUARD™ or Kem Tek™ may be used]

[optional] 5-Step Pool Care System

**ABOVE GROUND POOL
[START UP] [MAINTENANCE] KIT
[All The Basics Needed for Start-Up and
Continued Maintenance]**

**[FREE POOL CARE ADVICE
1-800-SOS-POOL]**

[Contents will include two or more of the
following]

Net Contents [or This Kit Contains]

- ___ Qts [or Gal]
[insert ABN for 7616-58]
- ___ Lbs
[insert ABN for 7616-70]
- ___ Lbs
[insert ABN for 7616-76]
- ___ Lbs Kem Tek pH Plus
- ___ Lbs Kem Tek pH Minus
- Floating Tablet Dispenser
- Test Strips and Instructions
- Test Kit and Instructions

[Non-EPA registered products may substitute
name for same product]

[Kit contents may be listed on another panel]

**KEEP OUT OF REACH OF
CHILDREN**

**NO SE DEJE AL ALCANCE DE LOS
NIÑOS**

DANGER

See back and side panels and individual
containers for first aid statements
and other precautions

[Note Kit is to include EPA registered product labels fully visible on outside kit box as well as on the
corresponding container inside the box]

[In the text this product or alternate brand name may be substituted for ALGY BAR™ 206 name]

[[Information in brackets] is optional or instructional italics in brackets indicate instructions not part of labeling]

[Optional Kit Label]

[The following may be placed on front side or back panel of box and/or as an insert]

[The following will be part of the Above Ground Pool [Start Up] [Maintenance] Kit's instructions]

STEPS FOR USING ABOVE GROUND POOL [START UP] [MAINTENANCE] KIT

Pool Care The Importance of Testing

Without proper testing a pool can quickly become cloudy develop undesirable odors and even become unsafe to use. Testing is used to guide you in the treating of water. With proper testing this Start-Up Kit provides all the essentials to properly maintain your pool. Additional Kem Tek Products [or insert other brand name] are available to correct problems should they occur.

Chlorine Chlorine breaks down due to many factors - swimmers water temperature and sunlight. In order to prevent growths a chlorine level of 1-3 ppm must be maintained daily. Super chlorinate (shock) using the [insert ABN for EPA Reg No 7616-70] to start up and establish a chlorine level as well at least once per week to remove any chlorine resistant problems. Use the test strips provided or any other reliable test kit to properly chlorinate the pool water. Use [insert ABN for EPA Reg No 7616-70] [and/or insert ABN for EPA Reg No 7616-76] to maintain daily chlorination (see below).

pH pH is always present in water. Keep between 7.2 and 7.6 to make water comfortable for use. In addition the other products used in pool care operate best in this range. pH control is a process of increasing when it gets below 7.2 with Kem Tek pH Plus or lowering it when it gets above 7.6 with Kem Tek pH Minus to keep it in the ideal range. If pool pH is low stop use of pool until pH is adjusted above 7.0.

(Start-Up)

Test pH and adjust to 7.2 – 7.6 if necessary. Then super chlorinate (shock) by following the dosage on the chart for your pool size. Once chlorine level is established and between 1-3 ppm proceed with Daily Chlorination. Do not use the pool until the chlorine residual has dropped to 3 ppm.

[When Kit Contains EPA Reg No 7616-70]

Chlorination (daily)

Follow the ~~recommended~~ dosage on the chart for your pool size. Treat pool every evening. For pools with above average use treat mid-day and in the evening by adding the maintenance dose.

[When Kit Contains EPA Reg No 7616-76]

Chlorination (daily)

Add enough [insert ABN for EPA Reg No 7616-76] to fill dispenser half way. DO NOT FILL DISPENSER COMPLETELY. Adjust dispenser to a mid-setting. Place dispenser in pool water with chemical release openings facing down. Hold dispenser until it floats properly and upright. Test chlorine level periodically. Chlorine level must be maintained between 1-3 ppm at all times. Adjust floater setting to increase or decrease chlorine output. Do not use the pool until the chlorine residual has dropped to 3 ppm.

Weekly

Super chlorinate in the evening and when heavy use or rain occurs. If water becomes cloudy or algae starts to grow triple this dose to correct the problem. Run pump 4 to 8 hours minimum after addition of [insert ABN for EPA Reg No 7616-70].

pH Adjustment

Keep between 7.2 and 7.6. When the pH goes above 7.6 add Kem Tek pH Minus and if it is below 7.2 add Kem Tek pH Plus. Use chart for dosage. Run pump and check after 2-4 hours. The dose on the chart is only an estimate. Repeat as needed until the pH is corrected. Use a half dose when nearing the correct pH level.

Algaecide

The chlorine used to prevent growths in pool water is rapidly consumed by weather conditions and pool use. The addition of Algaecide helps prevent algae from getting started during periods when the chlorine is below 1 ppm. Add Algaecide at least once a month for prevention. Treat weekly for busy pools or hot summer weather. Whenever an algae growth occurs follow the instructions for super chlorination then add algaecide 24 hours after chlorination and chlorinate pool to 3 ppm if needed.

[In the text this product or alternate brand name may be substituted for ALGY BAR™ 206 name]

[[Information in brackets] is optional or instructional. Italics in brackets indicate instructions not part of labeling.]

10/12

Maintaining Your Pool

Your pool can be kept clean and trouble free by following these instructions. In order for the chemical treatments to be effective the filter system must also be kept clean and in good working order. Hot weather and heavy swimmer load create the need for more chemical treatment and also require that the pump is run more often or for longer periods of time. Run the pump every night after adding chlorine to properly treat the water. In hot weather and with heavy use, due to the size of the pump/filter systems on small above ground pools, 24hrs per day circulation is recommended. Also after every major storm or above normal use shocking the pool must be done to prevent problems.

[Reader's Note: Throughout this label, product names for other similar products (i.e. pH adjusters, stabilizers, chlorinators, etc.) may be substituted as appropriate.]

| Pool Size 12' and Under | | KEM TEK™ All-In-One Chlorinating Granules | | pH Plus / pH Minus to raise or lower pH | | Liquid Algaecide | |
|-------------------------|---------|---|-----------|---|-------|------------------|-------|
| Diameter / Depth | Gallons | Daily Tsp | Shock Tbs | (Choose One) | | (Choose One) | |
| | | | | Tbs | Cups | Tbs | Cups |
| 6' X 24' | 500 | 2 | 1 | 4 | 1/4 | 4 | 1/4 |
| 8' X 30' | 1 000 | 4 | 2 | 8 | 1/2 | 8 | 1/2 |
| 10' X 36' | 1 500 | 6 | 3 | 12 | 3/4 | 12 | 3/4 |
| 11' X 36" | 2 000 | 8 | 4 | 16 | 1 | 16 | 1 |
| 12' X 42" | 2 500 | 10 | 5 | 20 | 1 1/8 | 20 | 1 1/8 |
| Pool Size 12' and Under | | KEM TEK™ All-In-One Chlorinating Granules | | pH Plus / pH Minus to raise or lower pH | | Liquid Algaecide | |
| Diameter / Depth | Gallons | Daily Tsp * | Shock Tbs | Cups | | Cups | |
| 13' X 4' | 3 500 | 3 | 1/3 | 1 1/4 | | 1 1/4 | |
| 15' X 4' | 5 000 | 6 | 2/3 | 2 | | 1 1/2 | |
| 18' X 4' | 7 500 | 8 | 1 | 3 | | 2 | |
| 21' X 4' | 10 000 | 10 | 1 1/3 | 4 | | 3 | |
| 24' X 4' | 13 500 | 12 | 1 2/3 | 5 | | 4 | |

*8 TBS=1/2 cup

[The following information may be used on the insert or panel containing this information, location optional]

**ABOVE GROUND POOL
[START UP] [MAINTENANCE] KIT**
All The Basics Needed for Start-Up and Continued Maintenance
FREE POOL CARE ADVICE 1-800-SOS-POOL

[The following must appear in any appropriate place on the box label (and also may appear on the insert)]

Manufactured by [for]
KIK Pool Additives Inc.
5160 E. Airport Dr.
Ontario, Calif. 91761

[Optional: Following may be included in addition to "Manufactured by [for]" address above: Distributed by [or Sold by] [or Marketed by] Insert additional company name and address]

[In the text, this product or alternate brand name may be substituted for ALGY BAR™ 206 name]

[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling]

11/12

[Non EPA registered label for inclusion in kit with EPA registered products other brand name for a non registered product may be used]

Step 1

5 Step Pool Care

BALANCE

KEM TEK pH Plus

For Increasing Water pH
Fast Dissolving Soda Ash

KEEP OUT OF REACH OF CHILDREN

CAUTION Irritant / Precaucion Irritante

[Read carefully other cautions on the _____panel]

Si usted no entiende la etiqueta busque a alguien para que se la explique a usted en detalle

To keep pH between 7.2 and 7.6 use 1/3 cup of KEM TEK™ pH PLUS (+) per 1 000 gal. of water for each one tenth (0.1) increase desired

DIRECTIONS It is very important to maintain water in the 7.2 to 7.6 pH range. Use KEM TEK™ pH PLUS (soda ash) to raise pH and KEM TEK™ pH MINUS (dry acid) to lower it

NOTE Chlorine in test water sample will cause erroneously high pH readings unless chlorine-proof pH test solutions are used

EXAMPLE To raise 5 000 gal. of water from pH 7.1 to 7.4 use 4 3/4 cups. Broadcast directly into water (1 cup = 8 ounces)

Amount required to raise pH 1/10 (0.1)

| | | | | | | | |
|----------|---------|-------|--------|--------|--------|--------|---------|
| Gallons | 1 000 | 2 500 | 5 000 | 7 500 | 10 000 | 15 000 | 25 000 |
| Soda Ash | 1/3 cup | 1 cup | 2 cups | 3 cups | 4 cups | 9 cups | 10 cups |

TEST KITS Mix only with water. A good test kit is essential to satisfactory pool maintenance. Be sure to use one that corrects for an erroneously high pH reading due to chlorine in the test water sample

CONTAINS SODIUM CARBONATE

PRECAUTIONARY MEASURES Irritant. Avoid contact with eyes or mucous membranes and prolonged contact with skin. Do not mix with other pool chemicals. KEEP OUT OF REACH OF CHILDREN AND PETS

FIRST AID

IF SWALLOWED Call a poison control center or doctor immediately for treatment advice. Drink large quantities of water. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF IN EYES Hold eye open and flush with plenty of water for 15-20 minutes. Remove contact lenses if present after the first 5 minutes then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice. IF INHALED Move person to fresh air. If person is not breathing call 911 or an ambulance then give artificial respiration preferably mouth-to-mouth if possible

STORAGE AND DISPOSAL Keep product dry in tightly closed container when not in use. Do not reuse empty container. To prevent accidents rinse empty container with water to dissolve all material before discarding

[CA Reg. No. 7616 50039-AA][Adjuvant Registration required in CA only]

Manufactured by [for]
KIK Pool Additives Inc.
5160 Airport Dr.
Ontario, Calif. 91761

Free Pool Care Advice
1-800-SOS-POOL www.kemtek.com
Net Contents

12/12

[Non EPA registered label for inclusion in kit with EPA registered products other brand name for a non registered product may be used]

Step 1

5 Step Pool Care

BALANCE

KEM TEK pH MINUS

For Decreasing Water pH
Fast Dissolving Granular Acid

KEEP OUT OF REACH OF CHILDREN

DANGER Causes Severe Burns / **PELIGRO** Causa quemaduras severas

[Read carefully other cautions on the _____panel]

Si usted no entiende la etiqueta busque a alguien para que se la explique a usted en detalle

DIRECTIONS Always test water before using acid to lower pH (see note below) If test kit doesn't indicate amount of acid needed use small amount (8 oz per 10 000 gals) daily until pH stays within 7.2 to 7.6 range 20 ounces of dry pool acid equals 2 pints of KEM TEK SWIMMING POOL MURIATIC ACID Small amounts may be broadcast directly into water Large amounts should be pre-dissolved in plastic pail and poured into water Have pump running when adding acid and keep running for several hours thereafter Never allow acid to contact metal or get into filter system

NOTE Chlorine in test water sample will cause erroneously high pH readings unless chlorine-proof pH test solutions are used

NOTE [Do not allow direct contact of this product on the following surfaces vinyl metallic fiberglass painted or colored plaster Product will bleach color]

CONTAINS SODIUM BISULFATE

PRECAUTIONARY MEASURES DANGER CAUSES SEVERE BURNS Do not inhale dust Avoid contact with skin eyes or clothing Do not mix with other chemicals **KEEP OUT OF REACH OF CHILDREN AND PETS**

FIRST AID

IF SWALLOWED Do not give anything by mouth to an unconscious person **DO NOT** induce vomiting unless told to do so by poison control center or doctor Drink large quantities of water or milk Follow with Milk of Magnesia vegetable oil or beaten eggs Call a poison control center or doctor immediately for treatment advice Call a poison control center or doctor immediately for treatment advice **IF ON SKIN OR CLOTHING** Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor immediately for treatment advice **IF IN EYES** Call a poison control center or doctor immediately for treatment advice Remove contact lenses if present after the first 5 minutes then continue rinsing eye Hold eye open and flush with plenty of water for 15-20 minutes **IF INHALED** Move person to fresh air If person is not breathing call 911 or an ambulance then give artificial respiration preferably mouth-to-mouth if possible

STORAGE AND DISPOSAL Keep product dry in tightly closed container when not in use Do not reuse empty container To prevent accidents rinse empty container with water to dissolve all material before recycling

[CA Reg No 7616-50035-AA] [Adjuvant Registration required in CA only]

Manufactured by [for]
KIK Pool Additives Inc
5160 Airport Dr
Ontario Calif 91761

Free Pool Care Advice
1-800 SOS-POOL www.kemtek.ca
Net Contents