



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

January 21, 2026

Jaqueline Stewart
Agent, Delta Analytical Corporation
Kik Pool Additives
Electronic Transmittal: jstewart@delta-ac.com

Subject: Label Amendment – Polixetonium Chloride (Busan 77) Registration
Review Interim Decision Risk Mitigation
Product Name: ALGY BAR 206
EPA Registration Number: 7616-58
Received Date: September 14, 2021
Action Code Case Number: 00681123

Dear Jaqueline Stewart:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the Registration Review of the above referenced product in connection with the Polixetonium Chloride (Busan 77) Interim Decision, and has concluded that your submission is acceptable.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. Pursuant to 40 CFR 156.10(a)(6) you must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised

labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Jessie Bailey by phone at 202-566-0605, or via email at bailey.jessica@epa.gov.

Sincerely,



Eric Miederhoff
Chief, Reevaluation Branch
Antimicrobials Division
EPA Office of Pesticide Programs

Enclosure: Stamped Label

Algy BarTM 206

[Previously approved Alternate Brand Names:]
Aqua Guard Algaecide & Clarifier
HDX Algaecide & Clarifier
HDX Spa Algaecide
Kem Tek Algaecide & Clarifier
Kem-Tek Pool & Spa Care Algaecide & Clarifier
Kem-Tek Pool & Spa Care Spa Algaecide
Kem Tek Spa Kem Algy BarTM 206 Algaecide
Pond Tek Algae Eliminator Algaecide

ACCEPTED

01/21/2026

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No.

7616-58

ACTIVE INGREDIENT:
Poly(oxyethylene(dimethylimino)ethylene
(dimethylimino)ethylene dichloride)..... 6.0%
OTHER INGREDIENTS:..... 94.0%
TOTAL:..... 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for [First Aid and] other precautions
[or See [First Aid statement and] additional precautions on back panel]
[the "See back panel..." may be omitted if all labeling is on the same panel, e.g., the kit box]

NET [CONTENTS]: _____ Gallons [and/or fl. oz][ml or liters]

[The following may appear in any appropriate place on the label:]

Manufactured by [for]:
KIK Pool Additives Inc.
5160 E. Airport Dr.
Ontario, Calif. 91761

[Optional: Following may be included in addition to "Manufactured by [for]" address above: Distributed by [or Sold by] [or
Marketed by] [or Marketed through] Insert additional company name and address]

EPA Reg. No. 7616-58
EPA Est. Nos.: 7616-CA-01

[Free Pool Care Advice 1-800-SOS-POOL • www.kem-tek.com]
[Questions? Pool Care Tips? 1-800-SOS-POOL]

[In the text "this product" or alternate brand name may be substituted for ALGY BARTM 206 name]

[[Information in brackets[] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Harmful if swallowed and absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, and clams.

DISCHARGE DIRECTIONS FOR COMMERCIAL AND RESIDENTIAL POOL, SPA, AND HOT TUB USES - Before draining a treated pool, spa, hot tub, or fountain, contact your local sanitary sewer and storm drain authorities and follow their discharge instructions. Do not discharge treated pool or spa water to any location that flows to a gutter, storm drain or natural water body unless discharge is allowed by state and local authorities.

Physical or Chemical Hazard

Do not mix with acids, ammonia, oxidizers, bleach or other household chemicals.

FIRST AID: Call a poison control center [(1-800-222-1222)] [(1-866-366-5048)] [(1-877-800-5553)] or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. **If swallowed:** Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible.

[First Aid may be in table form]

[In the text "this product" or alternate brand name may be substituted for ALGY BARTM 206 name]

[Information in brackets[] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

{Readers Note: Algicide or Algaecide may be used interchangeably permitted the spelling is consistent throughout the marketplace label.}

[Optional Label Claims/location optional:] [Claims may be in upper or lower case]

12' Diameter and Under

13' Diameter and Above

ABC Smart[er] [Pool Care] [System]

Algae [Preventer] [Fighter] [Prevention] [Care] [Algaecide]

Algicide se 5 {Algicides are marketed as step five of a five step program to treat swimming pool water for Pool Time brand.}

All the Basics Needed for Start-Up and Continued Maintenance

Built in Clarifier

Clarifies [Clarifier]

Cleans Water and Stops Algae

Controls & Kills Algae

Easy 1 2 3 Pool Care Brand System

Easy and Effective Pool Remedies

Fast-Acting Algae Treatment {The product is a liquid and immediately disperses into the pool to begin treating algae.}

This is different from a tablet that can take several days to dissolve.

For Above Ground Pool Start-Up

[[For] Algae Prevention and Treatment

For All Pool[s] [Types]

For Control of Algae

For Decorative Fountains or Ponds* *See back for details

For Fountains

For Prevention and Treatment of [Pool] [Spa] Algae [In Spas] [In Pools]

For Spas and Hot Tubs

For Treatment of Green Algae

For assistance, call: xxx-xxx-xxxx

Formulated With Water Clarifier

Free [App] Water Testing & Solutions Center

Free Water Testing & Solutions Center

Helps Clear Cloudy Water

Helps Keep Pool Water Clear

[Insert #] Step Pool Care System

Kills All Algae

[Kills] [and] [Controls] Algae

Kills and Prevents All Types of Pool Algae

Kills and Prevents All Types of Pool Algae***

****green, mustard, black*

Kills Green, Mustard and Black Algae

Made in USA

Marketed Through: [add company name and address]

No Need to Dilute

Non-Foaming [Formula]

[Non-Metal Based] [Economical] Algaecide

NOTE: User assumes all responsibility for use not in accordance with directions.

Part Of The Kem Tek Pool Care System

Part Of The Simply Smart[er] [Pool] [Care] [System]

Pool [and] [&] Spa Care

Pools, Patios & Spas

Prevents & Treats Algae

Prevents Algae

Prevents Algae and Clears Water

Prevents Green Algae and Clarifiers Water

Quality & Satisfaction Guaranteed or your money back

Reduces Chemical Needs

[In the text "this product" or alternate brand name may be substituted for ALGY BARTM 206 name]

[[Information in brackets[] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

Salt Pool Compatible
Salt System Compatible
[Simpler] [Smarter]
Step [insert #]

Suitable for All Pools

Suitable for all Pool Surfaces

Suitable for Closing / Opening Pool

Suitable for [all] Spas and Hot Tubs

Swim [After Use[†]] [In 15 Minutes[†]] [In Just 15 Minutes After Use[†]]

To Prevent and Treat Algae

Treat[s] Algae

Treats All Types of Pool Algae

Treats up to xx,xxx gallons of water ** *[x will be determined by the set of directions used on the label; the asterisk (or other symbol) will tie the claim to a set of directions]*

Use For Above Ground Pool Start-Up

Use for Winterizing Pool

Use To Open / Close Pool

Use Weekly [as [an Algae] Preventative]

Value

Value Size

Will Not Stain

[†]Pool may be used in 15 minutes after adding this product only when chlorine level is at or below 3 ppm.

Step #1 Balance	Step #2 Chlorinate	Step #3 Shock	Step #4 Algae Care	Step #5 Clarify
--------------------	-----------------------	------------------	-----------------------	--------------------

*[In the text "this product" or alternate brand name may be substituted for ALGY BARTM 206 name]
[[Information in brackets[] is optional or instructional; italics in brackets indicate instructions not part of labeling.]*

{Bilingual Labeling}

[Scan QR Codes for Spanish Label] [Escanee el código QR para la etiqueta en español] {pointer language for use with QR code for bilingual labeling}

{QR applied to marketplace label will be dependent on emergency phone number and container size; all applicable codes are below}



{Optional marketing statements pertaining to internal tracking numbers and re-order numbers. – may represent any alphanumeric combination}

[Part #-----]

[RV-----]

[-----]

{Optional Trademark Statements}

[©YYYY Bio-Lab, Inc. All rights reserved.]

[©YYYY Easy 1 2 3 Pool Care LLC. All rights reserved.]

{YYYY may be replaced with current year}

[BIOGUARD is a registered trademark of Bio-Lab, Inc.]

[NC Spa Chemistry and the Globe design are trademarks owned by NC Brands L.P.]

[POOL TIME, MaxBlue and the POOL TIME logo are trademarks of Bio-Lab, Inc., used under license.]

[SPA ESSENTIALS is a trademark of Bio-Lab, Inc., used under license.]

[SUN® is a registered trademark of Bio-Lab, Inc., used under license.]

[The CLOROX trademark, the CLOROX Diamond Design logo, the POOL&SPA trademark and logo, and the trade dress associated with any of the foregoing are the property of The Clorox Company and are used under license by Easy 1 2 3 Pool Care LLC.]

[In the text "this product" or alternate brand name may be substituted for ALGY BARTM 206 name]

[[Information in brackets[] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

[READ ALL PRECAUTIONARY STATEMENTS BEFORE USE]

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

[Reader's note: Use one or more of the following directions for use. If marketplace label claims include number of gallons treated, then asterisk (or other symbol) the appropriate set of directions below to tie it to the claim.]

[The presence of algae in swimming pools [spas] is objectionable and can be difficult to remove, Algy Bar™ 206 helps prevent the growth of chlorine-resistant algae, (such as mustard and "black" algae). It also acts as an added defense against algae due to low chlorination periods. Once started, algae greatly increases chlorine demand and the associated increased cost.]

[[Optional /location optional:] Pool Maintenance Tips:

In order to ensure the maximum effectiveness of Algy Bar™ 206 super chlorinate with sufficient chlorinating product (such as Kem Tek Shock™) to a chlorine level of 5 ppm. Remove all debris from the water by vacuuming or sweeping and filtering. In order to aid in the removal of the very fine particles resulting from the affected algae, use Kem Tek Water Clarifier™. Always maintain pH at 7.2 to 7.6 and a free chlorine residual of 1 to 2 ppm using a reliable test kit.]

Freshly[-]Filled and/or Algae-Free Swimming Pools [Open/Close Pool:] [Pool Start-Up:]

Wear waterproof gloves. Add 69 to 97 ounces of Algy Bar™ 206 per 10,000 gallons of pool water. Add 24 to 48 ounces (per 10,000 gallons) weekly as a maintenance dose to prevent algae growth through the swimming season.

Visible Algae Growth:

Wear waterproof gloves. Add an initial dose of 97 to 128 ounces of Algy Bar™ 206 per 10,000 gallons of [pool] water to rid the water of algae. Thereafter, add 24 to 48 ounces (per 10,000 gallons) weekly during the swimming season to prevent re-growth of algae.

[[Optional /location optional:] Spa Maintenance Tips:

In order to ensure the maximum effectiveness of Algy Bar™ 206, super chlorinate with sufficient chlorinating product (such as Spa Kem Granules™) to produce a chlorine reading of 5 to 10 ppm. Remove all debris from the water by sweeping and filtering or vacuuming. In order to aid in the removal of the very fine particles resulting from the affected algae, use Kem Tek Water Clarifier™. Always maintain pH at 7.2 to 7.6 and a free chlorine residual of 2 to 3 ppm using a reliable test kit.]

Freshly Filled and/or Algae-Free Spas:

Wear waterproof gloves. Add 3 to 5 ounces of Algy Bar™ 206 per 500 gallons of [spa] water. Add 1 to 3 ounces weekly as a maintenance dose to prevent the growth of algae.

Visible Algae Growth:

Wear waterproof gloves. Add an initial dose of 5 to 8 ounces of Algy Bar™ 206 per 500 gallons of [spa] water. Thereafter, add 1 to 3 ounces (per 500 gallons) weekly to prevent re-growth of algae.

[In the text "this product" or alternate brand name may be substituted for ALGY BAR™ 206 name]

[Information in brackets[] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

ORNAMENTAL POND/FOUNTAIN TREATMENT:

Effectively controls many types of green or green water algae, string or hair algae and blanketweed in ponds that contain live plants. Controls existing algae and helps resolve additional algae blooms. Keeps ornamental ponds and water gardens clean & clear. Can be used in ponds with fish and plants.

Wear waterproof gloves. Add 1 teaspoon (5 ml) of Algy Bar™ 206 for every 50 gallons (190 L) of pond/fountain water. Thoroughly mix Algy Bar™ 206 into pond/fountain by adding near the pump outflow, water-fall, or aeration device. Algy Bar™ 206 can be pre-mixed in a bucket of pond/fountain water. Repeat dose every three days until algae is controlled. Be prepared to siphon out dead filamentous algae. Once algae growth is under control, add one dose every 5 days. Weekly doses of Algy Bar™ 206 will control growth and reduce pond/fountain maintenance.

Caution: Do not use Algy Bar™ 206 with crustaceans, including; crabs, shrimp, freshwater shrimp and freshwater lobsters.

***Warm Weather Caution:** Before using Algy Bar™ 206, make certain that the pond has vigorous aeration – i.e., a fountain, waterfall, or aeration device to avoid fish loss due to low oxygen levels. When algae is removed by the filter or settles to the bottom of the pond/ fountain, the oxygen level may drop to a harmful level if adequate aeration is not provided. Therefore, when using Algy Bar™ 206 during warm summer months, adequate aeration is required. Do not shut pond pumps and aeration devices off at night.

***Compatibility:** Algy Bar™ 206 can be used in ponds with live plants. Do not use with crustaceans, including crabs, shrimp and freshwater lobsters.

For ornamental pond use only where all water is contained without any out flow.

[Reader's Note: Throughout this label, product names for other similar products (i.e., pH adjusters, stabilizers, chlorinators etc.) may be substituted as appropriate. All oz. may be expressed as fl. oz. or oz.] Other appropriate ounce products and corresponding gallons of water treated may be substituted on label.



STORAGE AND DISPOSAL

STORAGE: Keep product in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. CONTAINER HANDLING: IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash [collection] or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[In the text "this product" or alternate brand name may be substituted for ALGY BAR™ 206 name]

[Information in brackets[] is optional or instructional; italics in brackets indicate instructions not part of labeling.]


[OPTIONAL GRAPHICS]



Built-in
Clarifier




Non-Foaming
Formula



Salt System
Compatible



Formulated
with Water
Clarifier



[In the text "this product" or alternate brand name may be substituted for ALGY BAR™ 206 name]
[[Information in brackets[] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

{PoolTime icon}



{Salt Pool compatible icons}



{Algicide Step 5 icon}

{Algicides are marketed as step five of a five step program to treat swimming pool water for Pool Time brand.}
{The step 5 graphic may appear with Algicide/Algaecide outside of the triangle}



{Clorox Pool App icons}

{Reader's Note: The Clorox Pool App is a convenience tool for users that tracks pool history, shows pool information (i.e., analysis from test strips) and recommends products to use and where to buy them.}



[In the text "this product" or alternate brand name may be substituted for ALGY BARTM 206 name]


[[Information in brackets[] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

[OPTIONAL GRAPHICS CONTINUED]


{Note: The appropriate symbol(s) will be included based on packaging}



how2recycle.info



how2recycle.info



how2recycle.info



how2recycle.info



how2recycle.info



how2recycle.info



how2recycle.info



how2recycle.info

[In the text "this product" or alternate brand name may be substituted for ALGY BARTM 206 name]
[[Information in brackets[] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

[Optional: Kit Label front panel]

[Brand name AQUA GUARD™ or Kem Tek™ or Kem-Tek Pool & Spa Care may be used]

[optional]: 5-Step Pool Care System

ABOVE GROUND POOL

[START UP] [MAINTENANCE] KIT

[[AII]] The Basics Needed for Start-Up and Continued Maintenance]

[FREE POOL CARE ADVICE
1-800-SOS-POOL]

[Contents will include two or more of the following]

Net Contents [or This Kit Contains]:

- Qts [or Gal]
[insert ABN for 7616-58]
- Lbs.
[insert ABN for 7616-70]
- Lbs.
[insert ABN for 7616-76]
- Lbs.
[insert ABN for other relevant EPA registered product]
- Lbs. Kem Tek pH Plus
- Lbs. Kem Tek pH Minus
- Floating Tablet Dispenser
- Test Strips and Instructions
- Test Kit and Instructions

[Non-EPA registered products: may substitute name for same product]

[Kit contents may be listed on another panel]

[Kit labeling front panel may include graphics, ingredient statements, and other information from EPA approved labels included in the kit] [Kit label name may vary]

[Note: Kit is to include EPA registered product labels fully visible on outside kit box as well as on the corresponding container inside the box.]

[In the text "this product" or alternate brand name may be substituted for ALGY BAR™ 206 name]

[[Information in brackets[] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

[Optional: Kit Label]

[The following may placed on front, side, or back panel of box and/or as an insert. Text is optional. Other text from EPA approved labeling (for products in the kit) may be substituted or used.]

[The following will be part of the Above Ground Pool [Start Up] [Maintenance] Kit's instructions]

STEPS FOR USING ABOVE GROUND POOL [START UP] [MAINTENANCE] KIT:

Pool Care: The Importance of Testing

Without proper testing a pool can quickly become cloudy, develop undesirable odors and even become unsafe to use. Testing is used to guide you in the treating of water. With proper testing this Start-Up Kit provides all the essentials to properly maintain your pool. Additional Kem Tek Products [or insert other brand name] are available to correct problems should they occur.

Chlorine: Chlorine breaks down due to many factors - swimmers, water temperature, and sunlight. In order to prevent growths, a chlorine level of 1-3 ppm must be maintained daily. Super chlorinate (shock) using the [insert ABN for EPA Reg. No. 7616-70] to start-up and establish a chlorine level as well at least once per week to remove any chlorine resistant problems. Use the test strips provided or any other reliable test kit to properly chlorinate the pool water. Use [insert ABN for EPA Reg. No. 7616-70] [and/or insert ABN for EPA Reg. No. 7616-76] to maintain daily chlorination (see below).

pH: pH is always present in water. Keep between 7.2 and 7.6 to make water comfortable for use. In addition, the other products used in pool care operate best in this range. pH control is a process of increasing when it gets below 7.2 with Kem Tek pH Plus* or lowering it when it gets above 7.6 with Kem Tek pH Minus* to keep it in the ideal range.

If pool pH is low, stop use of pool until pH is adjusted above 7.0.

(Start-Up):

Test pH and adjust to 7.2 – 7.6 if necessary. Then super chlorinate (shock) by following the dosage on the chart for your pool size. Once chlorine level is established and between 1-3 ppm, proceed with Daily Chlorination. Do not use the pool until the chlorine residual has dropped to 3 ppm.

[When Kit Contains EPA Reg. No. 7616-70]

Chlorination (daily):

For [insert ABN for EPA Reg. No. 7616-70] follow the dosage on the chart for your pool size. Treat pool every evening. For pools with above average use, treat mid-day and in the evening by adding the maintenance dose.

[and/or]

[When Kit Contains EPA Reg. No. 7616-76]

Chlorination (daily):

Add enough [insert ABN for EPA Reg. No. 7616-76] to fill dispenser half way. DO NOT FILL DISPENSER COMPLETELY. Adjust dispenser to a mid-setting. Place dispenser in pool water with chemical release openings facing down. Hold dispenser until it floats properly and upright. Test chlorine level periodically. Chlorine level must be maintained between 1-3 ppm at all times. Adjust floater setting to increase or decrease chlorine output. Do not use the pool until the chlorine residual has dropped to 3 ppm.

Weekly:

Super chlorinate in the evening and when heavy use or rain occurs. If water becomes cloudy or algae starts to grow, triple this dose to correct the problem. Run pump 4 to 8 hours minimum after addition of [insert ABN for EPA Reg. No. 7616-70].

pH Adjustment:

Keep between 7.2 and 7.6. When the pH goes above 7.6 add Kem Tek pH Minus* and if it is below 7.2 add Kem Tek pH Plus*. Use chart for dosage. Run pump and check after 2-4 hours. The dose on the chart is only an estimate. Repeat as needed until the pH is corrected. Use a half dose when nearing the correct pH level.

Algaecide:

The chlorine used to prevent growths in pool water is rapidly consumed by weather conditions and pool use. The addition of Algaecide* helps prevent algae from getting started during periods when the chlorine is below 1 ppm. Add [an] Algaecide* [, such as Kem Tek Pool & Spa Care Algaecide & Clarifier*] at least once a month for prevention. Treat weekly for busy pools or hot summer weather. Whenever an algae growth occurs follow the instructions for super chlorination then add algaecide 24 hours after chlorination and chlorinate pool to 3 ppm if needed.

[In the text "this product" or alternate brand name may be substituted for ALGY BARTM 206 name]

[[Information in brackets[] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

Maintaining Your Pool:

Your pool can be kept clean and trouble free by following these instructions. In order for the chemical treatments to be effective the filter system must also be kept clean and in good working order. Hot weather and heavy swimmer load create the need for more chemical treatment and also require that the pump is run more often or for longer periods of time. Run the pump every night after adding chlorine to properly treat the water. In hot weather and with heavy use, due to the size of the pump/filter systems on small above ground pools, circulate 24hrs. per day. Also after every major storm or above normal use shocking the pool must be done to prevent problems.

[Reader's Note: Throughout this label, product names for other similar products (i.e., pH adjusters, stabilizers, chlorinators etc.) may be substituted as appropriate.]

Pool Size 12' and Under		KEM TEK™ Pool & Spa Care All-In-One Chlorinating Granules		KEM TEK™ Pool & Spa Care pH Plus* / pH Minus* to raise or lower pH		KEM-TEK™ Pool & Spa Care Algaecide & Clarifier*	
Diameter / Depth	Gallons	Daily Tsp.	Shock Tbs.	(Choose One) Tbs.	(Choose One) Cups	Tbs.	Cups
6' X 24"	500	2	1	4	1/4	4	1/4
8' X 30"	1,000	4	2	8	1/2	8	1/2
10' X 36"	1,500	6	3	12	3/4	12	3/4
11' X 36"	2,000	8	4	16	1	16	1
12' X 42"	2,500	10	5	20	1 1/8	20	1 1/8
Pool Size 13' and Above		KEM TEK™ Pool & Spa Care All-In-One Chlorinating Granules		KEM TEK™ Pool & Spa Care pH Plus* / pH Minus* to raise or lower pH		KEM-TEK™ Pool & Spa Care Algaecide & Clarifier*	
Diameter / Depth	Gallons	Daily Tbs.	Shock Cups.	Cups		Cups	
13' X 4'	3,500	3	1/3	1 1/4		1 1/4	
15' X 4'	5,000	6	2/3	2		1 1/2	
18' X 4'	7,500	8	1	3		2	
21' X 4'	10,000	10	1 1/3	4		3	
24' X 4'	13,500	12	1 2/3	5		4	

**This [these] product[s] is [are] not included in the Kem Tek Pool & Spa Care Above Ground Start-Up Kit.*

[The following information may be used on the insert or panel containing this information, location optional]

**ABOVE GROUND POOL
[START UP] [MAINTENANCE] KIT**
[[All] The Basics Needed for Start-Up and Continued Maintenance]
[FREE POOL CARE ADVICE 1-800-SOS-POOL]

[The following must appear in any appropriate place on the box label [and also may appear on the insert:]]

Manufactured by [for]:
KIK Pool Additives, Inc.
5160 E. Airport Dr.
Ontario, Calif. 91761

[Optional: Following may be included in addition to "Manufactured by [for]" address above: Distributed by [or Sold by] [or Marketed by] [or Marketed through] Insert additional company name and address]

[In the text "this product" or alternate brand name may be substituted for ALGY BAR™ 206 name]

[[Information in brackets[] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

[Non EPA registered label: for inclusion in kit with EPA registered products; other brand name for a non registered product may be used.]

Step 1

5 Step Pool Care
BALANCE

KEM TEK pH Plus

For Increasing Water pH
Fast Dissolving Soda Ash

KEEP OUT OF REACH OF CHILDREN

CAUTION: Irritant / Precaución: Irritante

[Read carefully other cautions on the _____ panel]

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

To keep pH between 7.2 and 7.6 use 1/3 cup of KEM TEK™ pH PLUS (+) per 1,000 gal. of water for each one-tenth (0.1) increase desired.

DIRECTIONS: It is very important to maintain water in the 7.2 to 7.6 pH range. Use KEM TEK™ pH PLUS (soda ash) to raise pH and KEM TEK™ pH MINUS (dry acid) to lower it.

NOTE: Chlorine in test water sample will cause erroneously high pH readings unless chlorine-proof pH test solutions are used.

EXAMPLE: To raise 5,000 gal. of water from pH 7.1 to 7.4 use 4 3/4 cups. Broadcast directly into water. (1 cup = 8 ounces.)

Amount required to raise pH 1/10 (0.1):

Gallons:	1,000	2,500	5,000	7,500	10,000	15,000	25,000
Soda Ash	1/3 cup	1 cup	2 cups	3 cups	4 cups	9 cups	10 cups

TEST KITS: Mix only with water. A good test kit is essential to satisfactory pool maintenance. Be sure to use one that corrects for an erroneously high pH reading due to chlorine in the test water sample.

CONTAINS: SODIUM CARBONATE

PRECAUTIONARY MEASURES: Irritant. Avoid contact with eyes or mucous membranes and prolonged contact with skin. Do not mix with other pool chemicals. **KEEP OUT OF REACH OF CHILDREN AND PETS**

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Drink large quantities of water. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF IN EYES:** Hold eye open and flush with plenty of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Do not reuse empty container. To prevent accidents, rinse empty container with water to dissolve all material before discarding.

[CA Reg. No. 7616-50039-AA][Adjuvant: Registration required in CA only]

Manufactured by [for]:

KIK Pool Additives, Inc.
5160 Airport Dr.
Ontario, Calif. 91761

Free Pool Care Advice
1-800-SOS-POOL www.kem-tek.com
Net Contents:

DO NOT STAMP THIS LABEL

[In the text "this product" or alternate brand name may be substituted for ALGY BAR™ 206 name]

[Information in brackets[] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

[Non EPA registered label: for inclusion in kit with EPA registered products; other brand name for a non registered product may be used.]

Step 1

5 Step Pool Care
BALANCE

KEM TEK pH MINUS

**For Decreasing Water pH
Fast Dissolving Granular Acid**

KEEP OUT OF REACH OF CHILDREN

DANGER: Causes Severe Burns / PELIGRO: Causa quemaduras severas
[Read carefully other cautions on the _____panel]

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

DIRECTIONS: Always test water before using acid to lower pH (see note below). If test kit doesn't indicate amount of acid needed, use small amount (8 oz. per 10,000 gals.) daily until pH stays within 7.2 to 7.6 range. 20 ounces of dry pool acid equals 2 pints of KEM TEK SWIMMING POOL MURIATIC ACID. Small amounts may be broadcast directly into water. Large amounts should be pre-dissolved in plastic pail and poured into water. Have pump running when adding acid and keep running for several hours thereafter. Never allow acid to contact metal or get into filter system.

NOTE: Chlorine in test water sample will cause erroneously high pH readings unless chlorine-proof pH test solutions are used.

NOTE: [Do not allow direct contact of this product on the following surfaces: vinyl, metallic, fiberglass, painted or colored plaster. Product will bleach color]

CONTAINS SODIUM BISULFATE

PRECAUTIONARY MEASURES: DANGER: CAUSES SEVERE BURNS. Do not inhale dust. Avoid contact with skin, eyes or clothing. Do not mix with other chemicals. **KEEP OUT OF REACH OF CHILDREN AND PETS**

FIRST AID

IF SWALLOWED: Do not give anything by mouth to an unconscious person. DO NOT induce vomiting unless told to do so by poison control center or doctor. Drink large quantities of water or milk. Follow with Milk of Magnesia, vegetable oil, or beaten eggs. Call a poison control center or doctor immediately for treatment advice. Call a poison control center or doctor immediately for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice. **IF IN EYES:** Call a poison control center or doctor immediately for treatment advice. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Hold eye open and flush with plenty of water for 15-20 minutes. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Do not reuse empty container. To prevent accidents, rinse empty container with water to dissolve all material before discarding.

[CA Reg. No. 7616-50035-AA] [Adjuvant: Registration required in CA only]

Manufactured by [for]:
KIK Pool Additives, Inc.
5160 Airport Dr.
Ontario, Calif. 91761

Free Pool Care Advice
1-800-SOS-POOL www.kem-tek.com
Net Contents:

DO NOT STAMP THIS LABEL

[In the text "this product" or alternate brand name may be substituted for ALGY BARTM 206 name]

[Information in brackets[] is optional or instructional; italics in brackets indicate instructions not part of labeling.]