7616 - 67 US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS 7616-67 TERM OF ISSUANCE REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 REGISTRATION NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: REREGISTRATION (Under the Federal Insecticide, Fungicide Kem Tek Spa Kem Bromi-Buoy and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Chem Lab Products, Inc. 5160 E. Airport Drive Ontario, CA 91761 L NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you: Submit and/or cite all data required for registration/reregistration of your product under FIFRAsection 3(c)(5) and section 4 when the Agency requires all registrants of similar products to submit such data. Add the phrase, "EPA Registration No. 7616-67" to your label before you release the product for shipment. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

ATTACHMENT IS APPLICABLE
SIGNATURE OF APPROVING OFFICIAL

DATE

A stamped copy of the label is enclosed for your records.

Sincerely you<del>rs</del>,

Ruth Douglas

Product Manager (32) Antimicrobial Program Branch Registration Division (7505C)

Enclosure

### PRECAUTIONARY STATEMENTS HAZAROS TO HUMANS AND DOMESTIC ANIMALS

DANGER: MARMFUL IF SWALLOWED HIGHLY CORNOSIVE. DO NOT TAKE INTERNALLY, Causes eye and skin dannage. Inflating to nose and throat. Avoid breathing dust. Use with adequate ventiation. Do not get in eyes, on stin, or on critifing. Wear googles or face sheld and rubber gloves when hendling Remove and wash contaminated clothing belone reuse. Wesh thoroughly with son and wash short hardfare. with soon and water after hamble

ENVIRONMENTAL HAZAROS: This pesticide is toxic to fish. Do not discharge into lakes, streams, points of public water unless in accordance with MPDES permit. For guidance, contact your regional office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes

PHYSICAL AND CHEMICAL HAZARDS: Strong cookizing agent.
Mot only with water. Use clean, dry uteness and equipment. Do Most only with water. Use clean, dry utenses are equipment. Up not add this product to any dispensing device containing reminents of any other product. Such use may cause a violent reaction leading to time and explosion. Containmenton with moisture, organic mafter or other chemicals may start a charmical reaction with generation of heat, hazardous gisses and possible file and explosion. In case of containmenton or decomposition, do not reseal container. If possible isolate container in open air or well verticated area if necessary, flood with large volumes of water.

STATEMENT OF PRACTICAL TREATMENT: For eye contact, flush eyes with large amounts of running water for at least 15 minutes, told eyelids apart to ensure mising of the entire sentace of the eye and lids. If a physician is not available, flush for additional 15 minutes. Get immediate medical attention.

For stin contact, immediately wipe away excess material with dry cloth and remove contaminated clothing and shope. Under a safety shower, wash affected areas throughly with large amounts of water, and soap, if available, for at least 15 minutes. Get date medical attention. Discard or decontaminate clothing and shoes

If inhalled, remove from area to fresh air. If not breathing, clear arway and start mouth-to-mouth artificial respiration or use a bag-mask respirator. Get immediate medial attention. If victim is he ving trouble b. Atteng, transport to medical care and, if available, give suppleme al oxygen.

If swallowed, immediately give several glasses of water CO NOT induce vomiting. If vometring occurs, give fluids again. Have physician determine if patients condition allows induction of wometing or evacuation of stomach. Do not give anything by mouth to an unconscious or comulsing person. Get immediate medical

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric levage.

# 

# **BROMI-BUOY** FLOATING BROMINATOR

Heat stabilized - long lasting For spa disinfection and algae prevention Adjustable Easy-to-use

# **ACTIVE INGREDIENTS:**

1-Bromo-3-chloro-5, dimethylhydantoin	60.0%
1, 3-dichloro-5dimethylhydantoin	27.4%
1, 3-dichloro-5-ethyl-5-methylhydantoin	10.6%

IERT INGREDIENTS	2.0%
vailable Bromine	39.2%
vailable Chiorine	44.4%

KEEP OUT OF REACH OF CHILDREN

DANGER SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL BEFORE OPENING CONTAINER

NET WEIGHT .5 LB.



DANGER: Do not mix this product in concentrated form with any effect chemicals. Do not add other chemicals to the feeding device when using this product. A violent reaction leading to fire and/or explosion could result.

### DIRECTIONS FOR USE

B is a violation of federal law to use this product in a manner inconsistent with its intelling.

Bromine tablets are an effective sanitizer and disinfectant of spa and hot tub water. When adjusted to maintain a residual of 2 - 4 ppm bromine in residential spas, thuse concentrated, stow-dissolving tablets will keep water clean and free of odors. Testing for residual should be performed using a reliable test tit. de at Kom Tek retad

## Spe Start-Up

Spe Start-Up
Fill spa with firesh water. If stain causing metals such as iron and
copper are known to be present, that with a suitable product such
as Kern Telt's Spa Kern Stain and Scale Inhibitor. Test for Total
Alicalinity and adjust if necessary. Test pH and adjust to 7.2 - 7.6
as needed. Use a product such as Kern Telt's Spa Kern pH Alican
to lower pH, or pH Plus to raise pH. Shock or super-chorinate
water using a tast acting chlorinating product such as Kern Telt's
Spa Kern Chlorinating Granules or Liquid Shock, using an amount
sufficient to produce a 5 ppm chlorine (or 10 ppm bromins
residual. Follow product instructions for proper distage. Operate
circulation/filtration system at least 3 hours daily to maintain clean
and clear water. Do not heat water above 104°F.

Properation, use, and relitting the of Brami-Bouy (Bramine Feeder)

- 1. To use this floating bromine feeder, cut off the two oppo tends nearest the cap. Locate and cut off the troib that corresponds to the spe capacity in gallons. Hold the Brown-Bouy", neck down, and shalls lightly to level contents.
- Monitor bromine residual using a reliable test kit. Bromine should read 2 4 ppm. If necessary, increase recidual by cutting off the knob for the need higher spa capacity.
- 3. The Bronti-Bouy" tills when empty. Drain all the water and service safety cap to selfil. Use only Nem Tek See Nem Brominating Tablets. NEVER MIX WITH ANY OTHER CHEMICALS OR TABLETS. Fill only lower portion of the Bro OR TABLETS. Fill only lower portion of the Browl-Bouy<sup>11</sup>, do not fill late neck (OD NOT OVERFILL). When feeder shows signs of brittleness or cracking it should be replaced.

Monufactured by CHEM 1.AB PRODUCTS INC Criterio, Californio 81781 - Ocato, PL 32872 Caratema, TX 75119

EPA Rag, No 7016-XX EPA Est.No. 7016-CA-1 EPA Est. No. 7016-71-1 EPA Est. No. 7016-77-1

Because use, or cause bromine i ppm, the was super-chibrinated each use to prereadings), as we for bather use. Residential spas

every 60 days or

00 N

Keep product dr use. Store in a c flames, sunlight container film discard in trask. Do not contamie Store in a well ve dumping is prohi In case of decor with large arro discarding. Pesticide or rimus should be dispos

NOTE: Do no direct contact product will following spe vinyl, metallic, il

PLEASE S SAFELY For Spa ( Advice, ( 1-800-SOS (767-76)

PROPOSED LABELING 10/8/93



Under the Fed Fungicide, and as amended, registered und EPA Reg. No.

# COMPANY / 1/25 NUMBER / L

PRODUCT 67
SERIAL NO. 6

# ELITE LAWN SPRAY CONCENTRATE #4 Kills Fleas and Ticks on Lawns

EMULSIFIABLE CONCENTRATE FOR USE ON RESIDENTIAL LAWNS AND RESIDENTIAL PREMISES ONLY TO KILL FLEAS AND TICKS AND OTHER OUTDOOR INSECTS LISTED ON THIS LABEL. ALSO KILLS DEER TICKS AND OTHER IXODID SPECIES THAT CARRY AND TRANSMIT LYME DISEASE.

Also controls Cockroaches, Palmetto Bugs, Ants, Crickets, Sowbugs (Pillbugs), Centipedes, Ticks and Spiders

(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro- alpha-(1-methylethyl)benzeneacetate* *INERT INGREDIENTS:	0.44% 99 56%
*Contains Petroleum Distillate	100.00%
KEEP OUT OF REACH OF CHILDREN	
CAUTION	

MANUFACTURED BY:
RSR LABORATORIES, INC.
501 FIFTH STREET, BRISTOL, TENNESSEE 37620

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Est. No. 51793-TN-1

EPA Reg. No. 51793-167

NET CONTENTS OZ

BEST AVAILABLE COPT

**DIRECTIONS FOR USE** 

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

LAWN FLEA CONTROL: To kill fleas harboring in residential lawns, use this concentrate in a hose-end sprayer. Place required amount of concentrate in sprayer jar (see chart below) and fill with water to the recommended level. Mix well. Attach to sprayer and spray as recommended. For best results, lawn should be moved a day or two before spraying. Spray using a slow, even ACCEPTED

MAR 29 1994

Under the Federal Insecticide, Fungicide, and Redenticide Act, as amended, for the pesticide registered under EPA Reg. No.2/7/3/4/7 sweeping motion, being sure to cover the entire lawn surface where the pets will normally frequent. Spray under ornamentals and trees, but avoid soaking young or flowering plants. Repeat treatments may be necessary at 7 to 14 day intervals.

Kills on contact the Ixodes dammini tick (deer tick), which transmits lime disease. Also kills foraging fire ants upon direct contact. A registered fire ant mound treatment should also be used in conjunction with this product. Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs, cats, their kennel or bedding area should also be treated with a registered flea control product in conjunction with this application.

AMOUNT OF PRODUCT TO USE FLUID OUNCES*	/	AMOUNT OF WATER TO USE	/	AREA TO BE TREATED
1 1/3 FLUID OUNCES 2 2/3 FLUID OUNCES 4 FLUID OUNCES 5 1/3 FLUID OUNCES 8 FLUID OUNCES 16 FLUID OUNCES		3 GALLONS 6 GALLONS 9 GALLONS 12 GALLONS 18 GALLONS 36 GALLONS		500 SQ FT (50' X 10') 1000 SQ FT (50' X 20') 1500 SQ FT (50' X 30') 2000 SQ FT (50' X 40') 3000 SQ FT (50' X 60') 6000 SQ FT (50' X 120')

\*NOTE: 1 FLUID OUNCE = 2 TABLESPOONSFUL = 6 TEASPOONSFUL

FOR OUTDOOR PESTS: Mix concentrate in a compressed air sprayer or watering can at the rate of two (2) fluid ounces per one (1) gallon of water to control on contact cockroaches, palmetto bugs, ants, crickets, sowbugs, spiders and ticks. Use at the rate of one (1) gallon (diluted spray) per 1000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

BUILDING PERIMETER TREATMENT: To help prevent infestations of buildings by ants, crickets, spiders, centipedes and sowbugs (pillbugs): Treat a 12-18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Use eight (8) fluid ounces of concentrate per gallon of water and apply as a coarse wet spray at the rate of one (1) gallon per 1000 square feet.

BEST AVAILABLE COPY

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapor or spray mist and contact with skin, eyes or clothing. In case of contact, flush with plenty of water. Obtain medical attention if irritation persists. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling. Avoid contamination of food or feed.

Do not spray plants used for food or feed.

# PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

# **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

# STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN Remove contaminated clothing. Wash skin with soap and warm OR CLOTHING: water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention.

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration hazard.

# STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

Storage: Store in a cool, dry place. Keep container closed.


**Disposal:** Do not reuse empty container. Wrap container in several layers of newspaper and discard in trash.



# FOR USE WITH HOSE END SPRAYER CAP

)

The hose end sprayer cap is calibrated to deliver the correct dilution rate. No mixing — no measuring — no mess. Screw hose into back of sprayer cap. Remove bottle cap (save for storage after use). Secure sprayer cap by turning bottle counter-clockwise. Turn on water supply. TO START FLOW OF INSECTICIDE, place index finger over hole on right side of sprayer cap. Spray evenly and completely over lawns and other infested areas, giving special attention to areas frequented by pets. Hold about three feet above surface, moving at a steady pace to insure consistent, thorough coverage. When treatment is complete, or you wish TO STOP FLOW OF INSECTICIDE for any reason, simply remove finger from hole to break siphon action. TO STORE REMAINING INSECTICIDE, turn off water supply and remove bottle from sprayer unit and hose by turning bottle clockwise. Replace cap on bottle and tighten securely. Unscrew hose from sprayer unit and rinse unit in clear water. Store in cool place.



BEST AVAILABLE COPT