

PM 32 7616-70 10/3
US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.
7616-70

DATE OF ISSUANCE
NOV 13 1996

TERM OF ISSUANCE

Conditional

NAME OF PESTICIDE PRODUCT

Kem Tek All-In-One
Chlorinating Granules

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Chem Lab Products, Inc.
5160 E. Airport Drive
Ontario, CA 91761

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the following label changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 7616-70"
 - b. Under the "Precautionary Statements" section, add this phrase; "This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in a NPDES Permit. Do not discharge effluent containing this product into sewer system without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of EPA."

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

- c. Under the "Storage and Disposal" section, add this phase; "Do not contaminate water, food or feed by storage or disposal".
- d. Below the "Storage and Disposal" section, add this statements; "PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance".
- e. Under the "Storage and Disposal" section, add this statement; 'CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke".

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. If you have any questions concerning this letter, please contact LaVerne Dobbins at (703) 305-7064.

Sincerely,



Vivian A. Turner
 Acting Product Manager (32)
 Antimicrobial Program Branch
 Registration Division (7505C)

UV PROTECTED (STABILIZED) For Longer Lasting Chlorination!

Kem Tek™

Lasts Up To 3 Times Longer Than Unstabilized Granules* Use As Directed


Kemex™ ALL-IN-ONE

STABILIZED CHLORINATING GRANULES

Fast Acting For Daily & Super Chlorination To Control Bacteria & Algae



ACRYLIC/FIBERGLASS SPAS




WOOD SPAS



PLASTER/GUNITE SPAS



PLASTER/GUNITE FIBERGLASS POOL



ABOVE/IN-GROUND VINYL POOL

NOTE: Do not allow direct contact of this product on the following pool surfaces: vinyl, metallic, fiberglass, painted or colored plaster. Product will bleach color out.

KEEP OUT OF REACH OF CHILDREN NO SE DEJE AL ALCANCE DE LOS NIÑOS

DANGER PELIGRO

See back panel for first aid statement and other precautions

ACTIVE INGREDIENTS: Calcium Dichloro-s-triazinetriammonium-Dihydrate... 99.0%
INERT INGREDIENTS: ... 1.0%
AVAILABLE CHLORINE: ... 56.0%



Net Wt. 4 lbs. (1.81 Kg.)

for SWIMMING POOLS / SPAS
For Pool/Spa Care Advice, Call: 1-800-SOS-POOL (1-800-767-7665)

Made in USA

PRACTICAL TREATMENT (First Aid): IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention. IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration preferably mouth-to-mouth. Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists. IF SWALLOWED: Drink promptly large quantities of water. Avoid alcohol. NOTE TO PHYSICIAN: Probable mucousal damage may contraindicate the use of gastric lavage. Get medical attention.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry well-ventilated area away from heat or open flame. In case of decomposition, leaks container in open area, if possible, and flood with large amounts of water. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area.

EPA Reg. No. 7616-TAI
EPA Est. No. 7616-CA-1; 7616-FL-1; 7616-TX-1

Lot # designates producing establishment

Manufactured by CHEM AB PRODUCTS, INC.

ACCEPTED

NOV 13 1996

Under The Federal Insecticide, Fungicide and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 7616-70

RECD EPA/PP/DPD1

RECD EPA/OP/PP/DPD1

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTICATED ANIMALS

CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.
ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge this product into lakes, streams ponds estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES Permit.
PHYSICAL OR CHEMICAL HAZARD: STRONG OXIDIZING AGENT. WILL BURN WITH THE EMISSION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SPONTANEOUSLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460° F TO 480° F WITH LIBERATION OF HARMFUL GASES. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remainder of any other product. Such use may cause a violent reaction leading to a fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. IN CASE OF FIRE, if possible, isolate container in open air or well ventilated area. Flood with large volume of water. IN CASE OF CONTAMINATION OR DECOMPOSITION, do not re-seal container.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.
DANGER: Never mix this concentrated chemical with any other substance except generous amounts of water. See CHEMICAL HAZARDS on this label.
The use of ALL-IN-ONE STABILIZED CHLORINATING GRANULES also requires the one time use of Kem Tek™ STABILIZER-CONDITIONER as described in the directions below under Start Up. This two-component system results in a longer-lasting chlorine residual and reduced chlorine consumption. Both products are completely soluble.
VINYL LINED POOL CARE: Vinyl lined pools are easily damaged by chemicals used to treat and maintain pools. ALL-IN-ONE CHLORINATING GRANULES are well suited for use in these pools, especially the above ground types which have only 3-4 foot depths and are not equipped with a bottom drain. ALL-IN-ONE dissolves rapidly and completely (its easily pre-dissolved) in a bucket of water to help avoid potential problems, so direct contact with the liner is reduced and there are no residues to be swept or vacuumed from the bottom. ALL-IN-ONE also simplified pH control because it's neutral compared to other forms of chlorinating products containing calcium hypochlorite, sodium hypochlorite and trichloro isocyanuric acid (this is particularly important when using sodium bisulfate or dry pool acid to adjust pH because of its insoluble crystal-forming reaction with the calcium hypochlorite). ALL-IN-ONE is not sensitive to the pH of the water and will not cloud water even when shocking or superchlorinating as often occurs with calcium hypochlorite.
START UP: Step 1. Condition pool water with Kem Tek™ STABILIZER-CONDITIONER as per directions on the label. Thereafter, regular use of ALL-IN-ONE alone will maintain proper stabilization. NOTE: One Step 1 if pool is already conditioned with a similar stabilizer. Step 2. Concurrently with Step 1, superchlorinate water by adding 12 oz. of ALL-IN-ONE per 10,000 gallons of pool water. See additional superchlorination instructions below.

DAILY CARE: After Step 1 and 2 above, regularly check chlorine residual with residual and chlorinate daily or as needed to maintain 1.0 to 1.5 ppm residual chlorine. NOTE: One ounce of this product per 5,000 gallons of pool water will increase an existing chlorine residual by 0.8 ppm (1/8 rounded measuring cup = 1 oz.). Broadcast ALL-IN-ONE directly into the pool water.
pH: Keep pH of water between 7.2 and 7.6. Use acid to lower pH and Kem Tek™ pH Plus (Buffered Soda Ash) to raise it.
SUPERCHLORINATION: Whenever the pool water loses its sparkle or turns green or the chlorine residual falls rapidly after regular chlorination, superchlorination is recommended. Experience shows that during summer months, water should be superchlorinated with 6 oz. of ALL-IN-ONE per 5,000 gallons of pool water every 10 to 14 days. Do not use the pool until the chlorine residual has dropped to 3 ppm.
GENERAL: The following tables are a handy reference to average chlorine requirements, but must not be substituted for regular use of a test kit since pools and conditions vary considerably. Test water frequently and chlorinate as needed. Anticipate an increased chlorine consumption with increased swimming, hot water or weather, rain, a dirty or neglected pool, etc.

TYPICAL DAILY DOSAGE (SUMMERTIME)

Pool Diameter	After Steps 1 & 2 above			
	Above-Ground Pools—3' to 4' DEEP			
12 Ft.	15 Ft.	18 Ft.	20 Ft.	24 Ft.
2,500	4,500	7,000	9,000	13,000
Dosage (ounces)	3/4-1	1 1/2-2	2-3	3-4
Pool Size (Feet)	In-Ground Pools—7' to 9' DEEP			
	14x28	16x32	17x34	18x36
15,000	20,000	25,000	30,000	35,000
Dosage (ounces)	5-6	6-7	7-8	8-9

- FOR CONTROL OF BACTERIA AND ALGAE (OUTDOORS) IN SPAS: Before bathing, test water pH, chlorine residual and alkalinity using a suitable test kit. Adjust chlorine residual to 3.0 ppm. After bathing superchlorinate to 5.0 ppm (1 level table-spoon per 500 gallons of water). Use a chlorine stabilizer, especially outdoors, to prolong chlorine residual. Maintain pH of water between 7.2 and 7.6 and total alkalinity between 125 and 175 ppm with SPA KEM™ pH PLUS(+) or SPA KEM™ pH MINUS(-).
- This product does not affect pH or alkalinity of water. One tenth oz. (1/2 tsp.) per 500 gal. of water gives 0.8 ppm and 1 level tsp. gives 8 ppm of chlorine. To use, broadcast granules into water with jets running. Bathing can start at once.
- With 4 bathers in a 500 gal. spa a 2.0 ppm chlorine residual can drop below the minimum 1.0 ppm in 15 to 20 minutes. Less water or more bathers will accelerate loss. Test often and keep chlorine residue above 1.0 ppm.
- Heavily superchlorinate water to 5 or 6 ppm (see 2 above). Re-entry into treated spas is prohibited above levels of 3 ppm of chlorine. Draining and cleaning of spa is recommended whenever the water becomes difficult to manage or chlorine stabilizer goes over 100 ppm as measured with a suitable cyanuric acid test kit. Avoid use of products such as body lotion that consume chlorine.

BEST AVAILABLE COPY