

7616-70

12/1/2009

10f6

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



Office of Pesticide Programs

Dana Wm.Somesla
Chemist
Chem Lab Products, Inc.
5160 East Airport Drive
Ontario, CA 91761

DEC - 1 2009

FILE COPY

Subject: Kem Tek All-In-One Chlorinating Granules
EPA Registration No. 7616-70
Application Date: October 16, 2009
Receipt Date: November 06, 2009

Dear Ms. Somesla:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification:

- Revision of Storage and Disposal statement per PR Notice 2007-4
- Addition of non-FIFRA note regarding color bleaching

General Comments:

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Henson
Product Reviewer (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)



United States
Environmental Protection Agency
 Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

| | | |
|--|---|---|
| 1. Company/Product Number Kem Tek All-In-One Chlorinating Granules | 2. EPA Product Manager Emily Mitchell | 3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted |
| 4. Company/Product (Name) 7616-70 | PM# 32 | |
| 5. Name and Address of Applicant (Include ZIP Code) Chem Lab Products, Inc. 5160 East Airport Drive Ontario, CA 91761 <input type="checkbox"/> Check if this is a new address | 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: <input checked="" type="checkbox"/> EPA Reg. No. _____ Product Name _____ | |

Section - II

| | |
|--|--|
| <input type="checkbox"/> Amendment - Explain below. | <input type="checkbox"/> Final printed labels in response to Agency letter dated _____ |
| <input type="checkbox"/> Resubmission in response to Agency letter dated _____ | <input type="checkbox"/> "Me Too" Application. |
| <input checked="" type="checkbox"/> Notification - Explain below. | <input type="checkbox"/> Other - Explain below. |

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Updating label's Storage and Disposal per PR Notice 2007-4.
 Attached is 98-10 Certification Statement.

Section - III

| | | | | | |
|---|--|---|---|--|--|
| 1. Material This Product Will Be Packaged In: | | | | 2. Type of Container | |
| Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No | Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No | Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No | | | |
| * Certification must be submitted | | If "Yes" Unit Packaging wgt. No. per container | If "Yes" Package wgt No. per container | <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____ | |
| 3. Location of Net Contents Information | | 4. Size(s) Retail Container | | 5. Location of Label Directions | |
| <input type="checkbox"/> Label <input type="checkbox"/> Container | | | | <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product | |
| 6. Manner in Which Label is Affixed to Product | | | | <input type="checkbox"/> Other _____ | |
| <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled | | | | | |

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

| | | |
|---------------------------------|-------------------------|--|
| Name Dana Wm. Somesla | Title Chemist | Telephone No. (Include Area Code) (909) 390-9912 |
|---------------------------------|-------------------------|--|

| | | | |
|--|------------------------------|--|--|
| Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. | | | 6. Date Application Received (Stamped) _____ |
| 2. Signature | 3. Title Chemist | | |
| 4. Typed Name Dana Wm. Somesla | 5. Date 10/15/2009 | | |

5066

KEM-TEK All-In-One Chlorinating Granules

Fast Acting For Daily & Super Chlorination To Control Bacteria & Algae

ACTIVE INGREDIENT:
Sodium Dichloro-s-triazinetriane-Dihydrate...99.0%
INERT INGREDIENTS.....1.0%
AVAILABLE CHLORINE.....56.0%

Net Wt. XX Lbs.
(XX Kg.)

KEEP OUT OF REACH OF CHILDREN
NO SE DEJE AL ALCANCE DE LOS NIÑOS

DANGER
PELIGRO

See back panel for first aid statement
and other precautions

Free Pool Care Advice

1-800-SOS-POOL · www.kem-tek.com

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

ATTENTION: DANGER: Never mix this concentrated chemical with any other substance except generous amounts of water. See CHEMICAL HAZARDS on this label.

The use of KEM TEK™ ALL-IN-ONE CHLORINATING GRANULES also requires the one time use of KEM TEK™ STABILIZER CONDITIONER as described in the directions below under Start Up. This two-component system results in a longer-lasting chlorine residual and reduced chlorine consumption. Both products are completely soluble.

VINYL-LINED POOL CARE: Vinyl-lined pools are easily damaged by chemicals used to treat and maintain pools. ALL-IN-ONE CHLORINATING GRANULES are well suited for use in these pools, especially the above-ground pools which have 3-4 foot depths and are not equipped with a bottom drain. ALL-IN-ONE CHLORINATING GRANULES dissolves quickly and completely (is easily pre-dissolved in a bucket of water to help avoid potential problems), so direct contact with the pool liner is reduced and there are no residues to be swept or vacuumed from the pool bottom. ALL-IN-ONE CHLORINATING GRANULES also simplifies pH control because it's pH neutral, compared to other forms of chlorinating products which contain calcium hypochlorite, sodium hypochlorite, and trichloroisocyanuric acid (NOTE: Insoluble crystal-forming reaction will result when using sodium bisulfate (dry pool acid) to adjust pH when used in conjunction with calcium hypochlorite). ALL-IN-ONE CHLORINATING GRANULES will not cloud water when superchlorinating which often occurs with calcium hypochlorite products.

START UP: Step 1. Condition pool water with KEM TEK™ STABILIZER CONDITIONER as per directions on its label. Thereafter, regular use of ALL-IN-ONE CHLORINATING GRANULES alone will maintain proper stabilization. NOTE: Omit Step 1 if pool is already conditioned with a similar stabilizer. Step 2. Concurrently with Step 1, superchlorinate water by adding 12 oz. of ALL-IN-ONE CHLORINATING GRANULES per 10,000 gallons of pool water. See additional superchlorination instructions below.

DAILY CARE: After Step 1 and 2 above, regularly check chlorine residual with a test kit and chlorinate daily or as needed to maintain 1.0 to 1.5 ppm residual chlorine. NOTE: One ounce of this product per 5,000 gallons of pool water will increase an existing chlorine residual by 0.8 ppm (1/8 rounded measuring cup = 1 oz.). Broadcast ALL-IN-ONE CHLORINATING GRANULES directly into the pool water. pH: Keep pH of water between 7.2 and 7.6. Use KEM TEK™ pH MINUS (dry acid) to lower pH and KEM TEK™ pH PLUS (soda ash) to raise it.

SUPERCHLORINATION: Whenever the pool water loses its sparkle or turns green or the chlorine residual falls rapidly after regular chlorination, superchlorination is recommended. Experience shows that during summer months, water should be superchlorinated with 6 oz. of ALL-IN-ONE CHLORINATING GRANULES per 5,000 gallons of pool water every 10 to 14 days. Do not use the pool until the chlorine residual has dropped to 3 ppm.

GENERAL: The following tables are a handy reference to average chlorine requirements, but must not be substituted for regular use of a test kit since pools and conditions vary considerably. Test water frequently and chlorinate as needed. Anticipate an increased chlorine consumption with increased swimming, hot water or weather, rain, a dirty or neglected pool, etc.

TYPICAL DAILY DOSAGE (SUMMERTIME)

After Steps 1 & 2 above

ABOVE GROUND POOL - 3' Deep IN GROUND POOL - 7' to 9' DEEP

| | | | | | | | | | | | |
|-----------------|--------|---------|--------|--------|--------|------------------|--------|--------|--------|--------|--------|
| Pool Diameter | 12 Ft. | 15 Ft. | 18 Ft. | 20 Ft. | 24 Ft. | Pool Size (Feet) | 14x28 | 16x32 | 17x34 | 18x36 | 20x40 |
| Approx. Gallons | 2,500 | 4,500 | 7,000 | 9,000 | 13,000 | Approx. Gallons | 15,000 | 20,000 | 25,000 | 30,000 | 35,000 |
| Dosage (ounces) | 3/4-1 | 1 1/2-2 | 2-3 | 3-4 | 4-5 | Dosage (ounces) | 5-6 | 6-7 | 7-8 | 8-9 | 9-10 |

1) FOR CONTROL OF BACTERIA AND ALGAE (OUTDOORS) IN SPAS: Before bathing test water pH, chlorine residual and alkalinity using a suitable test kit. Adjust chlorine residual to 3.0 ppm. After bathing superchlorinate to 5.0 ppm (1 level tablespoon per 500 gallons of water). Use a chlorine stabilizer especially for outdoors, to prolong chlorine residual. Maintain pH of water between 7.2 and 7.6 and total alkalinity between 125 and 175 ppm with SPA KEM pH Plus (+) or SPA KEM pH Minus (-). 2) This product does not affect pH or alkalinity of water. One tenth oz. (1/2 tsp.) per 500 gal. of water gives 0.8 ppm and 1 level tbs. Gives 5 ppm of chlorine. To use, broadcast granules into water with jets running. Bathing can start at once. 3) With bathers in a 500 gal. spa a 2.0 ppm chlorine residual can drop below the minimum 1.0 ppm in 15-20 minutes. Less water or more bathers will accelerate loss. Test often and keep chlorine residual above 1.0 ppm. 4) Weekly, superchlorinate water to 5 or 6 ppm (see 2 above). Re-entry into spas is prohibited above levels of 3 ppm of chlorine. Draining and cleaning of spa is recommended whenever the water becomes difficult to manage or chlorine stabilizer goes over 100 ppm as measured with a suitable cyanuric acid test kit. Avoid use of products such as body lotion that consume chlorine.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTICATED ANIMALS

DANGER: CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

FIRST AID

| | |
|--|---|
| If Inhaled | Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor immediately for treatment advice. |
| If on Skin or Clothing | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice. |
| If In Eyes | Hold eye open and flush with plenty of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice. |
| If Swallowed | Call a poison control center or doctor immediately for treatment advice. Promptly drink large quantity of water if able to swallow. DO NOT induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person. |
| Have the product container or label with you when calling poison control center or doctor, or going for treatment. For assistance call 1-800-767-7665 Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. | |

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

PHYSICAL OR CHEMICAL HAZARD: STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460°F TO 480°F WITH LIBERATION OF HARMFUL GASES. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to a fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. IN CASE OF FIRE, if possible, isolate container in open air or well ventilated area. Flood with large volume of water. IN CASE OF CONTAMINATION OR DECOMPOSITION, do not reseal container.

STORAGE AND DISPOSAL: Keep product in tightly closed container when not in use. Store in cool, dry, well-ventilated area away from heat or open flame.

DISPOSAL: IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTE: Do not allow direct contact of this product on the following pool surfaces: vinyl, metallic, fiberglass, painted or colored plaster. Product will bleach color

EPA Reg. No. 7616-70 EPA Est. No. 7616-CA-1

Manufactured by: Chem Lab Products, Inc.

Made in USA

NOTIFICATION
Date Reviewed: 12/1/09
Reviewed By: [Signature]

60 of 6

KEM-TEK All-In-One Chlorinating Granules

Fast Acting For Daily & Super Chlorination
To Control Bacteria & Algae

ACTIVE INGREDIENT:
Sodium Dichloro-s-triazinetriene-Dihydrate...99.0%
INERT INGREDIENTS.....1.0%
AVAILABLE CHLORINE.....56.0%

Net Wt. XX Lbs.
(XX Kg.)

KEEP OUT OF REACH OF CHILDREN
NO SE DEJE AL ALCANCE DE LOS NIÑOS

DANGER
PELIGRO

See back panel for first aid statement
and other precautions

Free Pool Care Advice

1-800-SOS-POOL · www.kem-tek.com

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

ATTENTION: DANGER: Never mix this concentrated chemical with any other substance except generous amounts of water. See CHEMICAL HAZARDS on this label.

The use of KEM TEK™ ALL-IN-ONE CHLORINATING GRANULES also requires the one time use of KEM TEK™ STABILIZER CONDITIONER as described in the directions below under Start Up. This two-component system results in a longer-lasting chlorine residual and reduced chlorine consumption. Both products are completely soluble.

VINYL-LINED POOL CARE: Vinyl-lined pools are easily damaged by chemicals used to treat and maintain pools. ALL-IN-ONE CHLORINATING GRANULES are well suited for use in these pools, especially the above-ground pools which have 3-4 foot depths and are not equipped with a bottom drain. ALL-IN-ONE CHLORINATING GRANULES dissolves quickly and completely (is easily pre-dissolved in a bucket of water to help avoid potential problems), so direct contact with the pool liner is reduced and there are no residues to be swept or vacuumed from the pool bottom. ALL-IN-ONE CHLORINATING GRANULES also simplifies pH control because it's pH neutral, compared to other forms of chlorinating products which contain calcium hypochlorite, sodium hypochlorite, and trichloroisocyanuric acid (NOTE: Insoluble crystal-forming reaction will result when using sodium bisulfate (dry pool acid) to adjust pH when used in conjunction with calcium hypochlorite). ALL-IN-ONE CHLORINATING GRANULES will not cloud water even when superchlorinating which often occurs with calcium hypochlorite products.

START UP: Step 1. Condition pool water with KEM TEK™ STABILIZER CONDITIONER as per directions on its label. Thereafter, regular use of ALL-IN-ONE CHLORINATING GRANULES alone will maintain proper stabilization. NOTE: Omit Step 1 if pool is already conditioned with a similar stabilizer. Step 2. Concurrently with Step 1, superchlorinate water by adding 12 oz. of ALL-IN-ONE CHLORINATING GRANULES per 10,000 gallons of pool water. See additional superchlorination instructions below.

DAILY CARE: After Step 1 and 2 above, regularly check chlorine residual with a test kit and chlorinate daily or as needed to maintain 1.0 to 1.5 ppm residual chlorine. NOTE: One ounce of this product per 5,000 gallons of pool water will increase an existing chlorine residual by 0.8 ppm (1/8 rounded measuring cup = 1 oz.). Broadcast ALL-IN-ONE CHLORINATING GRANULES directly into the pool water. pH: Keep pH of water between 7.2 and 7.6. Use KEM TEK™ pH MINUS (dry acid) to lower pH and KEM TEK™ pH PLUS (soda ash) to raise it.

SUPERCHLORINATION: Whenever the pool water loses its sparkle or turns green or the chlorine residual falls rapidly after regular chlorination, superchlorination is recommended. Experience shows that during summer months, water should be superchlorinated with 6 oz. of ALL-IN-ONE CHLORINATING GRANULES per 5,000 gallons of pool water every 10 to 14 days. Do not use the pool until the chlorine residual has dropped to 3 ppm.

GENERAL: The following tables are a handy reference to average chlorine requirements, but must not be substituted for regular use of a test kit since pools and conditions vary considerably. Test water frequently and chlorinate as needed. Anticipate an increased chlorine consumption with increased swimming, hot water or weather, rain, a dirty or neglected pool, etc.

TYPICAL DAILY DOSAGE (SUMMERTIME) After Steps 1 & 2 above

| ABOVE GROUND POOL - 3' Deep | | | | | | IN GROUND POOL - 7' to 9' DEEP | | | | | |
|-----------------------------|--------|---------|--------|--------|--------|--------------------------------|--------|--------|--------|--------|--------|
| Pool Diameter | 12 Ft. | 15 Ft. | 18 Ft. | 20 Ft. | 24 Ft. | Pool Size (Feet) | 14x28 | 16x32 | 17x34 | 18x36 | 20x40 |
| Approx. Gallons | 2,500 | 4,500 | 7,000 | 9,000 | 13,000 | Approx. Gallons | 15,000 | 20,000 | 25,000 | 30,000 | 35,000 |
| Dosage (ounces) | 3/4-1 | 1 1/2-2 | 2-3 | 3-4 | 4-5 | Dosage (ounces) | 5-6 | 6-7 | 7-8 | 8-9 | 9-10 |

1) FOR CONTROL OF BACTERIA AND ALGAE (OUTDOORS) IN SPAS: Before bathing test water pH, chlorine residual and alkalinity using a suitable test kit. Adjust chlorine residual to 3.0 ppm. After bathing superchlorinate to 5.0 ppm (1 level tablespoon per 500 gallons of water). Use a chlorine stabilizer especially for outdoors, to prolong chlorine residual. Maintain pH of water between 7.2 and 7.6 and total alkalinity between 125 and 175 ppm with SPA KEM pH Plus (+) or SPA KEM pH Minus (-). 2) This product does not affect pH or alkalinity of water. One tenth oz. (1/2 tsp.) per 500 gal. of water gives 0.8 ppm and 1 level tbs. Gives 5 ppm of chlorine. To use, broadcast granules into water with jets running. Bathing can start at once. 3) With bathers in a 500 gal. spa a 2.0 ppm chlorine residual can drop below the minimum 1.0 ppm in 15-20 minutes. Less water or more bathers will accelerate loss. Test often and keep chlorine residual above 1.0 ppm. 4) Weekly, superchlorinate water to 5 or 6 ppm (see 2 above). Re-entry into spas is prohibited above levels of 3 pm of chlorine. Draining and cleaning of spa is recommended whenever the water becomes difficult to manage or chlorine stabilizer goes over 100 ppm as measured with a suitable cyanuric acid test kit. Avoid use of products such as body lotion that consume chlorine.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTICATED ANIMALS

DANGER: CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

FIRST AID

| | |
|---|---|
| If Inhaled | Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor immediately for treatment advice. |
| If on Skin or Clothing | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice. |
| If In Eyes | Hold eye open and flush with plenty of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice. |
| If Swallowed | Call a poison control center or doctor immediately for treatment advice. Promptly drink large quantity of water if able to swallow. DO NOT induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person. |
| Have the product container or label with you when calling poison control center or doctor, or going for treatment. For assistance call 1-800-767-7665 | |
| Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. | |

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

PHYSICAL OR CHEMICAL HAZARD: STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460°F TO 480°F WITH LIBERATION OF HARMFUL GASES. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to a fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. IN CASE OF FIRE, if possible, isolate container in open air or well ventilated area. Flood with large volume of water. IN CASE OF CONTAMINATION OR DECOMPOSITION, do not reseal container.

STORAGE AND DISPOSAL: Keep product in tightly closed container when not in use. Store in cool, dry, well-ventilated area away from heat or open flame.

DISPOSAL: IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTE: Do not allow direct contact of this product on the following pool surfaces: vinyl, metallic, fiberglass, painted or colored plaster. Product will bleach color

EPA Reg. No. 7616-70 EPA Est. No. 7616-CA-1
Manufactured by: Chem-Lab Products, Inc

