71016-

4127 2011



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

APR 27 2011

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION 1021

Dana Wm. Somesla Chemist Chem Lab Products, Inc. 5160- East Airports Drive Ontario, CA 91761

FILE COPY

Subject: Kem Tek All-In-One Chlorinating Granules EPA Registration No. 7616-70 Application Date: March 25, 2011 Receipt Date: April 04, 2011

Dear Mr. Somesla:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification:

Adding the with complete manufacturer's address to the label for this product.

General Comments:

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Henson Acting Product Manager (32) Regulatory Management Branch II Antimicrobials Division (7510P)

Mease read instructions on rev	erse before completi	ng form.		Form Apr						
€ EPA ⊧	gency		×	Ame Othe	strati endm er		OPP Identifier Number			
	4	Application fo	or Pesticid	e - Sect	tion l					
. Company/Product Number 7616-70			2. ÉPA P	2. EPA Product Manager 3. Proposed Classification						
4. Company/Product (Name) Kem Tek All-In-One Chlorinating Granules			PM# 32							
5. Name and Address of Applicant <i>(Include ZIP Code)</i> Chem Lab Products, Inc. 5160 East Airport Drive Ontario, CA 91761			(b)(i), m to:	EPA Reg. No						
		S	ection - I			_				
Resubmission in respon Notification - Explain be Explanation: Use additional Adding to Master label and Attached is PR Notice 98-10	page(s) if necessary all its Alternate Bra	v. (For section I and		Agency lett "Me Too" / Other - Exp	Application	tion.				
. Material This Product Will B	e Packaged In:	S	ection - II]						
Child-Resistant Packaging Yes* No Certification must	e Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per	ection - II ater Soluble Pe Yes No 'Yes' ckage wgt			2. Ty	pe of C	ontainer Metal Plastic Gless Paper Other (S	pecifyl	
Child-Resistant Packaging Yes* No * Cartification must be submitted D. Location of Net Contents Inf	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per	ater Soluble Pa Yes No 'Yes' ckage wgt	ckeging No. per		ation	of Label	Metal Plastic Glass Paper Other (S	ns jajo j	
Child-Resistant Packeging Yes* No Cartification must be submitted Label Contents Inf	Unit Packaging Yes No If "Yes" Unit Packaging wgt. formation nteiner	No. per container 4. Size(s) Retail Co	ater Soluble Pa Yes No 'Yes' ckage wgt ntainer	ckeging No. per	5. Loc	ation	of Label	Metal Plastic Glass Paper Other (S		
Child-Resistant Packaging Yes* No Certification must be submitted Label Contents Inf	Unit Packaging Yes No If "Yes" Unit Packaging wgt. formation nteiner	No. per container 4. Size(s) Retail Co	ater Soluble Pa Yes No 'Yes' ckage wgt ntainer	No. per containe	5. Loc	ation	of Label	Metal Plastic Glass Paper Other (S	ns 3033 panying proskult ³ 3000 3000 3000	
Child-Resistant Packaging Yes* No Certification must be submitted Label Contents Inf Label Contents Af	Unit Packaging Yes No If "Yes" Unit Packaging wgt. formation nteiner Ifixed to Product	No. per container If 4. Size(s) Retail Co Lithograph Paper glued Stenciled Stenciled	Ater Soluble Pa Yes No 'Yes' ckage wgt intainer	No. per container	5. Loo	ation on	of Label Label	Metal Plastic Glass Paper Other (S Directio og accom	ns panying product ² 3000	
Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Contents Inf Label Cort 8. Manner in Which Label is Af 1. Contact Point (Complete iter Name	Unit Packaging Yes No If "Yes" Unit Packaging wgt. formation nteiner Ifixed to Product	No. per container If 4. Size(s) Retail Co Lithograph Paper glued Stenciled Stenciled	ater Soluble Pa Yes No Yes" ckage wgt ontainer ection - IN ndividual to be	No. per container	5. Loo	ation on	of Label Label Labelin	Metal Plastic Glass Paper Other (S Direction of accommon second cess this felephone (909) 39(ns panying product?	
Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Contents Inf Label Cort 8. Manner in Which Label is Af 1. Contact Point (Complete iter Name	Unit Packaging Yes No If "Yes" Unit Packaging wgt. formation Itainer Ifixed to Product erns directly below for erns directly below for ents have made on knowingly false or m	No. par container If ' Pa 4. Size(s) Retail Co Lithograph Paper glued Stenciled Stenciled Stenciled Certification of in Certification this form and all at	ater Soluble Pa Yes No 'Yes' oksge wgt Intainer ection - IN ndividual to be mist tachments the	No. per container	5. Loc 	ation On On essary,	of Label Label Labelin	Metal Plastic Glass Paper Other (S Direction g accommon g accommon accommon g accommon g accommon acco	ns panying product?	
Yes* No * Certification must be submitted 3. Location of Net Contents Inf Label Con 6. Manner in Which Label is Af 1. Contact Point (Complete ite Name Dana Wm. Somesla	Unit Packaging Yes No If "Yes" Unit Packaging wgt. formation Itainer Ifixed to Product erns directly below for erns directly below for ents have made on knowingly false or m	No. par container If ' Pa 4. Size(s) Retail Co Lithograph Paper glued Stenciled Stenciled Stenciled Certification of in Certification this form and all at	ater Soluble Pa Yes No Yes" oksge wgt Intainer ection - IN ndividual to be mist tachments the t may be punit	No. per container	5. Loc 	ation on On On Isssary,	of Label Label Labelin	Metal Plastic Glass Paper Other (S Direction g accommon g accommon accommon g accommon g accommon acco	ns panying product? panying panying pa	

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

1 -

.

White - EPA File Copy (original) Yellow - Applicant Copy

Chem Lab Pro Jucts, Inc.

5160 E. Airport Drive

Ontario

California 91761-7824
Telephone: (909) 390-9912

Fax: (909) 390-9911

March 25, 2011

Regulatory Management Branch II Antimicrobials Division (7504C) United States Environmental Protection Agency Washington, D.C. 20460

RE: Notification of the addition of the manufacturer's complete address to Kem Tek All-In-One Chlorinating Granules; EPA Reg. No. 7616-70 label.

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulation at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Certified by: Dana Wm. Somesla, Chemist

ALM

0000 3 3 3 3 3 ວວວົວ 5 5 5 5 5 ιις **3 3 3 3 3**



MANUFACTURER OF QUALITY SWIMMING POOL PRODUCTS SINCE 1958



Free Pool Care Advice

1-800-SOS-POOL · www.kem-tek.com

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

ATTENTION: DANGER: Never mix this concentrated chemical with any other substance except generous amounts of water. See CHEMICAL HAZARDS on this label.

The use of KEM TEK[™] ALL-IN-ONE CHLORINATING GRANULES also requires the one time use of KEM TEK[™] STABILIZER CONDITIONER as described in the directions below under Start Up. This two-component system results in a longer-lasting chlorine residual and reduced chlorine consumption. Both products are completely soluble.

VINYL-LINED POOL CARE: Vinyl-lined pools are easily damaged by chemicals used to treat and maintain pools. ALL-IN-ONE CHLORINAT-ING GRANULES are well suited for use in these pools, especially the above-ground pools which have 3-4 foot depths and are not equipped with a bottom drain. ALL-IN-ON CHLORINATING GRANULES dissolves quickly and completely (is easily pre-dissolved in a bucket of water to help avoid potential problems), so direct contact with the pool liner is reduced and there are not residues to be swept or vacuumed from the pool bottom. ALL-IN-ONE CHLORINATING GRANULES also simplifies pH control because it's pH neutral, compared to other forms of chlorinating products which contain calcium hypochlorite, sodium hypochlorite, and trichloroisocyanuric acid (NOTE: Insoluble crystal-forming reaction will result when using sodium bisulfate (dry pool acid) to adjust pH when used in conjunction with calcium hypochlorite). ALL-IN-ONE CHLORINATING GRANULES will not cloud water even when superchlorinating which often occurs with calcium hypochlorite products.

START UP: Step 1. Condition pool water with KEM TEK[™] STABI-LIZER CONDITIONER as per directions on its label. Thereafter, regular use of ALL-IN-ONE CHLORINATING GRANULES alone will maintain proper stabilization. NOTE: Omit Step 1 if pool is already conditioned with a similar stabilizer. Step 2. Concurrently with Step 1, superchlorinate water by adding 12 oz. of ALL-IN-ONE CHLORINATING GRAN-ULES per 10,000 gallons of pool water. See additional superchlorination instructions below.

DAILY CARE: After Step 1 and 2 above, regularly check chlorine residual with a test kit and chlorinate daily or as needed to maintain 1.0 to 1.5 ppm residual chlorine. NOTE: One ounce of this product per 5,000 gallons of pool water will increase an existing chlorine residual by 0.8 ppm (1/8 rounded measuring cup = 1 oz.). Broadcast ALL-IN-ONE CHLORINATING GRANULES directly into the pool water. pH: Keep pH of water between 7.2 and 7.6. Use KEM TEK™pH MINUS (dry acid) to lower pH and KEM TEK™pH PLUS (soda ash) to raise it.

SUPERCHLORINATION: Whenever the pool water loses its sparkle or turns green or the chlorine residual falls_rapidly after regular_chlorination, superchlorination is recommended. Experience shows that during summer months, water should be superchlorinated with 6 oz. of ALL-IN-ONE CHLORINATING GRANULES per 5,000 gallons of pool water every 10 to 14 days. Do not use the pool until the chlorine residual has dropped to 3 ppm.

GENERAL: The following tables are a handy reference to average chlorine requirements, but must not be substituted for regular use of a test kit since pools and conditions vary considerably. Test water frequently and chlorinate as needed. Anticipate an increased chlorine consumption with increased swimming, hot water or weather, rain, a dirty or neglected pool, etc.

TYPICAL DAILY DOSAGE (SUMMERTIME)

IN GROUND POOL - 7' to 9' DEEP

 Pool Diameter
 12 FL
 15 FL
 18 FL
 20 FL
 24 FL

 Approx. Gallons
 2,500
 4,500
 7,000
 9,000
 13,000

 Dosage (ounces)
 3/4-1
 11/2-2
 2-3
 3-4
 4-5

ABOVE GROUND POOL - 10 4' Deep

 Pool Size (Feet)
 14x28
 16x32
 17x34
 18x36
 20x40

 Approx. Gallons
 15,000
 20,000
 25,000
 30,000
 35,000

 Dosage (ounces)
 5-6
 6-7
 7-8
 8-9
 910

1) FOR CONTROL OF BACTERIA AND ALGAE (OUTDOORS) IN SPAS: Before bathing test water pH, chlorine residual and alkalinity using a suitable test kit. Adjust chlorine residual to 3.0 ppm. After bathing superchlorinate to 5.0 ppm (1 level tablespoon per 500 gallons of water). Use a chlorine stabilizer especially for outdoors, to propiong chlorine residual. Maintain pH of water between 7.2 and 7.6 and total alkalinity between 125 and 175 ppm with SPA KEM pH Plus (+) or SPA KEM pH Minus (-). 2) This product does not affect pH or alkalinity of water. One tenth oz. (1/2 tsp.) per 500 gal. of water gives 0.8 ppm and 1 level tbs. Gives 5 ppm of chlorine. To use, broadcast granules into water with jets running. Bathing can start at once. 3) With bathers in a 500 gal. spa a 2.0 ppm chlorine residual can drop below the minimum 1.0 ppm in 15-20 minutes. Less water or more. bathers will accelerate loss. Test often and keep chlorine residual above 1.0 ppm. 4) Weekly, superchlorining and cleaning of spa is recommended whenever the water becomes difficult to manage or chlorine stabilizer goes over 100 ppm as measured with a suitable cyanuric acid test kit. Avoid use of products such as body lotion that consume chlorine. **PRECAUTIONARY STATEMENTS**

HAZARDS TO HUMANS AND DOMESTICATED ANIMALS

DANGER: CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soapand water after handling. Remove and wash contaminated clothing before reuse.

	FIRSTAID
If in Eyes	Hold eye open and flush with plenty of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice.
lf Inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth -to- mouth if possible. Call a poison control center or doctor immediately for treatment advice.
If Swallowed	Call a poison control center or doctor immediately for treatment advice. Promptly drink large quantity of water if able to swallow. DO NOT induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person.
lf on Skin or Clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice.
	ud container or label with you when calling poison control center or doctor, or going for treatment. For assistance call 1-800-767-7665 hysician: Probable mucosal damage may contraidicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

PHYSICAL OR CHEMICAL HAZARD: STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460°F TO 480°F WITH LIBERATION OF HARMFUL GASES. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to a fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible? generation of fire and explosion. IN CASE OF FIRE, if possible, isolate container in open air or well ventilated area. Flood with large volume of water. IN CASE OF CONTAMINA-TION OR DECOMPOSITION, do not reseal container.

STORAGE AND DISPOSAL: Keep product instightly closed container when not in use. Store in cool, dry, well-ventilated area 3 way from beat or open flame. DISPOSAL: IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling is available. IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain 2.2.2

NOTE: Do not allow direct contact of this product on the following pool surfaces: vinyl, metallic, fiberglass, painted or colored plaster. Froduct will bleach color EPA Reg. No. 7616-70 EPA Est. No. 7616-CA-1

Manufactured by: Chem Lab Products, Inc. 3 5160 E., Airport Dr. ONTARIO, CA 9176

Made In USA

