7616-73

4/28/2011 UNITO STATES ENVIRONMENTAL PROTECTION AGENCY



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Dana William Somesla Chem Lab Products, Inc. 5160 E. Airport Dr. Ontario, CA 91761

Subject:

Kem Tek Algaecide EPA Registration Number: 7616-73 Notification Date: March 25, 2011 EPA Receipt Date: April 1, 2011

Dear Mr. Somesla:

This letter acknowledges receipt of your notification submitted under the provisions of FIFRA section 3(c) 9 and PR Notice 98-10.

Proposed Notification:

Adding the manufacturer address:

Chem Lab Products 5160 E. Airport Dr. Ontario, CA 91761

General Comments:

Based on a review of the submitted materials, your notification to add the manufacturer's address as referenced above is acceptable. A copy of this letter has been made a part of the permanent record for 7616-58.

If you have questions concerning this letter, please contact me at 703-308-6416 or by e-mail at <u>campbell-mcfarlane.jacqueline@epa.gov</u> or Killian Swift at 703 308-6346 or by email at <u>swift.killian@epa.gov</u>. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

				Sincerely,	lang tell 1	ME			
Jaconaunas worst mbell-McFarlane									
SYMBOL				Product Man	ager 34		·		
	***************	••••••••••••••••			lanagement B		****************		
DATE			· · ·	Antimicrobia	ls División (7	510P)	******	************	

EPA Form 1320-1A (1/90)

OFFICIAL FILE COPY

United States Environmental Protection Age Washington, DC 20460				ency Amendm × Other				er Number			
		Application	n for F	Pestici	de - Sect	tion I					
1. Company/Product Number 7616-73				2. EPA Product Manager			3. Proposed Classification				
4. Company/Product (Name) Kem Tek Algaecide				PM# 3/2 3/4				٦Ľ	Non	• L	Restricted
5. Name and Address of A	pplicent <i>(Include ZIP Co</i>	odej		6. Exp	edited Rev	iew. In	accorda	nce with	h FIFA	A Secti	ion 3(c)(3)
Chem Lab Products, Inc. 5160 East Airport Drive Ontario, CA 91761				to:	ny product i Reg. No				-	sition ar	nd labeling
Check if th	nis is a new address			Produ	ict Name						
			Sec	tion - I						0000	
	Amendment - Explain below.				Final printed labels in response to Agancy letter dated "Me Too" Application.			to	6000 6000 0000 0000		
Notification - Explai					Other - Exp	••	w.	777793 1 1 1 7 0 0 0 0 0 0 0 0		3 3333 2839	c
Adding to Master label Attached is PR Notice 9			omplete	e manufa	cturer's add	lress.		66666 0 0 06666	,	000000 0 0 000000	
Adding to Master label Attached is PR Notice 9			-			lress.			, 	с с с	c
-	8-10 Certification Stat		-	e manufa tion - I		ress.			, 	9 2 2 3 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3	c
Attached is PR Notice 9 1. Material This Product W Child-Resistant Packaging Yes*	8-10 Certification Stat		Sect	tion - I Soluble P Yes	11		2. Type of	e c C C Q		9 2 2 3 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3	c
Attached is PR Notice 9 1. Material This Product V Child-Resistent Packeging	8-10 Certification Stat Will Be Packaged In: Unit Packaging	itement.	Sect Water	tion - l Soluble P Yes No	11	2		و د د د و ۲ Containe			c
Attached is PR Notice 9 1. Material This Product W Child-Resistant Packaging Ves* No * Certification must	8-10 Certification Stat Vill Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt	itement.	Sect Water	tion - l Soluble P Yes No s [°] ge wgt	ll 'ackeging No. per	2		Containe Metal Metal Glass Paper Other (el Directi	Specif ions	с солсон солсон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сососон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сососон сосон сососон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сососо сосо сосон сосо сосон сосо сосо сососо сосо сосо сосо сосо сососо сосососососо сососососо сосососососососососососососососососососо	c.
Attached is PR Notice 9 1. Material This Product W Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Content	8-10 Certification Stat	No. per t. container	Sect Water If "Yes Packag il Contai	tion - I Soluble P Yes No ge wgt	II Packaging No. par container	5. Locat	2. Type of	Containe Metal Metal Glass Paper Other (el Directi	Specif ions	с солсон солсон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сососон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сососон сосон сососон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сосон сососо сосо сосон сосо сосон сосо сосо сососо сосо сосо сосо сосо сососо сосососососо сососососо сосососососососососососососососососососо	c.
Attached is PR Notice 9	8-10 Certification Stat	No. per t. container 4. Size(s) Reta Paper g Stencile	Sect Water If "Yes Packag Packag Il Contai	tion - 1 Soluble P Yes No ge wgt iner	II Packaging No. per container	5. Locat	tion of Label On Label	Containe Metal Plastic Glass Paper Other (el Directi ing acco	(Specif ions mpany	د د د د د د د د د د د د د د د د د د د ۲	c.
Attached is PR Notice 9	8-10 Certification Stat	tement. No. psr container 4. Size(s) Reta Lithogra Paper g Stencile	Sect Water If "Yes Packs Packs ill Contai ill Contai ill contai ill contai ill contai ill contai ill contai ill contai	tion - 1 Soluble P Yes No ge wgt iner	II Packaging No. per container	5. Locat	tion of Label On Label	Containe Metal Paper Other (all Direction ocess thi	ions mpany	د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د د	c c uot
Attached is PR Notice 9	8-10 Certification Stat	tement. No. par t. container 4. Size(s) Reta Paper g Stencile	Sect Water If "Yes Packag Packag Il Contai	tion - I Soluble P Yes No ge wgt iner tion - I tiduel to b	II Packaging No. per container	5. Locat	tion of Label On Label	Containe Metal Paper Other (all Direction ocess thi	ions mpany is appli ne No.	د د د د د د ۲ د د د د د د ۲ د د د د د د ۲ ۲	c.
Attached is PR Notice 9	8-10 Certification Stat Vill Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt If "Yes" Unit Packaging wgt is Information Container is Affixed to Product te items directly below te items directly below	No. psr container 4. Size(s) Reta Lithogra Paper g Stencila for identification	Sect Water If "Yes Packs Packs iil Contai iii Contai iii contai fitte Chemist iion all attach	tion - 1 Soluble P Yes No ge wgt iner tion - 1 <i>tidual to b</i> t	II Packaging No. per container	5. Local if necess	2. Type of bion of Lab On Label On Label	Containe Metal Plastic Glass Paper Other (el Directi ing accol bccess thi Telephol (909) 31	ions mpany is apple ne No. 90-99	<pre>c c c c c c c c c c c c c c c c c c c</pre>	c.
Attached is PR Notice 9	8-10 Certification Stat Vill Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt If "Yes" Unit Packaging wgt is Information Container is Affixed to Product te items directly below te items directly below	No. par No. par container 4. Size(s) Reta 2 4. Size(s) Reta 2 2 2 2 2 3 3 3	Sect Water If "Yes Packs Packs iil Contai iii Contai iii contai fitte Chemist iion all attach	tion - 1 Soluble P Yes No ge wgt iner tion - 1 tiduel to b t	II Packaging No. per container	5. Local if necess	2. Type of bion of Lab On Label On Label	Containe Metal Plastic Glass Paper Other (el Directi ing accol bccess thi Telephol (909) 31	ions mpany is apple ne No. 90-99	<pre>c c c c c c c c c c c c c c c c c c c</pre>	c.

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

X

-

.

Chem Lab ProduCts, Inc.

5160 E. Airport Drive = Ontario = California 91761-7824 *Telephone: (909) 390-9912 = Fax: (909) 390-9911

March 25, 2011

Regulatory Management Branch II Antimicrobials Division (7504C) United States Environmental Protection Agency Washington, D.C. 20460

RE: Notification of the addition of the manufacturer's complete address to Kem Tek Algaecide; EPA Reg. No. 7616-73label.

"This notification is consistent with the provisions of PR Notice 98-10 and EPA "cecc" regulation at 40 CFR 152.46, and no other changes have been made to the labeling cecc or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make false statement to EPÅ. If further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be Eccecc subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Certified by: Dana Wm. Somesla, Chemist





NOTE: In order to ensure maximum effectiveness of KEM-TEK ALGAECIDE 60% CONCENTRATIED (and all other swimming pool chemicals), always maintain pH at 7.2 to 7.6 and a free-chlorine residual of 1 to 2 ppm. Measure by using a reliable test kit.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS


CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

If In Eyes	Hold eye open and flush with plenty of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice.
If on Skin or Clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor Immediately for treatment advice.
If Swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water, if able to swallow. DO NOT induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person.
If Inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth 4o- mouth if possible. Call a poison control center or doctor immediately for treatment advice.

ENVIRONMENTAL HAZARDS This product is toxic to fish and aquatic organisms

STORAGE AND DISPOSAL:

STORAGE Keep container closed when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. DISPOSAL: IF EMPTY: Nonrefuillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.




KEEP OUT OF REACH OF CHILDREN NO SE DEJE AL ALCANCE DE LOS NINOS CAUTION

See back panel for First Aid statement and other precautions

for SWIMMING POOLS Pool Care Advice - Call 1-800-767-7665

NOTIFIC/ Date Reviewed:	ATION /
Date Reviewed	4/28/11
Heviewed By:	Kontt
	D



The presence of algae in swimming pools is objectionable and can be difficult to remove, KEM TEK™ ALGAECIDE 60% CONCENTRATED helps prevent the growth of chlorine-resistant algae, (such as mustard and black algae). It also acts as an added defense against algae due to low chlorination periods. Once started, algae greatly increases chlorine demand and the associated increased cost.

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE:

Freshly Filled And/Or Algae-Free Swimming Pools: Add 8 ounces of KEM-TEK ALGAECIDE 60% CONCENTRATED per 10,000 gallons pool water. Add 2 to 4 ounces (per 10,000 gallons) weekly as a maintenance dose to prevent algae growth through the swimming season.

Visible Algae Growth: Super-chlorinate with a fast-acting, chlorinating product (such as SHOCK QUICKTM) to a chlorine reading of 5 ppm, Do not use the pool until the chlorine residual has dropped to 3 ppm. Remove all debris by vacuuming or sweeping and filtering. In order to aid in the removal of the fine particles resulting from the affected algae, the use of KEM-TEK ULTRA CLARIFIER is recommended. Add an initial dose of 16 ounces of KEM-TEK ALGAECIDE 60% CONCENTRATED per 10,000 gallons of water to rid the water of the remaining chlorine-resistant algae. Thereafter, add 2 to 4 ounces (per 10,000 gallons) weekly during swimming season to prevent regrowth of algae.

PRECAUTIONARY STATEMENTS

For Prevention of Mustard,

Green & "Black" Algae

Non-Foaming . Reduces Chlorine Consumption

ACTIVE INGREDIENT:	
Poly [oxyethylene (dimeythyliminio) ethylene	
(dimethyliminio) ethylene dichloride]60	.0%
INERT INGREDIENTS40).0%
TOTAL	.0%

NET 32

FI, Oz.

(.946 L)

PRECAUCION