

7616-76

10/03/2012

1/12



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

October 3, 2012

Christina Griffin
Agent for KIK International, Inc.
C/o Delta Analytical Corp.,
12510 Prosperity Dr., Suite 160
Silver Spring, MD 20904

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Subject: KT Chlorinating Tablets
EPA Reg.#: 7616-76
Application Date: July 17, 2012
Receipt Date: July 18, 2011

Dear Ms. Griffin:

This acknowledges the receipt of your Amendment application dated July 17, 2012 in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended.

Proposed Amendment:

To update and amend "KT Chlorinating Tablets" text product label (EPA Reg.#: 7616-76) (letter and proposed label dated 07/17/2012), and also to include the following changes and additions:

- Change company name "Chem Lab Products, Inc." to EPA's company name of record "KIK Pool Additives Inc."
- Addition of the following **Alternative Brand Names (ABNs)**:
 - Above Ground Pool Kit
 - Above Ground Pool Maintenance Kit
 - Above Ground Pool Start Up Kit
 - Above Ground Pool Chemical Kit
 - Aqua Guard Above Ground Pool Maintenance Kit
 - Aqua Guard Above Ground Pool Start Up Kit
 - Aqua Guard Above Ground Pool Chemical Kit
 - Kem Tek Above Ground Pool Maintenance Kit
 - Kem Tek Above Ground Pool Start Up Kit
 - Kem Tek Above Ground Pool Chemical Kit
- Addition of kit labeling instructions.

General Comment:


Based on the review of the materials submitted, the amended label and label and labeling dated 7/17/12 is acceptable.

On page 1 of the current label, it was noted a website addition: www.kem-tek.com. Should you wish to retain a reference to the company's website on your label, then please be aware that such a reference transforms the website into labeling under the Federal Insecticide Fungicide and Rodenticide Act sec 2 (p) (2) and then the website is subject to review by the Agency. If the website content is false or misleading, the product would be misbranded and its sale or distribution unlawful to sell or distribute under FIFRA section 12(a)(1)(E). In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Although EPA has not yet determined the extent to which it will routinely review company websites, if the Agency finds or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from claims approved through the registration process, the website may be referred to the EPA's Office of Enforcement and Compliance Assurance.

This amendment and this letter have been inserted in your file for future reference.

If you have further question on this letter, please contact David Liem by email at liem.david@epa.gov or call at 703-305-1284.

Sincerely



Monisha Harris
Product Manager (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)

Att: Accepted Stamped Label

KT Chlorinating Tablets

[Approved Alternate Brand Names:]

- Aqua Guard 1" Chlorinating Tablets
- Aqua Guard 3" Chlorinating Tablets
- Aqua Guard Black Algae Treatment
- Aqua Guard Chlorinating Sticks
- Kem-Tek All-in-One 3" Multi Function Chlorinating Tablets
- Kem-Tek Black Algaecide Treatment
- Pro Side 1" Chlorinating Tablets
- Pro Side 3" Chlorinating Tablets
- Kem-Tek Swimming Pool 1" Chlorinating Tablets
- Kem-Tek Swimming Pool 3" Chlorinating Tablets
- Kem-Tek Swimming Pool Chlorinating Sticks
- Kem-Tek Swimming Pool Floating Chlorinator

[Alternate Brand Name to be used with kit containing EPA Reg.# 7616-58, -70 or -76: [Note that names are repeated on each label because it is not clear which combination of products may be used]

- Above Ground Pool Kit
- Above Ground Pool Maintenance Kit
- Aqua Guard Above Ground Pool Maintenance Kit
- Kem Tek Above Ground Pool Maintenance Kit
- Above Ground Pool Start Up Kit
- Aqua Guard Above Ground Pool Start Up Kit
- Kem Tek Above Ground Pool Start Up Kit
- Above Ground Pool Chemical Kit
- Aqua Guard Above Ground Pool Chemical Kit
- Kem Tek Above Ground Pool Chemical Kit

Active Ingredient	
Trichloro-s-triazinetrione	95.0%
Other Ingredients	5.0%
Total	100.0%
[85% Available Chlorine or Available Chlorine – 85%]	

ACCEPTED
with COMMENTS
in EPA Letter Dated:

OCT 3 2012

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See back panel for First Aid and other precautions

[or See First Aid statement and additional precautions on back panel]

[the "See back panel..." may be omitted if all labeling is on the same panel, e.g., the kit box]

7616-76

[Free Pool Care Advice 1-800-SOS-POOL • www.kem-tek.com]

FIRST AID: Call a poison control center [(1-800-222-1222)] or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. **If swallowed:** Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

[First Aid may be in table form]

Net Wt. ____ lbs [(____ kg)]

[The following may appear in any appropriate place on the label:]

Manufactured by [for]:
 KIK Pool Additives Inc.
 5160 E. Airport Dr.
 Ontario, Calif. 91761

Optional: Following may be included in addition to "Manufactured by [for]" address above: Distributed by [or Sold by] [or Marketed by] Insert additional company name and address]

EPA Reg. No. 7616-76

EPA Est. No. 7616-CA-1

*[In the text "this product" or alternate brand name may be substituted for KT Chlorinating Tablets name]
 [[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]*

4/12

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER. CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mist. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

[In accordance with PR notice 95-1, use the following complete Environmental Hazards statement for containers 50 pounds and larger]

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

[For containers smaller than 50 pounds use the following:]

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms.

Physical or Chemical Hazard

STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND TOXIC HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460° F TO 480° F WITH LIBERATION OF HARMFUL GASES. IN CASE OF FIRE, if possible isolate container in open air or well ventilated area. Flood with large volume of water. IN CASE OF CONTAMINATION OR DECOMPOSITION, do not reseal container.

[Optional Label Claims/location optional:] [Claims may be in upper or lower case]
ALL CLAIMS NOT HIGHLIGHTED. EPA APPROVED 6/7/12:


3" [3-Inch] Tablets
8 oz Tablet[s]
1/2 [Pound Tablet[s]] [lb Tablet]
7 Day Tablet
5-Step Pool Care
ABC Smart[er] Pool Care [System]
A Component of the Kem-Tek Pool Care System
Algae [Fighter] [Fighting] [Killer] [Preventer] [Stopper] [Suppressant]
Algaecide
B
Buffered [Sanitizer] [For pH Control]
Buffers pH
Built In [Clarifier] [Sun Protection]
Chlorinate[s] [Up To One Week]
Chlorinating [Sanitizer, Algaecide [[&] [And]] Clarifier] [Technology]
Clarifies
Concentrated Chlorinating Agent
Controls Algae, Kills Bacteria [[&] [And]] Destroys Organic Contaminants In Pools
Convenient
Delivers Continuous Chlorination
Destroys [Algae] [Bacteria] [[&] [And]] Prevents Algae
Disinfectant
Each Tablet Weighs 8 oz/1/2 lbs
Easy To Use
Eliminates Bacteria
Fights Algae
For [All Types Of Pools] [Pools] [Pools [[&] [And]] Spa] [Pop-Up Pools]
For Control of Algae [[&] [And]] Bacteria
For Crystal Clear Water
For Day-to-Day Chlorination
For Floaters [[&] [And]] Feeders
For Low Odor Sanitization
For Treatment of Black Algae
For Use With The Kem-Tek Feeder
Good For All Pool Surfaces
Helps Prevent Corrosion [[&] [And]] Metal Staining
Item # - - - -
Jumbo [Size] [Tabs] [1/2 lb. Tabs] [1/2 lb. Tablets]
Kills [Algae] [Bacteria] [[&] [And]] Controls Algae
Kills Bacteria Controls Algae Destroys Organic Contaminants
Knocks Out Algae
Long Lasting
Multi Function [Multi-function] [Multifunction] Formula - Chlorinator & Algaecide
Multi-Action [Formula] Chlorinator & Algaecide
Multi-Action System That Sanitizes [[&] [And]] Suppresses Algae
Multi-Function Pool Care Product - Chlorinator & Algaecide
Multipurpose Product - Chlorinator & Algaecide
Oxidizer
Part B
Part Of The Simply Smart[er] [Pool Care] [Pool] System
Pool [and] [&] Spa Care
Removes Organic Waste [[&] [And]] Produces Sparkling Clean Swimming Pool Water

[In the text "this product" or alternate brand name may be substituted for KT Chlorinating Tablets name]
[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

Restores A Crystal Clarity To Pool Water
 Routine Chlorinator
 Sanitizer, Algaecide [[&] [And]] Clarifier [Sanitizer, Algaecide, [[&] [And]] Clarifier]
 Sanitize[r][s] [Pool Water] [Water]
 Seven Day Tablet
 [Simpler] [Smarter]
 Simply B
 Simply Smart[er] [Pool Care] [System]
 Slow [Dissolving] [Release]
 Smart[er] B
 Softens Water
 Specially Formulated To Resist Crumbling
 Stabilized
 Step #2 [Step Two] [Chlorine Treatment] [Of The Kem-Tek Pool Care System]
 Step [Insert # or letter]
 Step 2: Chlorinate
 Step B
 Swimming Pool Sanitizer
 Time Release Formula [For Long Lasting Results]
 UV [Protected] [Resistant]
 Week-Long Chlorination
 Wipes Out Algae
 With Built-In Clarifier, Filter Enhancer, [[&] [And]] Algae Preventative

[GRAPHICS]

MAINTAINING YOUR POOL IS AS EASY AS



DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling.

KT CHLORINATING TABLETS are slow dissolving, concentrated tablets for use in erosion type feeders.

1. Remove everything from feeder and rinse thoroughly with fresh water. Never mix KT CHLORINATING TABLETS with any other sticks, tablets or any other chemicals.
2. Fill the feeder with tablets.
3. Adjust the feed rate so as to maintain a chlorine residual of 1.0–1.5 ppm.
4. Check the pH of the pool water daily, adding [Sodium Bisulfate (dry pool acid) or Sodium Carbonate (soda ash) *and/or* KEM TEK™ pH MINUS or pH PLUS] or equivalent products as necessary to maintain pH in 7.2–7.6 range.
5. If the pool is not stabilized with [Cyanuric Acid *and/or* KEM TEK™ STABILIZER CONDITIONER] or equivalent, add stabilizer to a concentration of 30 ppm. Consult the label on [Cyanuric Acid *and/or* KEM TEK™ STABILIZER CONDITIONER] or equivalent product for exact instructions.

[Reader's Note: Throughout this label, product names for other similar products (i.e., pH adjusters, stabilizers, chlorinators etc.) may be substituted as appropriate.]

POOL STARTUP AND HEAVY BATHER LOAD: At the start of the swimming season, in filled pools, upon filling a pool, and after heavy swimmer load, super chlorination (shocking) is necessary. Super chlorination is the addition of two or three times the normal amount of chlorine to oxidize and remove unwanted organic and inorganic material. The end result is the establishment of a chlorine residual of 1.0 – 1.5 ppm. For super chlorination, use a liquid or granular agent, such as Sodium Hypochlorite, Calcium Hypochlorite or Sodium Dichloro-s-triazinetrione, which will dispense chlorine rapidly. Consult the label on Sodium Hypochlorite, Calcium Hypochlorite or Sodium Dichloro-s-triazinetrione for super chlorination instructions. Do not use the pool during super chlorination until the chlorine residual is less than 3 ppm.

Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or any other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion.

[The following are to be used with different alternate brand names and are different forms of the same product:]


USE OF THE FLOATING CHLORINATOR

Do not use in spas, hot tubs or in water temperatures above 90° F.

1. To use this container, cut off the two large knobs nearest the cap (at opposite sides). Locate and remove the small knob which corresponds to the pool capacity in gallons (Fig. 1). Holding the FLOATING CHLORINATOR neck down, shake lightly to level contents. FLOATING CHLORINATOR CONTAINS 1" CHLORINATING TABLET (slow dissolving, stabilized and highly concentrated).

*[In the text "this product" or alternate brand name may be substituted for KT Chlorinating Tablets name]
[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]*

- Place FLOATING CHLORINATOR into the pool water neck down (Fig. 2). Monitor chlorine feed setting using a refillable test kit; chlorine residual should read from 1 - 1.5 ppm. To increase chlorine residual, cut off the small knob for the next higher pool capacity. As part of routine maintenance, super chlorinate regularly using an unstabilized chlorine product [such as] CHLORINATING LIQUID or SHOCK™. Adjust pH as needed with pH PLUS™ or pH MINUS™ keeping it between a 7.2 - 7.6 reading. To minimize chlorine consumption, add CHLORINE STABILIZER as needed to give a concentration of 30 ppm. Follow the instructions provided on these labels.
- FLOATING CHLORINATOR tilts when empty. Drain all water and remove safety cap to refill. Use KT CHLORINATING TABLETS only. Never mix with any other chemicals or tablets. DO NOT OVERFILL (Fig. 3). When FLOATING CHLORINATOR shows signs of brittleness or cracking, it should be replaced.



USE OF LARGE SKIMMER TABLETS

- One dose lasts up to 2 weeks
- Individually wrapped for easy handling

This product is designed to dissolve slowly providing a steady source of available chlorine in vinyl lined pools without an automatic timer on the pool pump. Pump should run a minimum of 8 hours per day, otherwise vinyl liner damage may occur. If chlorine residual goes above 3 ppm, reduce skimmer flow rate or daily pump operation time. Shock treat weekly or every other week with appropriate shock treatment. Follow label directions.

GRANULAR ALGAECIDE (BLACK ALGAE TREATMENT)

GRANULAR ALGAECIDE is a potent algaecide, which is effective against all algae when used as directed. It is especially effective against so-called "black" algae which appears as spots on the walls and bottom of pools.

- Check pH of water. Adjust pH (if necessary) to a residual of 7.2 – 7.6 using a reliable test kit and soda ash or dry pool acid.
- Similarly, check available chlorine and adjust (if necessary) to a residual of 1.0 – 1.5 ppm using a dry or liquid chlorinating product.
- Place one tablespoon of GRANULAR ALGAECIDE directly on the black spots (if on the pool bottom). If spots are on the pool walls, place a tablespoon of GRANULAR ALGAECIDE on a 6" square cloth, tie and hang from the edge of the pool by the spot.
- Wait 24 to 36 hours. Brush spots off with a wire algae brush and repeat steps 1 through 3 until algae free.

NOTE: Do not allow contact of this product on the following pool surfaces: vinyl, metallic, fiberglass, painted or colored plaster. Product will bleach color out.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Keep product in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame or in case of decomposition, isolate container in open area if possible, and flood with large amounts of water. **CONTAINER HANDLING:**

Nonrefillable container. Do not reuse or refill this container. **IF EMPTY:** Place in trash [collection] or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[If floating chlorinator directions are on the label, substitute the following after "CONTAINER HANDLING" above:]

FLOATING CHLORINATOR DISPOSAL: Triple rinse cracked or broken containers and offer for recycling. If recycling is not available, discard in trash.

[Optional: Kit Label front panel]

[Brand name AQUA GUARD™ or Kem Tek™ may be used]

[optional]: 5-Step Pool Care System

ABOVE GROUND POOL
[START UP] [MAINTENANCE] KIT
[All The Basics Needed for Start-Up and
Continued Maintenance]

[FREE POOL CARE ADVICE
1-800-SOS-POOL]

[Contents will include two or more of the following]

Net Contents [or This Kit Contains]:

- Qts [or Gal]
 [insert ABN for 7616-58]
- Lbs.
 [insert ABN for 7616-70]
- Lbs.
 [insert ABN for 7616-76]
- Lbs. Kem Tek pH Plus
- Lbs. Kem Tek pH Minus
- Floating Tablet Dispenser
- Test Strips and Instructions
- Test Kit and Instructions

[Non-EPA registered products: may substitute name for same product]

[Kit contents may be listed on another panel]

KEEP OUT OF REACH OF
 CHILDREN
 NO SE DEJE AL ALCANCE DE LOS
 NIÑOS
DANGER

See back and side panels and individual containers for first aid statements and other precautions

[Note: Kit is to include EPA registered product labels fully visible on outside kit box as well as on the corresponding container inside the box.]

11/12

[Optional: Kit Label]

[The following may placed on front, side, or back panel of box and/or as an insert]

[The following will be part of the Above Ground Pool [Start Up] [Maintenance] Kit's instructions]

STEPS FOR USING ABOVE GROUND POOL [START UP] [MAINTENANCE] KIT:

Pool Care: The Importance of Testing

Without proper testing a pool can quickly become cloudy, develop undesirable odors and even become unsafe to use. Testing is used to guide you in the treating of water. With proper testing this Start-Up Kit provides all the essentials to properly maintain your pool. Additional Kem Tek Products [or insert other brand name] are available to correct problems should they occur.

Chlorine: Chlorine breaks down due to many factors - swimmers, water temperature, and sunlight. In order to prevent growths, a chlorine level of 1-3 ppm must be maintained daily. Super chlorinate (shock) using the [insert ABN for EPA Reg. No. 7616-70] to start-up and establish a chlorine level as well at least once per week to remove any chlorine resistant problems. Use the test strips provided or any other reliable test kit to properly chlorinate the pool water. Use [insert ABN for EPA Reg. No. 7616-70] [and/or insert ABN for EPA Reg. No. 7616-76] to maintain daily chlorination (see below).

pH: pH is always present in water. Keep between 7.2 and 7.6 to make water comfortable for use. In addition, the other products used in pool care operate best in this range. pH control is a process of increasing when it gets below 7.2 with Kem Tek pH Plus or lowering it when it gets above 7.6 with Kem Tek pH Minus to keep it in the ideal range. If pool pH is low, stop use of pool until pH is adjusted above 7.0.

(Start-Up):

Test pH and adjust to 7.2 - 7.6 if necessary. Then super chlorinate (shock) by following the dosage on the chart for your pool size. Once chlorine level is established and between 1-3 ppm, proceed with Daily Chlorination. Do not use the pool until the chlorine residual has dropped to 3 ppm.

[When Kit Contains EPA Reg. No. 7616-70]

Chlorination (daily):

Follow the recommended dosage on the chart for your pool size. Treat pool every evening. For pools with above average use, treat mid-day and in the evening by adding the maintenance dose.

[When Kit Contains EPA Reg. No. 7616-76]

Chlorination (daily):

Add enough [insert ABN for EPA Reg. No. 7616-76] to fill dispenser half way. DO NOT FILL DISPENSER COMPLETELY. Adjust dispenser to a mid-setting. Place dispenser in pool water with chemical release openings facing down. Hold dispenser until it floats properly and upright. Test chlorine level periodically. Chlorine level must be maintained between 1-3 ppm at all times. Adjust floater setting to increase or decrease chlorine output. Do not use the pool until the chlorine residual has dropped to 3 ppm.

Weekly:

Super chlorinate in the evening and when heavy use or rain occurs. If water becomes cloudy or algae starts to grow, triple this dose to correct the problem. Run pump 4 to 8 hours minimum after addition of [insert ABN for EPA Reg. No. 7616-70].

pH Adjustment:

Keep between 7.2 and 7.6. When the pH goes above 7.6 add Kem Tek pH Minus and if it is below 7.2 add Kem Tek pH Plus. Use chart for dosage. Run pump and check after 2-4 hours. The dose on the chart is only an estimate. Repeat as needed until the pH is corrected. Use a half dose when nearing the correct pH level.

Algaecide:

The chlorine used to prevent growths in pool water is rapidly consumed by weather conditions and pool use. The addition of Algaecide helps prevent algae from getting started during periods when the chlorine is below 1 ppm. Add Algaecide at least once a month for prevention. Treat weekly for busy pools or hot summer weather. Whenever an algae growth occurs follow the instructions for super chlorination then add algaecide 24 hours after chlorination and chlorinate pool to 3 ppm if needed.

[In the text "this product" or alternate brand name may be substituted for KT Chlorinating Tablets name]

[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

Maintaining Your Pool:

Your pool can be kept clean and trouble free by following these instructions: In order for the chemical treatments to be effective the filter system must also be kept clean and in good working order. Hot weather and heavy swimmer load create the need for more chemical treatment and also require that the pump is run more often or for longer periods of time. Run the pump every night after adding chlorine to properly treat the water. In hot weather and with heavy use, due to the size of the pump/filter systems on small above ground pools, 24hrs. per day circulation is recommended. Also after every major storm or above normal use shocking the pool must be done to prevent problems.

[Reader's Note: Throughout this label, product names for other similar products (i.e., pH adjusters, stabilizers, chlorinators etc.) may be substituted as appropriate.]

Pool Size 12' and Under		KEM TEK™ All-In-One Chlorinating Granules		pH Plus / pH Minus to raise or lower pH		Liquid Algaecide	
Diameter / Depth	Gallons	Daily Tsp.	Shock Tbs.	(Choose One)		(Choose One)	
				Tbs.	Cups	Tbs.	Cups
6' X 24"	500	2	1	4	1/4	4	1/4
8' X 30"	1,000	4	2	8	1/2	8	1/2
10' X 36"	1,500	6	3	12	3/4	12	3/4
11' X 36"	2,000	8	4	16	1	16	1
12' X 42"	2,500	10	5	20	1 1/8	20	1 1/8

Pool Size 12' and Under		KEM TEK™ All-In-One Chlorinating Granules		pH Plus / pH Minus to raise or lower pH		Liquid Algaecide	
Diameter / Depth	Gallons	Daily Tsp.*	Shock Tbs.	Cups		Cups	
13' X 4'	3,500	3	1/3	1 1/4		1 1/4	
15' X 4'	5,000	6	2/3	2		1 1/2	
18' X 4'	7,500	8	1	3		2	
21' X 4'	10,000	10	1 1/3	4		3	
24' X 4'	13,500	12	1 2/3	5		4	

*8 TBS=1/2 cup

[The following information may be used on the insert or panel containing this information, location optional]

**ABOVE GROUND POOL
[START UP] [MAINTENANCE] KIT**
All The Basics Needed for Start-Up and Continued Maintenance
FREE POOL CARE ADVICE 1-800-SOS-POOL

[The following must appear in any appropriate place on the box label [and also may appear on the insert:]

Manufactured by [for]:
KIK Pool Additives, Inc.
5160 E. Airport Dr.
Ontario, Calif. 91761

[Optional: Following may be included in addition to "Manufactured by [for]" address above: Distributed by [or Sold by] [or Marketed by] Insert additional company name and address]

[In the text "this product" or alternate brand name may be substituted for KT Chlorinating Tablets name]
[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]