

7616-76

1/13/2014

1/17



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Ms. Cristina Griffin, Agent For: KIK Pool Additives, Inc.
Delta Analytical Corporation
12510 Prosperity Drive, Suite 160
Silver Spring, Maryland 20904

JAN 13 2014

Subject: FQPA 332 Minor Label Changes per PR Notice 98-10
KT Chlorinating Tablets
EPA Registration Number: 7616-76
Application Date: October 22, 2013
EPA Receipt Date: October 23, 2013

Dear Ms. Richardson:

This acknowledges receipt of your Notification application, submitted under the provisions of FIFRA 3(c)9 and PR Notice 98-10.

Notification Purpose:

KIK Pool Additives, Inc. is submitting the following minor Product Label changes for EPA Reg. No. 7616-76:

On Page One:

Addition of optional explanatory language;

On Page Two:

Addition of optional explanatory words and punctuation;

On Page Three:

Addition of previously accepted marketing claims on other identical Pool Care products;

On Page Four:

Optional Marketing Claims continued;

Addition of optional explanatory words and punctuation;

On Page Six:

Addition of optional explanatory words and punctuation;

On Pages Seven and Eight:

Addition of previously accepted graphics on other identical Pool Care products;

On Page Eleven:

Correction of typo that the EPA already approved on Kit Product Label in


March 2013.

General Comments:

Based on the review of the information submitted, the following comments apply. The Notification is **Acceptable**. A copy of the **accepted** Notification is attached in **Regulatory File Jacket 7616-76** for future reference.

If you have questions or comments with regard to this Agency Letter, please contact me by email at **Fuller.Demson@epa.gov** by telephone at **703-308-8062**. When you are submitting information or data in response to this Agency Letter, please send a copy of this Agency Letter with your response in order to facilitate processing.

Sincerely yours,



Demson Fuller,
EPA Product Manager 32
Regulatory Management Branch II
Antimicrobials Division 7510P

3/17

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060.



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

NOTIF

Application for Pesticide - Section I

1. Company/Product Number 7616-76	2. EPA Product Manager Demson Fuller	3. Proposed Classification <input type="checkbox"/> None <input checked="" type="checkbox"/> Restricted
4. Company/Product (Name) KIK Pool Additives, Inc. / KT Chlorinating Tablets	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) KIK Pool Additives Inc. c/o Delta Analytical Corp. 12510 Prosperity Drive, Suite 160 Silver Spring, MD 20904 <small>Check if this is a new address</small>		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

Amendment - Explain below
 Resubmission in response to Agency letter dated _____
 Notification - Explain below.

Final printed labels in response to Agency letter dated _____
 "Me Too" Application.
 Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification per PR Notice 98-10 to make minor label changes, and add graphics.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material this Product will be Packaged in:

Child-Resistant Packaging <input type="checkbox"/> Yes* For retail <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
* Certification must be submitted.		If "Yes," Unit Package wgt. No. per container	

3. Location of Net Contents Information
 Label Container

4. Size(s) of Retail Container

5. Location of Label Direction
 On Label or:
 On Labeling accompanying product

6. Manner In Which Label Is Affixed to Product
 Lithograph Paper glued Stenciled
 Other: _____

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Cristina Griffin	Title Agent for KIK Pool Additives Inc.	Telephone No. (Include Area Code) 301-680-7971
---------------------------------	---	--

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any kind of knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Agent for KIK Pool Additives Inc.	6. Date Application Received (Stamped)
4. Typed Name Cristina Griffin	5. Date October 22, 2013	

5/17

KT Chlorinating Tablets

[Approved Alternate Brand Names:]

- Aqua Guard 1" Chlorinating Tablets
- Aqua Guard 3" Chlorinating Tablets
- Aqua Guard 5-Step Pool Care System 1" Chlorinating Tablets
- Aqua Guard 5-Step Pool Care System 3" Chlorinating Tablets
- Aqua Guard 5-Step Pool Care System Black Algae Treatment
- Aqua Guard 5-Step Pool Care System Chlorinating Sticks
- Aqua Guard Black Algae Treatment
- Aqua Guard Chlorinating Sticks
- HDX 1" Chlorinating Tablets
- HDX 3" Chlorinating Tablets
- HDX 1" Tabs
- HDX 3" Tabs

- HDX Floating Chlorinator
- Kem-Tek All-in-One 3" Multi Function Chlorinating Tablets
- Kem-Tek Black Algaecide Treatment
- Kem-Tek Pool & Spa Care Black Algae Treatment
- Kem-Tek Pool & Spa Care 1" Chlorinating Tablets
- Kem-Tek Pool & Spa Care 3" Chlorinating Tablets
- Kem-Tek Pool & Spa Care Floating Chlorinator
- Kem-Tek Swimming Pool 1" Chlorinating Tablets
- Kem-Tek Swimming Pool 3" Chlorinating Tablets
- Kem-Tek Swimming Pool Chlorinating Sticks
- Kem-Tek Swimming Pool Floating Chlorinator
- Pro Side 1" Chlorinating Tablets
- Pro Side 3" Chlorinating Tablets

Active Ingredient	
Trichloro-s-triazinetrione	95.0%
Other Ingredients	5.0%
Total	100.0%

[85% Available Chlorine or Available Chlorine – 85%]

KEEP OUT OF REACH OF CHILDREN DANGER

**See Back [Side] [Top] panel for [First Aid and] other precautions
[or See [First Aid statement and] additional precautions on back [Side] [Top] panel]**

[the "See back panel..." may be omitted if all labeling is on the same panel, e.g., the kit box]

[Free Pool Care Advice 1-800-SOS-POOL • www.kem-tek.com]
[Questions? Pool Care Tips? 1-800-SOS-POOL]

FIRST AID: Call a poison control center [(1-800-222-1222)] [(1-866-366-5048)] or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. **If swallowed:** Have person sip a glass of water if able to swallow. **DO NOT** induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.
[First Aid may be in table form]

Net [Wt.] ____ lbs [(____ kg)]

[The following may appear in any appropriate place on the label:]

Manufactured by [for]:
KIK Pool Additives Inc.
5160 E. Airport Dr.
Ontario, Calif. 91761

NOTIFICATION
Date Received: _____
Reviewed By: _____ 12-31-13
Killian Swift

[Optional: Following may be included in addition to "Manufactured by [for]" address above: Distributed by [or Sold by] [or Marketed by] [or Marketed Through] Insert additional company name and address]

EPA Reg. No. 7616-76

EPA Est. No. 7616-CA-1

6/17

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

~~DANGER. CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through-skin. May be fatal if inhaled. Do not breathe dust or spray mist. Irritating to nose and throat.~~ Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

[For containers smaller than 50 pounds use the following:]

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms.

[In accordance with PR notice 95-1, use the following complete Environmental Hazards statement for containers 50 pounds and larger]

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Physical or Chemical Hazard

STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE OR EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND TOXIC HAZARDOUS CHLORINE-CONTAINING GASES. DECOMPOSES AT 460° F TO 480° F WITH LIBERATION OF HARMFUL GASES. IN CASE OF FIRE, if possible isolate container in open air or well-ventilated area. Flood with large volume of water. IN CASE OF CONTAMINATION OR DECOMPOSITION, do not reseal container.

[Optional Label Claims/location optional:] [Claims may be in upper or lower case]
ALL CLAIMS NOT HIGHLIGHTED EPA APPROVED 6/7/12, 9/26/12, OR 10/3/12 :

1/2 [Pound Tablet[s]] [lb Tablet]

3" [3-Inch] Tablets

[4][5]-In-One [product][[chlorinating] tablets]

5-Step Pool Care [System]

7 Day Tablet

8 oz Tablet[s]

ABC Smart[er] Pool Care [System]

A Component of the Kem-Tek Pool Care System

Advanced Formula

Algae [Fighter] [Fighting] [Killer] [Preventer] [Stopper] [Suppressant] [Care]

Algaecide


All-In-One [[chlorinating] tablets]

B

[In the text "this product" or alternate brand name may be substituted for KT Chlorinating Tablets name]
[[Information in brackets]] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

7/17

Black Algaecide
 Buffered [Sanitizer] [For pH Control]
 Buffers pH
 Built In [Clarifier] [Sun Protection] [to protect from sunlight burn-off]
 Chlorinate[s] [Up To One Week]
 Chlorinating [Sanitizer] [[&] [And]] [Algaecide] [[&] [And]] Clarifier [Technology]
 Clarifies [Clarifier]
 Concentrated [Chlorinating Agent] [8oz] [1/2] [Pound] [lb] [Tablet[s]] [Formula]
 Controls Algae, Kills Bacteria [[&] [And]] Destroys Organic Contaminants In Pools
 Convenient
 Delivers Continuous Chlorination
 Destroys [Algae] [Bacteria] [[&] [And]] Prevents Algae]
 Disinfectant
 Each Tablet Weighs 8 oz/1/2 lbs
 Easy 1 2 3 Pool Care Brand System
 Easy and Effective Pool Remedies
 Easy To Use
 Eliminates Bacteria
 Fights Algae
 For [All Types Of Pools] [Pools] [Pools [[&] [And]] Spa] [Pop-Up Pools]
 For assistance, call: xxx-xxx-xxxx
 For Control of Algae [[&] [And]] Bacteria
 For Crystal Clear Water
 For Day-to-Day Chlorination
 For Floaters [[&] [And]] Feeders
 For Low Odor Sanitization
 For Treatment of Black Algae
 For Use With The Kem-Tek Feeder
 Good For All Pool Surfaces
 [Great] [Super] Value [Pack]
 Helps Prevent Corrosion [[&] [And]] Metal Staining
 Individually wrapped [Tablets]
 Item # - - - -
 Jumbo [Size] [Tablets] [Tabs] [1/2 lb. Tabs] [1/2 lb. Tablets]
 Keeps Water [Clean] [&] [Clear]
 Kills [Algae] [[&] [And]] [Bacteria] [[&] [And]] [Controls Algae]
 Kills Bacteria Controls Algae Destroys Organic Contaminants
 Knocks Out Algae
 Long Lasting
 Made in USA
 Multi-Action [Formula] Chlorinator & Algaecide
 Multi-Action System That Sanitizes [[&] [And]] Suppresses Algae
 Multi Function [Multi-function] [Multifunction] Formula - Chlorinator & Algaecide
 Multi-Function Pool Care Product - Chlorinator & Algaecide
 Multipurpose Product - Chlorinator & Algaecide
 Open Here
 Oxidizer
 Part B
 Part Of The Simply Smart[er] [Pool Care] [Pool] System
 Pool [and] [&] Spa Care
 Removes Organic Waste [[&] [And]] Produces Sparkling Clean Swimming Pool Water
 Restores A Crystal Clarity To Pool Water
 Routine Chlorinator
 Salt System Compatible



8/17

Sanitizer, Algaecide [[&] [And]] Clarifier [Sanitizer, Algaecide, [[&] [And]] Clarifier]
 Sanitize[r][s] [Pool Water] [Water]
 Seven Day Tablet
 [Simpler] [Smarter]
 Simply B
 Simply Smart[er] [Pool Care] [System]
 Slow [Dissolving] [Release]
 Smart[er] B
 Softens Water
 [Special Offer] [Extra] [Bonus] [Buy] [*insert #*] [Free] [Bag(s)] [Pouch(es)] [X lbs of Tablets] [X^m Tablet
 Adjustable Dispenser] [of] [*product name or type*] [Inside] [Included]
 Specially Formulated To Resist Crumbling
 Stabilized
 Step [*Insert # or letter*]
 [Step] 2: Chlorinate
 Step #2 [Step Two] [Chlorine Treatment] [Of The Kem-Tek Pool Care System]
 Step B
 Swimming Pool Sanitizer
 Tilts When Empty {for floating chlorinator}
 Time Release Formula [For Long Lasting Results]
 UV [Protected] [Resistant]
 Value Pack
 Week-Long Chlorination
 Wipes Out Algae
 With Built-In Clarifier, [Filter Enhancer], [Water Conditioner] [[&] [And]] [Algae Preventative]
 Works Under Pool Cover

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

[Reader's Notes: Use one or more of the following sets of directions. Throughout this label, product names for other similar products (i.e., pH adjusters, stabilizers, chlorinators etc.) may be substituted as appropriate.]

KT CHLORINATING TABLETS are slow dissolving, concentrated tablets for use in erosion[-]type feeders.

1. Remove everything from feeder and rinse thoroughly with fresh water. Never mix KT CHLORINATING TABLETS with any other sticks, tablets or any other chemicals.
2. Fill the feeder with tablets [sticks].
3. Adjust the feed rate so as to maintain a chlorine residual of 1.0–1.5 ppm.
4. Check the pH of the pool water daily, adding [Sodium Bisulfate (dry pool acid) or Sodium Carbonate (soda ash) and/or KEM TEK™ pH MINUS or pH PLUS] or equivalent products as necessary to maintain pH in 7.2–7.6 range.
5. If the pool is not stabilized with [Cyanuric Acid and/or KEM TEK™ STABILIZER CONDITIONER] or equivalent, add stabilizer to a concentration of 30 ppm. Consult the label on [Cyanuric Acid and/or KEM TEK™ STABILIZER CONDITIONER] or equivalent product for exact instructions.

POOL START[-]UP AND HEAVY BATHER LOAD: At the start of the swimming season, in filled pools, upon filling a pool, and after heavy swimmer load, super-chlorination (shocking) is necessary. Super-chlorination is the addition of two or three times the normal amount of chlorine to oxidize and remove unwanted organic and inorganic material. The end result is the establishment of a chlorine residual of 1.0–1.5 ppm. A liquid or granular chlorinating agent, [including [*name of appropriate product*]] which will dissolve rapidly, must be used for super-chlorination. Consult the labels [on [*name of appropriate*

9/17

product]] for super-chlorination instructions. Do not use the pool during super-chlorination until the chlorine residual is less than 3.0 ppm.


[Required on all labels] Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or any other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion.

[The following are to be used with different alternate brand names and are different forms of the same product:]

USE OF THE FLOATING CHLORINATOR

Do not use in spas, hot tubs or in water temperatures above 90° F.

1. To use this container, cut off the two large knobs nearest the cap (at opposite sides). Locate and remove the small knob which corresponds to the pool capacity in gallons (Fig. 1). Holding the FLOATING CHLORINATOR neck down, shake lightly to level contents. **FLOATING CHLORINATOR CONTAINS 1" CHLORINATING TABLET** (slow dissolving, stabilized and highly concentrated).
2. Place FLOATING CHLORINATOR into the pool water neck down (Fig. 2). Monitor chlorine feed setting using a reliable test kit; chlorine residual should read from 1 - 1.5 ppm. To increase chlorine residual, cut off the small knob for the next higher pool capacity. As part of routine maintenance, super chlorinate regularly using a[n] [unstabilized] chlorine product [such as [name of appropriate product]]. Adjust pH as needed with pH PLUS™ or pH MINUS™ keeping it between a pH of 7.2 - 7.6 range. To minimize chlorine consumption, add [KEM TEK STABILIZER CONDITIONER] as needed to give a concentration of 30 ppm. Follow the instructions provided on these labels.
3. FLOATING CHLORINATOR tilts when empty. Drain all water and remove safety cap to refill. Use KT CHLORINATING TABLETS only. Never mix with any other chemicals or tablets. **DO NOT OVERFILL** (Fig. 3). When FLOATING CHLORINATOR shows signs of brittleness or cracking, it should be replaced.



10/17

USE OF LARGE SKIMMER TABLETS

- One dose lasts up to 2 weeks
- Individually wrapped for easy handling

This product is designed to dissolve slowly providing a steady source of available chlorine in vinyl lined pools without an automatic timer on the pool pump. Pump should run a minimum of 8 hours per day, otherwise vinyl liner damage may occur. If chlorine residual goes above 3 ppm, reduce skimmer flow rate or daily pump operation time. Shock treat weekly or every other week with appropriate shock treatment. Follow label directions.

GRANULAR ALGAECIDE (BLACK ALGAE TREATMENT)

GRANULAR ALGAECIDE is a potent algaecide, which is effective against all algae when used as directed. It is especially effective against so-called "black" algae which appears as spots on the walls and bottom of pools.

1. Check pH of water. Adjust pH (if necessary) to a residual of 7.2 – 7.6 using a reliable test kit and soda ash or dry pool acid.
2. Similarly, check available chlorine and adjust (if necessary) to a residual of 1.0 – 1.5 ppm using a dry or liquid chlorinating product [insert product name].
3. Place one Tablespoon of GRANULAR ALGAECIDE directly on the black spots (if on the pool bottom). If spots are on the pool walls, place a Tablespoon of GRANULAR ALGAECIDE on a 6" square cloth, tie and hang from the edge of the pool by the spot.
4. Wait 24 to 36 hours. Brush spots off with a wire algae brush and repeat steps 1 through 3 until algae[-] free.

NOTE: Do not allow direct contact of this product on the following pool surfaces: vinyl, metallic, fiberglass, painted or colored plaster. Product will bleach color out.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Keep product in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame [or in] [.In] case of decomposition, isolate container in open area if possible, and flood with large amounts of water. **CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **IF EMPTY:** Place in trash [collection] or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[[If floating chlorinator directions are on the label, use the following:]]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Keep product in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame [or in] [.In] case of decomposition, isolate container in open area if possible, and flood with large amounts of water. **CONTAINER HANDLING:** **FLOATING CHLORINATOR DISPOSAL:** Triple rinse cracked or broken containers and offer for recycling. If recycling is not available, discard in trash.

11/17

[OPTIONAL GRAPHICS]

MAINTAINING YOUR POOL IS AS EASY AS




balance

chlorinate

shock




UV Resistant



For Floaters & Feeders



Slow Dissolving




remedy




Kills Algae & Bacteria



Tilts When Empty



Works Under Pool Cover



Salt System Compatible




Chlorinates up to One Week



Effective Treatment of Black Algae



chlorinate



NOTICE

AVISO

Children can fall into bucket and drown.
Keep children away from bucket with even a small amount of liquid.


Los niños pueden caerse a esta cubo y ahogarse.
No deja que los niños se acerquen a este cubo aunque sólo contenga una pequeña cantidad de líquido.

WARNING

AVISO

Children can fall into bucket and drown.
Keep children away from bucket with even a small amount of liquid.

Los niños pueden caer dentro de el balde y ahogarse.
Mantenga a los niños alejados de los baldes aunque solo contengan un poco de líquido.







Built-in Clarifier



12/17

[OPTIONAL GRAPHICS]



[In the text "this product" or alternate brand name may be substituted for KT Chlorinating Tablets name]
 [[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

13/17

[Optional: Kit Label front panel]

[Brand name AQUA GUARD™ or Kem Tek™ or Kem-Tek Pool & Spa Care may be used]
[optional]: 5-Step Pool Care System

ABOVE GROUND POOL [START UP] [MAINTENANCE] KIT

[[All] The Basics Needed for Start-Up and Continued Maintenance]

[FREE POOL CARE ADVICE
1-800-SOS-POOL]

[Contents will include two or more of the following]

Net Contents [or This Kit Contains]:

- ___ Qts [or Gal]
 [insert ABN for 7616-58]
- ___ Lbs.
 [insert ABN for 7616-70]
- ___ Lbs.
 [insert ABN for 7616-76]
- ___ Lbs.
 [insert ABN for other relevant EPA registered product]
- ___ Lbs. Kem Tek pH Plus
- ___ Lbs. Kem Tek pH Minus
- Floating Tablet Dispenser
- Test Strips and Instructions
- Test Kit and Instructions

[Non-EPA registered products: may substitute name for same product]

[Kit contents may be listed on another panel]

[Kit labeling front panel may include graphics, ingredient statements, and other information from EPA approved labels included in the kit] [Kit label name may vary]

[Note: Kit is to include EPA registered product labels fully visible on outside kit box as well as on the corresponding container inside the box.]

14/17

[Optional: Kit Label]

[The following may placed on front, side, or back panel of box and/or as an insert. Text is optional. Other text from EPA approved labeling (for products in the kit) may be substituted or used.]

[The following will be part of the Above Ground Pool [Start Up] [Maintenance] Kit's instructions]

STEPS FOR USING ABOVE GROUND POOL [START UP] [MAINTENANCE] KIT:

Pool Care: The Importance of Testing

Without proper testing a pool can quickly become cloudy, develop undesirable odors and even become unsafe to use. Testing is used to guide you in the treating of water. With proper testing this Start-Up Kit provides all the essentials to properly maintain your pool. Additional Kem Tek Products [or insert other brand name] are available to correct problems should they occur.

Chlorine: Chlorine breaks down due to many factors - swimmers, water temperature, and sunlight. In order to prevent growths, a chlorine level of 1-3 ppm must be maintained daily. Super chlorinate (shock) using the [insert ABN for EPA Reg. No. 7616-70] to start-up and establish a chlorine level as well at least once per week to remove any chlorine resistant problems. Use the test strips provided or any other reliable test kit to properly chlorinate the pool water. Use [insert ABN for EPA Reg. No. 7616-70] [and/or insert ABN for EPA Reg. No. 7616-76 or other appropriate registered product] to maintain daily chlorination (see below).

pH: pH is always present in water. Keep between 7.2 and 7.6 to make water comfortable for use. In addition, the other products used in pool care operate best in this range. pH control is a process of increasing it when it gets below 7.2 with Kem Tek pH Plus* or lowering it when it gets above 7.6 with Kem Tek pH Minus* to keep it in the ideal range. If pool pH is low, stop use of pool until pH is adjusted above 7.0.

(Start-Up):

Test pH and adjust to 7.2 – 7.6 if necessary. Then super chlorinate (shock) by following the dosage on the chart for your pool size. Once chlorine level is established and between 1-3 ppm, proceed with Daily Chlorination. Do not use the pool until the chlorine residual has dropped to 3 ppm.

[When Kit Contains EPA Reg. No. 7616-70]

Chlorination (daily):

For [insert ABN for EPA Reg. No. 7616-70] follow the dosage on the chart for your pool size. Treat pool every evening. For pools with above average use, treat mid-day and in the evening by adding the maintenance dose.

[and/or]

[When Kit Contains EPA Reg. No. 7616-76]

Chlorination (daily):

Add enough [insert ABN for EPA Reg. No. 7616-76] to fill dispenser half way. DO NOT FILL DISPENSER COMPLETELY. Adjust dispenser to a mid-setting. Place dispenser in pool water with chemical release openings facing down. Hold dispenser until it floats properly and upright. Test chlorine level periodically. Chlorine level must be maintained between 1-3 ppm at all times. Adjust floater setting to increase or decrease chlorine output. Do not use the pool until the chlorine residual has dropped to 3 ppm.

Weekly:

Super chlorinate in the evening and when heavy use or rain occurs. If water becomes cloudy or algae starts to grow, triple this dose to correct the problem. Run pump 4 to 8 hours minimum after addition of [insert ABN for EPA Reg. No. 7616-70].

pH Adjustment:

Keep between 7.2 and 7.6. When the pH goes above 7.6 add Kem Tek pH Minus* and if it is below 7.2 add Kem Tek pH Plus*. Use chart for dosage. Run pump and check after 2-4 hours. The dose on the chart is only an estimate. Repeat as needed until the pH is corrected. Use a half dose when nearing the correct pH level.

Algaecide:

The chlorine used to prevent growths in pool water is rapidly consumed by weather conditions and pool use. The addition of Algaecide* helps prevent algae from getting started during periods when the chlorine is below 1 ppm. Add [an] Algaecide* [, such as Kem Tek Pool & Spa Care Algaecide & Clarifier*] at least once a month for prevention. Treat weekly for busy pools or hot summer weather. Whenever an algae growth occurs follow the instructions for super chlorination then add algaecide 24 hours after chlorination and chlorinate pool to 3 ppm if needed.

[In the text "this product" or alternate brand name may be substituted for KT Chlorinating Tablets name]

[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

15/17

Maintaining Your Pool:

Your pool can be kept clean and trouble free by following these instructions. In order for the chemical treatments to be effective the filter system must also be kept clean and in good working order. Hot weather and heavy swimmer load create the need for more chemical treatment and also require that the pump is run more often or for longer periods of time. Run the pump every night after adding chlorine to properly treat the water. In hot weather and with heavy use, due to the size of the pump/filter systems on small above ground pools, circulate 24hrs. per day. Also after every major storm or above normal use shocking the pool must be done to prevent problems.

Pool Size 12' and Under		KEM-TEK™ Pool & Spa Care All-In-One Chlorinating Granules	KEM-TEK™ Pool & Spa Care pH Plus* / pH Minus* to raise or lower pH	KEM-TEK™ Pool & Spa Care Algaecide & Clarifier*			
Diameter / Depth	Gallons	Daily Tsp.	Shock Tbs.	(Choose One) Tbs. Cups		(Choose One) Tbs. Cups	
6' X 24"	500	2	1	4	1/4	4	1/4
8' X 30"	1,000	4	2	8	1/2	8	1/2
10' X 36"	1,500	6	3	12	3/4	12	3/4
11' X 36"	2,000	8	4	16	1	16	1
12' X 42"	2,500	10	5	20	1 1/8	20	1 1/8
Pool Size 13' and Above		KEM-TEK™ Pool & Spa Care All-In-One Chlorinating Granules	KEM-TEK™ Pool & Spa Care pH Plus* / pH Minus* to raise or lower pH	KEM-TEK™ Pool & Spa Care Algaecide & Clarifier*			
Diameter / Depth	Gallons	Daily Tbs.	Shock Cups	Cups		Cups	
13' X 4'	3,500	3	1/3	1 1/4		1 1/4	
15' X 4'	5,000	6	2/3	2		1 1/2	
18' X 4'	7,500	8	1	3		2	
21' X 4'	10,000	10	1 1/3	4		3	
24' X 4'	13,500	12	1 2/3	5		4	

**This [These] product[s] is not included in the Kem-Tek Pool & Spa Care Above Ground Start-Up Kit.*

[The following information may be used on the insert or panel containing this information, location optional]

**ABOVE GROUND POOL
[START UP] [MAINTENANCE] KIT
[[All] The Basics Needed for Start-Up and Continued Maintenance]
[FREE POOL CARE ADVICE 1-800-SOS-POOL]**

[The following must appear in any appropriate place on the box label [and also may appear on the insert:]]

Manufactured by [for]:
KIK Pool Additives, Inc.
5160 E. Airport Dr.
Ontario, Calif. 91761

[Optional: Following may be included in addition to "Manufactured by [for]" address above: Distributed by [or Sold by] [or Marketed by] [or Marketed Through] Insert additional company name and address]

*[In the text "this product" or alternate brand name may be substituted for KT Chlorinating Tablets name]
[[Information in brackets]] is optional or instructional; italics in brackets indicate instructions not part of labeling.]*

16/17

[Non EPA registered label: for inclusion in kit with EPA registered products; other brand name for a non registered product may be used.]

Step 1
5 Step Pool Care
BALANCE

KEM TEK pH Plus

For Increasing Water pH
Fast Dissolving Soda Ash

KEEP OUT OF REACH OF CHILDREN
CAUTION: Irritant / Precaucion: Irritante
[Read carefully other cautions on the _____panel]

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
To keep pH between 7.2 and 7.6 use 1/3 cup of KEM TEK™ pH PLUS (+) per 1,000 gal. of water for each one-tenth (0.1) increase desired.

DIRECTIONS: It is very important to maintain water in the 7.2 to 7.6 pH range. Use KEM TEK™ pH PLUS (soda ash) to raise pH and KEM TEK™ pH MINUS (dry acid) to lower it.

NOTE: Chlorine in test water sample will cause erroneously high pH readings unless chlorine-proof pH test solutions are used.

EXAMPLE: To raise 5,000 gal. of water from pH 7.1 to 7.4 use 4 3/4 cups. Broadcast directly into water. (1 cup = 8 ounces.)

Amount required to raise pH 1/10 (0.1):

Gallons:	1,000	2,500	5,000	7,500	10,000	15,000	25,000
Soda Ash	1/3 cup	1 cup	2 cups	3 cups	4 cups	9 cups	10 cups

TEST KITS: Mix only with water. A good test kit is essential to satisfactory pool maintenance. Be sure to use one that corrects for an erroneously high pH reading due to chlorine in the test water sample.

CONTAINS: SODIUM CARBONATE

PRECAUTIONARY MEASURES: Irritant. Avoid contact with eyes or mucous membranes and prolonged contact with skin. Do not mix with other pool chemicals. **KEEP OUT OF REACH OF CHILDREN AND PETS**

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Drink large quantities of water. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF IN EYES:** Hold eye open and flush with plenty of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Do not reuse empty container. To prevent accidents, rinse empty container with water to dissolve all material before discarding.

[CA Reg. No. 7616-50039-AA][Adjuvant: Registration required in CA only]

Manufactured by [for]:
KIK Pool Additives, Inc.
5160 Airport Dr.
Ontario, Calif. 91761

Free Pool Care Advice
1-800-SOS-POOL www.kem-tek.com
Net Contents:

DO NOT STAMP THIS PAGE

17/17

[Non EPA registered label: for inclusion in kit with EPA registered products; other brand name for a non registered product may be used.]

Step 1
5 Step Pool Care
BALANCE

KEM TEK pH MINUS

For Decreasing Water pH
Fast Dissolving Granular Acid

KEEP OUT OF REACH OF CHILDREN

DANGER: Causes Severe Burns / PELIGRO: Causa quemaduras severas

[Read carefully other cautions on the _____ panel]

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

DIRECTIONS: Always test water before using acid to lower pH (see note below). If test kit doesn't indicate amount of acid needed, use small amount (8 oz. per 10,000 gals.) daily until pH stays within 7.2 to 7.6 range. 20 ounces of dry pool acid equals 2 pints of KEM TEK SWIMMING POOL MURIATIC ACID. Small amounts may be broadcast directly into water. Large amounts should be pre-dissolved in plastic pail and poured into water. Have pump running when adding acid and keep running for several hours thereafter. Never allow acid to contact metal or get into filter system.

NOTE: Chlorine in test water sample will cause erroneously high pH readings unless chlorine-proof pH test solutions are used.

NOTE: [Do not allow direct contact of this product on the following surfaces: vinyl, metallic, fiberglass, painted or colored plaster. Product will bleach color]

CONTAINS SODIUM BISULFATE

PRECAUTIONARY MEASURES: DANGER: CAUSES SEVERE BURNS. Do not inhale dust. Avoid contact with skin, eyes or clothing. Do not mix with other chemicals. **KEEP OUT OF REACH OF CHILDREN AND PETS**

FIRST AID

IF SWALLOWED: Do not give anything by mouth to an unconscious person. DO NOT induce vomiting unless told to do so by poison control center or doctor. Drink large quantities of water or milk. Follow with Milk of Magnesia, vegetable oil, or beaten eggs. Call a poison control center or doctor immediately for treatment advice. Call a poison control center or doctor immediately for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice. **IF IN EYES:** Call a poison control center or doctor immediately for treatment advice. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Hold eye open and flush with plenty of water for 15-20 minutes. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Do not reuse empty container. To prevent accidents, rinse empty container with water to dissolve all material before discarding.

[CA Reg. No. 7616-50035-AA] [Adjuvant: Registration required in CA only]

Manufactured by [for]:
KIK Pool Additives, Inc.
5160 Airport Dr.
Ontario, Calif. 91761

Free Pool Care Advice
1-800-SOS-POOL www.kem-tek.com
Net Contents:

DO NOT STAMP THIS PAGE

[In the text "this product" or alternate brand name may be substituted for KT Chlorinating Tablets name]
[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]
fishared\KIK Pool\7616-76\Label\2013\7616-76 notif label 101513.doc 10/15/13 Page - 1 - of 1