

7616-78

04/21/2011

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Dana Wm. Somesla  
Chemist  
Chem Lab Products, Inc.  
5160- East Airports Drive  
Ontario, CA 91761

APR 21 2011

Subject: Shock Power 67  
EPA Registration No. 7616-78  
Application Date: March 25, 2011  
Receipt Date: April 04, 2011

Dear Dana Wm. Somesla:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

**Proposed Notification**

- Adding New Alternate Brand Names with complete manufacturer's address

**General Comments**

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at [Henson.Wanda@epa.gov](mailto:Henson.Wanda@epa.gov) or call (703) 308-6345.

Sincerely,

A handwritten signature in black ink that reads "Wanda Y. Henson".

Wanda Y. Henson  
Acting Product Manager (32)  
Regulatory Management Branch II  
Antimicrobials Division (7510P)

 <b>United States</b> <b>Environmental Protection Agency</b> Washington, DC 20460	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:30%;"><input type="checkbox"/> Registration</td> <td rowspan="3" style="width:40%; text-align: center; vertical-align: middle;"><b>OPP Identifier Number</b></td> </tr> <tr> <td><input type="checkbox"/> Amendment</td> </tr> <tr> <td><input checked="" type="checkbox"/> Other</td> </tr> </table>	<input type="checkbox"/> Registration	<b>OPP Identifier Number</b>	<input type="checkbox"/> Amendment	<input checked="" type="checkbox"/> Other
<input type="checkbox"/> Registration	<b>OPP Identifier Number</b>				
<input type="checkbox"/> Amendment					
<input checked="" type="checkbox"/> Other					

**Application for Pesticide - Section I**

<b>1. Company/Product Number</b> 7616-78	<b>2. EPA Product Manager</b>  	<b>3. Proposed Classification</b> <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
<b>4. Company/Product (Name)</b> Shock Power 67	<b>PM#</b> 32	
<b>5. Name and Address of Applicant (Include ZIP Code)</b> Chem Lab Products, Inc. 5160 East Airport Drive Ontario, CA 91761 <input type="checkbox"/> Check if this is a new address		<b>6. Expedited Review.</b> In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: <input checked="" type="checkbox"/> EPA Reg. No. _____ Product Name _____


**Section - II**

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - Explain below.
<b>Explanation:</b> Use additional page(s) if necessary. (For section I and Section II.)  Adding to Master label and all its Alternate Brand Names complete manufacturer's address. Attached is PR Notice 98-10 Certification Statement.	

**Section - III**

<b>1. Material This Product Will Be Packaged In:</b>				<b>2. Type of Container</b>	
<b>Child-Resistant Packaging</b> <input type="checkbox"/> Yes* <input type="checkbox"/> No	<b>Unit Packaging</b> <input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Water Soluble Packaging</b> <input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt.    No. per container	If "Yes" Package wgt    No. per container		
<b>3. Location of Net Contents Information</b> <input type="checkbox"/> Label <input type="checkbox"/> Container		<b>4. Size(s) Retail Container</b>		<b>5. Location of Label Directions</b> <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
<b>6. Manner in Which Label is Affixed to Product</b> <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

**Section - IV**

<b>1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)</b>		
<b>Name</b> Dana Wm. Somesla	<b>Title</b> Chemist	<b>Telephone No. (Include Area Code)</b> (909) 390-9912
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		<b>6. Date Application Received (Stamped)</b>
<b>2. Signature</b> 	<b>3. Title</b> Chemist	
<b>4. Typed Name</b> Dana Wm. Somesla	<b>5. Date</b> March 25, 2011	

# Chem Lab Products, Inc.

5160 E. Airport Drive ▪ Ontario ▪ California 91761-7824  
Telephone: (909) 390-9912 ▪ Fax: (909) 390-9911

3/4

March 25, 2011

Regulatory Management Branch II  
Antimicrobials Division (7504C)  
United States Environmental Protection Agency  
Washington, D.C. 20460

RE: Notification of the addition of the manufacturer's complete address to Shock Power 67; EPA Reg. No. 7616-78 label.

**"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulation at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."**

Certified by: Dana Wm. Somesla, Chemist



MANUFACTURER OF QUALITY SWIMMING POOL PRODUCTS SINCE 1958

4/4

# SHOCK POWER 67

- QUICK CHLORINE BOOST
- CONTROLS ALGAE & BACTERIA\*
- REDUCES CHEMICAL NEEDS
- SWIM AFTER USE

\*During Super-Chlorination

## SWIMMING POOL WATER DISINFECTANT

ACTIVE INGREDIENT:  
 Trichloro-s-triazinetriene..... 67.0%  
 OTHER INGREDIENTS..... 33.0%  
 TOTAL..... 100.0%  
 (60.3% available chlorine)

KEEP OUT OF REACH OF CHILDREN  
 NO SE DEJE AL ALCANCE DE LOS NIÑOS

**DANGER**  
**PELIGRO**

See back panel for first aid statement and other precautions

Net Wt. 10 oz  
 (.3543 Kg.)

Free Pool Care Advice  
 1-800-SOS-POOL - [www.kem-tek.com](http://www.kem-tek.com)

### The SHOCK POWER 67 Advantages:

This special blend of ingredients (patent pending) does it all. SHOCK POWER 67 works fast allowing swimmers back into the pool in just 15 minutes. This is a premium grade shock product, so it takes only 10 oz. of SHOCK POWER 67 to treat 12,000 gallons of pool water.

SHOCK POWER 67 can be added directly into the water without pre-dissolving and it is ideal for all types of swimming pools. It destroys swimmer wastes and other impurities that cause cloudy water. SHOCK POWER 67 dissolves faster than ordinary shock products without leaving residue. It does not increase the pH of the pool water or contain calcium that causes scale build-up. DO NOT PRE-DISSOLVE IN CONTAINER (ie. bucket) BEFORE APPLYING.

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. DAILY USE: After steps 1 and 2, regularly check chlorine residual with a test kit and chlorinate daily or as needed to maintain 1.0 to 1.5 ppm residual chlorine. NOTE: 2 1/4 ounces of this compound per 10,000 gallons of pool water will increase an existing chlorine level by 1.0 ppm (1/8 rounded measuring cup = 1 oz.).

### WEEKLY USE:

1. Check the pH of the pool water daily, adding sodium bisulfate (KEM TEK pH MINUS (-)) or soda ash (KEM TEK™ pH PLUS (+)) or equivalent products as necessary to maintain pH in the 7.2-7.6 range.
2. SHOCK POWER 67 is made up of fine particles that dissolve almost instantly when applied to water. Use the entire bag for each application (if applicable). For best results, pour a steady stream of SUPER SHOCK POWER 67 into the deep end of the pool or pour into the skimmer with the pump operating. Pour near the water surface (particularly if the wind is present while applying)

to ensure the entire dose enters the water.

3. Operate the pump system 48 hours (minimum) after applying SHOCK POWER 67.
4. Use 10 oz. of SHOCK POWER 67 to treat 12,000 - 15,000 gallons of pool water every week for best results.

SUPER CHLORINATION: Whenever the pool water loses its sparkle, turns green, or the chlorine residual falls rapidly after regular chlorination, super chlorination is recommended. During the summer months, water should be super chlorinated with 1 lbs. per 10,000 gallons of pool water every 10 to 14 days. Do not use the pool until the chlorine residual has dropped to 3 ppm.

PRECAUTIONARY STATEMENTS  
 HAZARDS TO HUMAN AND DOMESTIC ANIMALS  
 DANGER

Corrosive: Causes irreversible eye damage and skin burns. May be fatal if absorbed through the skin. May be fatal if inhaled. Do not breathe the dust or spray mist. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms.

### FIRST AID

If In Eyes	Hold eye open and flush with plenty of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice.
If on Skin or Clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice.
If Inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor immediately for treatment advice.
If Swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling poison control center or doctor, or going for treatment. For assistance call 1-800-767-7665	
Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.	

### PHYSICAL OR CHEMICAL HAZARD

STRONG OXIDIZING AGENT. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460° F TO 480° F WITH THE LIBERATION OF HARMFUL GASES.

Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with organic matter or other chemicals may start a chemical reaction with the generation of heat, liberation of hazardous gases and possible generation of fire or explosion.

IN CASE OF FIRE, if possible, isolate container in open air or well-ventilated area. Flood with a large volume of water. IN CASE OF CONTAMINATION, do not reseal container.

### STORAGE AND DISPOSAL:

STORAGE: Keep product in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. DISPOSAL: IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA Reg. No. 7616-78  
 EPA Est. No. 7616-CA-1

Manufactured By  
 CHEM LAB PRODUCTS, INC.  
 5160 E. Airport Dr.  
 Ontario, Calif. 91761

