



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

DEC - 1 2011

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Cristina Griffin
Delta Analytical Corporation
12510 Prosperity Drive
Suite 160
Silver Spring, MD 20904

FILE COPY

Subject: Chem Lab Products, Inc.
Shock Power 67
EPA Reg. No. 7616-78
Application Dated: November 14, 2011
Receipt Dated: November 16, 2011

Dear Ms. Griffin:

The following notification submitted in connection with registration under the provisions of PR Notice 98-10, is acceptable.

Proposed Notification:

- To add Additional Brand Names (Leslie's Swimming Pool Supplies Genesis Shock and Leslie's Swimming Pool Supplies Genesis Shock Fast Dissolving Tri-Chlor Shock for Swimming Pools).
- Addition of optional language to the label.

Comments:

Based on a review of the material submitted, the following comments apply:

The application for notification as referenced above is acceptable. A copy has been placed in our records for future reference.

Should you have any questions concerning this letter, please contact Wanda Henson at Henson.Wanda@epa.gov or call (703) 308-6345.

Sincerely,

for Wanda G. H.

Monisha Harris
Product Manager (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

NOTIF

Application for Pesticide - Section I

1. Company/Product Number 7616-78	2. EPA Product Manager Monisha Harris	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Chem Lab Products, Inc. / Shock Power 67	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) Chem Lab Products, Inc. c/o Delta Analytical Corp. 12510 Prosperity Drive, Suite 160 Silver Spring, MD 20904 <i>Check if this is a new address</i>	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

Amendment - Explain below
 Resubmission in response to Agency letter dated _____
 Notification - Explain below.

Final printed labels in response to Agency letter dated _____
 "Me Too" Application.
 Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Label Notification to add alternate brand name, reformat master label, and add reader's notes.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material this Product will be Packaged in:

Child-Resistant Packaging <input type="checkbox"/> Yes* For retail <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
* Certification must be submitted.		If "Yes," Unit Package wgt. No. per container	If "Yes," Unit Package wgt. No. per container

3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) of Retail Container	5. Location of Label Direction <input type="checkbox"/> On Label or: <input type="checkbox"/> On Labeling accompanying product
6. Manner In Which Label Is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other: _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Cristina Griffin	Title Agent for Chem Lab Products, Inc.	Telephone No. (Include Area Code) 301-680-7971
---------------------------------	---	--

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any kind of knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Agent for Chem Lab Products, Inc.	6. Date Application Received (Stamped)
4. Typed Name Cristina Griffin	5. Date November 14, 2011	



November 14, 2011

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
Environmental Protection Agency
One Potomac Yard
2777 S. Crystal Drive, Room S-4900
Arlington, VA 22202

Attn: Monisha Harris, PM 32

Re: Label Notification per PR Notice 98-10 to add alternate brand names, reformat the master label, add reader's notes
Product: Shock Power 67, EPA Reg. No. 7616-78
Company: Chem Lab Products, Inc.

Dear Ms. Harris:

On behalf of Chem Lab Products, Inc., I am submitting a notification for the product Shock Power 67, EPA Reg. No. 7616-78.

Label changes

Previously Chem Lab had submitted marketplace labeling for its alternate brand names and revisions. This appeared to cause confusion so we are submitting a reformatted label that includes reader's notes.

The revisions are as follows:

Page 1

- Addition of two alternate brand names (previously approved names are listed below the new names; note one of these is not on EPA's PPLS list, but Chem Lab has an approval letter for it)
- Addition of clarifying reader's notes (in brackets).
- The reader's note "Optional: Following may be included in addition to "Manufactured by [for]..." was approved by EPA in a notification for KIK International Inc. 70271-13, on 7/14/11 and the wording we are adding here is exactly the same.

Enclosures

- EPA form 8570-1
- 1 copy of the revised label highlighted to show changes


If you have any questions regarding this submission, please contact me at 301-680-7971 or cgriffin@delta-ac.com.

Sincerely,

Cristina Griffin
Agent for Chem Lab Products, Inc.

Enclosures

12510 Prosperity Drive Suite 160 Silver Spring, Maryland 20904
(301) 680-7971 fax (301) 680-7975 www.delta-ac.com



4/7

Shock Power 67

[Alternate Brand Name: Leslie's Swimming Pool Supplies Genesis Shock]
 [Alternate Brand Name: Leslie's Swimming Pool Supplies Genesis Shock Fast
 Dissolving Tri-Chlor Shock for Swimming Pools]
 [Previously approved Alternate Brand Names:
 Aqua Guard Super Shock Quick
 Great Value Super Shock Quick
 Kem Tek Shock & Swim
 Kem Tech Super Shock Quick
 Paddock Super Shock Power
 Pro Side Super Shock Quick]

NOTIFICATION
 Date Reviewed: 12-1-2011
 Reviewed By: Wanda Hense

Active Ingredient:
 Trichloro-s-triazinetrione.....67.0%
 Other Ingredients33.0%
 Total.....100.0%
 (60.3% available chlorine)

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE BACK PANEL FOR FIRST AID STATEMENT AND OTHER PRECAUTIONS

Net Wt. 10 oz.
(.3543 Kg. [or 283 g])


[The following may appear in any appropriate place on the label:]

Manufactured by [for]:
 Chem Lab Products, Inc.
 5160 E. Airport Dr.
 Ontario, Calif. 91761

[Optional: Following may be included in addition to "Manufactured by [for]" address above: Distributed by [or Sold by] [or Marketed by] Insert additional company name and address]

EPA Reg. No. 7616-78
 EPA Est. No. 7616-CA-1

[Free Pool Care Advice
1-800-SOS-POOL • www.kem-tek.com]



*[In the text "this product" or alternate brand name may be substituted for Shock Power 67 name]
 [[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]*

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Danger: CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through the skin. May be fatal if inhaled. Do not breathe dust or spray mist. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash clothing before reuse.

FIRST AID: If in Eyes: Hold eye open and flush with plenty of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. Call a poison control center or doctor immediately for treatment advice. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling poison control center or doctor, or going for treatment. For assistance call 1-800-767-7665. Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Environmental Hazards

This pesticide is toxic to fish and aquatic organisms.

Physical or Chemical Hazard

STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460° F TO 480° F WITH THE LIBERATION OF HARMFUL GASES.

Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with organic matter or other chemicals may start a chemical reaction with the generation of heat, liberation of hazardous gases and possible generation of fire or explosion.

IN CASE OF FIRE, if possible, isolate container in open air or well-ventilated area. Flood with a large volume of water. IN CASE OF CONTAMINATION: do not reseal container.



[In the text "this product" or alternate brand name may be substituted for Shock Power 67 name]

[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

[Optional Label Claims/location optional:]

- Controls Algae & Bacteria*
- Quick Chlorine Boost
- Reduces Chemical Needs
- Swim After Use
- Swimming Pool Water Disinfectant

*During Super-Chlorination

The SHOCK POWER 67 Advantages:

This special blend of ingredients does it all. SHOCK POWER 67 works fast allowing swimmers back into the pool in just 15 minutes. This is a premium grade shock product, so it takes only 10 oz. of SHOCK POWER 67 to treat 12,000 gallons of pool water.

SHOCK POWER 67 can be added directly into the water without pre-dissolving and it is ideal for all types of swimming pools. It destroys swimmer wastes and other impurities that cause cloudy water. SHOCK POWER 67 dissolves faster than ordinary shock products without leaving residue. It does not increase the pH of the pool water or contain calcium that causes scale build-up.

DO NOT PRE-DISSOLVE IN CONTAINER (ie. bucket) BEFORE APPLYING.

DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DAILY USE: After steps 1 and 2, regularly check chlorine residual with a test kit and chlorinate daily or as needed to maintain 1.0 to 1.5 ppm residual chlorine. NOTE: 2¼ ounces of this compound per 10,000 gallons of pool water will increase an existing chlorine level by 1.0 ppm (¼ rounded measuring cup = 1 oz.)

WEEKLY USE:

1. Check the pH of the pool water daily, adding sodium bisulfate (KEM TEK pH MINUS (-)) or soda ash (KEM TEK™ pH PLUS (+)) or equivalent products as necessary to maintain pH in the 7.2-7.6 range.
2. SHOCK POWER 67 is made up of fine particles that dissolve almost instantly when applied to water. Use the entire bag for each application (if applicable). For best results, pour a steady stream of SHOCK POWER 67 into the deep end of the pool or pour into the skimmer with the pump operating. Pour near the water surface (particularly if the wind is present while applying) to ensure the entire dose enters the water.
3. Operate the pump system 4-8 hours (minimum) after applying SHOCK POWER 67. Use 10 oz. of SHOCK POWER 67 to treat 12,000 -15,000 gallons of pool water every week for best results.

SUPER CHLORINATION: Whenever the pool water loses its sparkle, turns green, or the chlorine residual falls rapidly after regular chlorination, super chlorination is recommended. During the summer months, water should be super chlorinated with 1 lb. per 10,000 gallons of pool water every 10 to 14 days. Do not use the pool until the chlorine residual has dropped to 3 ppm.



[In the text "this product" or alternate brand name may be substituted for Shock Power 67 name]

[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

STORAGE AND DISPOSAL

STORAGE: Keep product in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. DISPOSAL: IF EMPTY: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

