



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

MAR 15 2012

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Ms. Christina Griffin, Agent for Chem Lab Products, Inc.
Delta Analytical Corporation
12510 Prosperity Drive, Suite 160
Silver Spring, Maryland 20904

Subject: Notification per PR Notice 98-10
Shock Power 67
EPA Registration Number: 7616-78
Application Date: March 5, 2012
Application Receipt: March 6, 2012

Dear Ms. Griffin:

This acknowledges receipt of your notification submitted under the provisions of FIFRA section 3 (c) 9 and PR Notice 98-10.

Proposed Notification:


Chem Lab Products, Inc. is submitting the following Alternate Brand Name for 7616-78:
- Leslie's Swimming Pool Supplies Genesis Shock Fast Dissolving Trichlor Shock.

General Comments:

Based on a review of the submitted materials, your notification to add the alternate brand name referenced above is acceptable. A copy of this letter has been made a part of the permanent file for EPA Reg. No. 7616-78.

If you have questions concerning this letter, then please contact me at 703-308-6416 or by email at campbell-mcfarlane.jacqueline@epa.gov or Killian Swift at 703-308-6346 or by email at swift.killian@epa.gov. When you are submitting information or data in response to this letter, send a copy of this letter to accompany the submission in order to facilitate processing.

Sincerely,


Jacqueline Campbell-McFarlane
Product Manager 34
Regulatory Management Branch II
Antimicrobials Division (7510P)



United States Environmental Protection Agency Washington, DC 20460

Registration Amendment Other

OPP Identifier Number

NOTIF

Application for Pesticide - Section I

1. Company/Product Number 7616-78

2. EPA Product Manager Monisha Harris

3. Proposed Classification None Restricted

4. Company/Product (Name) Chem Lab Products, Inc. / Shock Power 67

PM# 32

5. Name and Address of Applicant (Include ZIP Code) Chem Lab Products, Inc. c/o Delta Analytical Corp. 12510 Prosperity Drive, Suite 160 Silver Spring, MD 20904

Check if this is a new address

6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to:

EPA Reg. No.

Product Name

Section - II

Amendment - Explain below Resubmission in response to Agency letter dated Notification - Explain below.

Final printed labels in response to Agency letter dated Me Too Application Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Label Notification to add alternate brand name, "Leslie's Swimming Pool Supplies Genesis Shock Fast Dissolving Trichlor Shock".

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material this Product will be Packaged in:

Child-Resistant Packaging Yes* For retail No

Unit Packaging Yes No

Water Soluble Packaging Yes No

2. Type of Container Metal Plastic Glass Paper Other (Specify)

* Certification must be submitted.

If "Yes," Unit Package wgt. No. per container

If "Yes," Unit Package wgt. No. per container

3. Location of Net Contents Information Label Container

4. Size(s) of Retail Container

5. Location of Label Direction On Label or: On Labeling accompanying product

6. Manner In Which Label Is Affixed to Product Lithograph Paper glued Stenciled Other:

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Cristina Griffin

Title Agent for Chem Lab Products, Inc.

Telephone No. (Include Area Code) 361-680-7571

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any kind of knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

6. Date Application Received

(Stamped)

2. Signature (Handwritten Signature)

3. Title Agent for Chem Lab Products, Inc.

4. Typed Name Cristina Griffin

5. Date March 5, 2012



March 5, 2012

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
Environmental Protection Agency
One Potomac Yard
2777 S. Crystal Drive, Room S-4900
Arlington, VA 22202

Attn: Monisha Harris, PM 32

Re: Label Notification per PR Notice 98-10 to add alternate brand name
Product: Shock Power 67, EPA Reg. No. 7616-78
Company: Chem Lab Products, Inc.


Dear Ms. Harris:

On behalf of Chem Lab Products, Inc., I am submitting a notification for the product Shock Power 67, EPA Reg. No. 7616-78, to add the alternate brand name: "Leslie's Swimming Pool Supplies Genesis Shock Fast Dissolving Trichlor Shock". There are no other changes to the label which was approved on 12/1/11.


Enclosures

- EPA form 8570-1
- 1 copy of the revised label highlighted to show addition

If you have any questions regarding this submission, please contact me at 301-680-7971 or cgriffin@delta-ac.com.

Sincerely,

Cristina Griffin
Agent for Chem Lab Products, Inc.

Enclosures



Shock Power 67

[Alternate Brand Name: Leslie's Swimming Pool Supplies Genesis Shock Fast Dissolving Trichlor Shock

Previously approved Alternate Brand Names:

[Alternate Brand Name: Leslie's Swimming Pool Supplies Genesis Shock]

[Alternate Brand Name: Leslie's Swimming Pool Supplies Genesis Shock Fast Dissolving Tri-Chlor Shock for Swimming Pools]

Aqua Guard Super Shock Quick

Great Value Super Shock Quick

Kem Tek Shock & Swim

Kem Tek Super Shock Quick

Paddock Super Shock Power

Pro Side Super Shock Quick

NOTIFICATION
Date Reviewed: 2/13/12
Reviewed By: [Signature]

Active Ingredient:

Trichloro-s-triazinetrione.....67.0%

Other Ingredients33.0%

Total.....100.0%

(60.3% available chlorine or Available Chlorine – 60.3%)

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE BACK PANEL FOR FIRST AID STATEMENT AND OTHER PRECAUTIONS
[or SEE FIRST AID STATEMENT AND ADDITIONAL PRECAUTIONS ON BACK PANEL]


Net Wt. 10 oz.
(283 g)

[The following may appear in any appropriate place on the label:]

Manufactured by [for]:
Chem Lab Products, Inc.
5160 E. Airport Dr.
Ontario, Calif. 91761

[Optional: Following may be included in addition to "Manufactured by [for]" address above: Distributed by [or Sold by] [or Marketed by] Insert additional company name and address]

EPA Reg. No. 7616-78
EPA Est. No. 7616-CA-1



[Free Pool Care Advice
1-800-SOS-POOL • www.kem-tek.com]

[In the text "this product" or alternate brand name may be substituted for Shock Power 67 name]
[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Danger: CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through the skin. May be fatal if inhaled. Do not breathe dust or spray mist. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID: If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling poison control center or doctor, or going for treatment. For assistance call *[insert phone number]*. Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

[First Aid may be in table form]

Environmental Hazards


This pesticide is toxic to fish and aquatic organisms.

Physical or Chemical Hazard

STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460° F TO 480° F WITH THE LIBERATION OF HARMFUL GASES.

Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with the generation of heat, liberation of hazardous gases and possible generation of fire or explosion.

IN CASE OF FIRE, if possible, isolate container in open air or well-ventilated area. Flood with a large volume of water. [IN CASE OF] CONTAMINATION [OR DECOMPOSITION:] do not reseal container.



[In the text "this product" or alternate brand name may be substituted for Shock Power 67 name]

[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

[Optional Label Claims/location optional:]


[Insert #] Pack
 [Insert #] Step Pool Care System
 Can Be Broadcast Over Pool
 Contains 5 [/ 13.5 oz.] [Convenient Pre-Measured] Pouches
 Contains No Calcium or Calcium Free [info for customer who needs a calcium free product for pool]
 Controls Algae & Bacteria*
 Dissolves Quickly
 Fast Dissolving Shock
 Fast Dissolving Tri-Chlor Shock for Swimming Pools
 For Shocking and Everyday [or Daily] Chlorination
 For Superchlorination [or Super-Chlorination]
 No Need to Pre-Dissolve
 One Bag Treats 15,000 Gallons [change # gallons according to size of package]
 Patented Formula
 Pools, Patios & Spas
 Quality & Satisfaction Guaranteed or your money back
 Quick Chlorine Boost
 Reduces Chemical Needs
 Shock
 Step [insert #]
 Swim [After Use] [In 15 Minutes]
 Swimming Pool Water Disinfectant
 The Professional Side of Pool Care

*During Super-Chlorination

Step #1 Balance	Step #2 Chlorinate	Step #3 Shock	Step #4 Algae Care	Step #5 Clarify
--------------------	-----------------------	------------------	-----------------------	--------------------

[The following wording can be used depending on size of package:]
 For 10 oz package:TREATS 15,000 GALLONS!
 For 12.5 oz package:TREATS 18,750 GALLONS!
 For 13.5 oz package [pouch]: TREATS 20,000 GALLONS!
 For 1 lb package: TREATS 24,000 GALLONS!

[GRAPHICS]



[In the text "this product" or alternate brand name may be substituted for Shock Power 67 name]
 [[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

[Optional Label Claims/location optional:]

SHOCK TREATMENT

Shocking / Super Chlorinating Your Pool Water

Shocking the pool should be considered when:

- An increased number of swimmers are using the pool.
- Chloramines are present in the water and the chlorine is not effectively working.
- The water is cloudy even though a proper chlorine level is maintained.

Shocking must be done periodically to remove waste materials like suntan oils, perspiration, body oils and other organic waste.

SHOCK SCHEDULE

Summer – Once per week
Spring – Twice per month

Fall – Twice per month
Winter – Once per month

SHOCK POWER 67 Features & Benefits:

Patented Formula / Dissolves Quickly / Controls Algae and Bacteria*

The best time to shock is early evenings with the pool circulating system in operation. This way the sun will not reduce the effectiveness of the treatment.


The SHOCK POWER 67 Advantages:

[This patented blend of ingredients] [or SHOCK POWER 67] [or This product] works fast allowing swimmers back into the pool in just 15 minutes. This is a premium grade shock product, so it takes only [10 oz.] [or 12.5 oz.] [or 13.5 oz.] [or 1 lb.] of SHOCK POWER 67 to treat 12,000 [to 15,000] [or to 18,750] [or to 20,000] [or to 24,000] gallons of pool water.

SHOCK POWER 67 can be added directly into the water without pre-dissolving and it is ideal for all types of swimming pools. It destroys swimmer wastes and other impurities that cause cloudy water. SHOCK POWER 67 dissolves faster than ordinary shock products without leaving residue. It does not increase the pH of the pool water or contain calcium that causes scale build-up.

DO NOT PRE-DISSOLVE [IN CONTAINER (ie. bucket)] BEFORE APPLYING.

[READ ALL PRECAUTIONARY STATEMENTS BEFORE USE]



*[In the text "this product" or alternate brand name may be substituted for Shock Power 67 name]
[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]*

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DAILY USE: After steps 1 and 2, regularly check chlorine residual with a test kit and chlorinate daily or as needed to maintain 1.0 to 1.5 ppm residual chlorine. **NOTE:** 2¼ ounces of this compound per 10,000 gallons of pool water will increase an existing chlorine level by 1.0 ppm (¼ rounded measuring cup = 1 oz.)

WEEKLY USE [or ROUTINE USE]:

1. Check the pH of the pool water daily, adding sodium bisulfate *[(may insert product name)]* or soda ash *[(may insert product name)]* or equivalent products as necessary to maintain pH in the 7.2-7.6 range.
2. SHOCK POWER 67 is made up of fine particles that dissolve almost instantly when applied to water. Use the entire bag for each application *[(if applicable)]*. For best results, pour a steady stream of SHOCK POWER 67 into the deep end of the pool or pour *[it]* into the skimmer with the pump operating. Pour near the water surface (particularly if the wind is present while applying) to ensure the entire dose enters the water.
3. Operate the pump system 4-8 hours (minimum) after applying SHOCK POWER 67. Use 10 oz. of SHOCK POWER 67 to treat 12,000 -15,000 gallons of pool water every week for best results.

SUPER CHLORINATION: Whenever the pool water loses its sparkle, turns green, or the chlorine residual falls rapidly after regular chlorination, super chlorination is recommended. During the summer months, water should be super chlorinated with 1 lb. per 10,000 gallons of pool water every 10 to 14 days. Do not use the pool until the chlorine residual has dropped to 3 ppm.

[Reader's Note: Other appropriate ounces product and corresponding gallons of water treated may be substituted for 10 oz and 12,000 – 15,000 gallons]

STORAGE AND DISPOSAL

STORAGE: Keep product in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. **CONTAINER DISPOSAL: IF EMPTY:** Nonrefillable container. Do not reuse or refill this container. Place in trash *[collection]* or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



*[In the text "this product" or alternate brand name may be substituted for Shock Power 67 name]
[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]*