

7616-78

06/28/2012

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

JUN 28 2012

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Ms. Cristina Griffin, Agent for Chem Lab Products, Inc.  
Delta Analytical Corporation  
12510 Prosperity Drive, Suite 160  
Silver Spring, Maryland 20904

Subject: Label Amendment Review Results  
Product: **Shock Power 67**  
EPA Registration Number: **7616-78**  
Application Date: March 29, 2012  
Application Receipt: March 30, 2012

Dear Ms. Griffin:

The following label amendment, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable.

**Proposed Amendment:**

The proposed labeling revisions are as follows:

Page One:

1. Added Alternate Brand Names of "**Swimming Pool Winterizing Kit**" and "**Pro Side Winterizing Kit**" to be used when the product is packaged in a kit;
2. Moved First Aid statement to first page ( with option to put on back panel, if necessary ). Revised First Aid wording slightly to move "call a Poison Control Center" up and delete the repetition, as the EPA has approved recently on other Chem Lab Products, Inc. labels;

Page Two:

1. Moved First Aid statement , as discussed above;

Pages Two and Three:

1. Added optional marketing claims;

Page Five:

1. Added "To Close Pool For Winter" directions;
2. Changed "Container Disposal" to "Container Handling;"

Pages Six, Seven, and Separate Page:

1. Revisions identical to those on Pages Four, Five, and separate Page One of One, above.

**General Comments:**

Based on a comparison with the February 9, 2012 stamped **accepted** label as well as a review of the proposed label submitted, the following comment applies:

The Label Amendment is acceptable. A copy of your proposed label stamped **accepted** by EPA has been enclosed for your records.

If you have questions concerning this letter, then please contact me at 703-308-6416 or by email at [campbell-mcfarlane.jacqueline@epa.gov](mailto:campbell-mcfarlane.jacqueline@epa.gov) or Killian Swift at 703-308-6346 or by email at [swift.killian@epa.gov](mailto:swift.killian@epa.gov). When you are submitting information or data in response to this letter, send a copy of this letter to accompany the submission in order to facilitate processing.

Sincerely,



For Jacqueline Campbell-McFarlane  
Product Manager 34  
Regulatory Management Branch II  
Antimicrobials Division (7510P)

Enclosure: EPA stamped **accepted** label.

# Shock Power 67

Alternate Brand Name to be used with kit containing EPA Reg.# 7616-57 and -78:

- Swimming Pool Winterizing Kit
- Pro Side Winterizing Kit

**Previously approved Alternate Brand Names:**

- Leslie's Swimming Pool Supplies Genesis Shock Fast Dissolving Trichlor Shock
- Leslie's Swimming Pool Supplies Genesis Shock
- Leslie's Swimming Pool Supplies Genesis Shock Fast Dissolving Tri-Chlor Shock for Swimming Pools
- Aqua Guard Super Shock Quick
- Great Value Super Shock Quick
- Kem Tek Shock & Swim
- Kem Tek Super Shock Quick
- Paddock Super Shock Power
- Pro Side Super Shock Quick

ACCEPTED  
with COMMENTS  
EPA Letter Dated:

JUN 28 2012

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

7616-78

Active Ingredient:

Trichloro-s-triazinetrione.....	67.0%
Other Ingredients .....	33.0%
Total.....	100.0%

(60.3% available chlorine or Available Chlorine – 60.3%)

**KEEP OUT OF REACH OF CHILDREN**

## DANGER

**SEE BACK PANEL FOR FIRST AID STATEMENT AND OTHER PRECAUTIONS**  
**[or SEE FIRST AID STATEMENT AND ADDITIONAL PRECAUTIONS ON BACK PANEL]**  
*[the "See back panel..." may be omitted if all labeling is on the same panel, e.g., the kit box]*

**FIRST AID:** Call a poison control center [(1-800-222-1222)] or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment.

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. **If swallowed:** Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person. Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

*[First Aid may be in table form]*

Net [Wt.]: \_\_\_\_\_

*[The following may appear in any appropriate place on the label:]*

Manufactured by [for]:  
Chem Lab Products, Inc.  
5160 E. Airport Dr.  
Ontario, Calif. 91761

*[Optional: Following may be included in addition to "Manufactured by [for]" address above: Distributed by [or Sold by] [or Marketed by] Insert additional company name and address]*

EPA Reg. No. 7616-78

EPA Est. No. 7616-CA-1

[Free Pool Care Advice 1-800-SOS-POOL • www.kem-tek.com]

*[In the text "this product" or alternate brand name may be substituted for Shock Power 67 name]*  
*[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]*

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

Danger: CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through the skin. May be fatal if inhaled. Do not breathe dust or spray mist. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

#### Environmental Hazards

This pesticide is toxic to fish and aquatic organisms.

#### Physical or Chemical Hazard

STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460° F TO 480° F WITH THE LIBERATION OF HARMFUL GASES.

Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with the generation of heat, liberation of hazardous gases and possible generation of fire or explosion.

IN CASE OF FIRE, if possible, isolate container in open air or well-ventilated area. Flood with a large volume of water. [IN CASE OF] CONTAMINATION [OR DECOMPOSITION: ] do not reseal container.

*[Optional Label Claims/location optional:] [Claims may be in upper or lower case]*

*[Insert #] Pack*

*[Insert #] Step Pool Care System*

*ABC Smart[er] [Pool Care] [System]*

*Add Directly to [Skimmer] [or] [Pool]*

*Add [Dry Product] Through Skimmer or Directly To Pool*

*Buffered Sanitizer Powerful Shock Treatment For Crystal Clear Water*

*Built In Clarifier*

*C*

*Can Be Used In Salt Pools*

*Clarifies Water*

*Clears Cloudy Water*

*Compatible With Salt Pools*

*Contains 5 [ / 13.5 oz.] [Convenient Pre-Measured] Pouches*

*Contains A Filter Enhancer*

*Contains No Calcium [or Calcium Free] [info for customer who needs a calcium free product for pool]*

*Controls Algae [[&] [And]] Bacteria\* [location optional:] \*During Super-Chlorination*

*Controls Algae Sanitizes Pool Water*

*Convenient Skimmer Application*

*Destroys [Organic] [Swimmer] [Contaminants] [Wastes]*

*Dissolves [Completely] [Instantly] [Quickly]*

*Do Not Mix This Product With Any Other Product*

*Do Not Pre-Dissolve*

*Easy Skimmer Application*

*Enhances Filtration*

*[In the text "this product" or alternate brand name may be substituted for Shock Power 67 name]*

*[[Information in brackets] ] is optional or instructional; italics in brackets indicate instructions not part of labeling.]*

Fast [Acting] [Dissolving] [Dissolving Shock] [Powerful] [Sanitizer]  
 Fast Dissolving Tri-Chlor Shock For Swimming Pools  
 For All Pool[s] [Surfaces] [Including Vinyl, Plaster [[&] [And]] Fiberglass]  
 For [Daily] [Everyday] Chlorination [[&] [And] [or]] Shock  
 For Heavy Bather Loads or After Heavy Rains  
 For Pool Startup [[&] [And]] Weekly Shock Treatment  
 For Shocking [[&] [And]] Everyday [Or Daily] Chlorination  
 For Superchlorination [or Super-Chlorination]  
 For Use As A Shock  
 For Use With All Pool Surfaces  
 Good For All Pool Surfaces  
 Ideal for Use After Heavy Rains  
 Ideal For Vinyl Pools  
 Improves Filter Performance  
 Keeps Water [Clean] [Crystal Clear]  
 Kills [Algae] [[&] [And] [or]] [Bacteria] [Rapidly]  
 No Need To Pre-Dissolve  
 One Bag Treats 15,000 Gallons *[change # gallons according to size of package]*  
 Oxidizer  
 Part C  
 Part Of The Kem-Tek Pool Care System  
 Part Of The Simply Smart[er] [Pool] [Care] [System]  
 Patented [Chlorine] [Formula] [Technology]  
 pH Balanced  
 Pools, Patios [[&] [And]] Spas  
 Quality [[&] [And]] Satisfaction Guaranteed Or Your Money Back  
 Quick [Dissolving] [Formula] [Shock Treatment]  
 Quick [Power] [Chlorine Boost]  
 Quick Powerful Sanitizer  
 Reduces Chemical Needs  
 Reduces Chlorine Odor [[&] [And] [or]] Eye Irritation  
 Removes Organic [Contaminants] [Waste [[&] [And]]] [Produces Sparkling Swimming Pool  
 Water]  
 Restores A Crystal Clarity To Pool Water  
 Routine Maintenance Chlorinator  
 Shock  
 Shock Treatment [[&] [And]] Super Chlorinator For Swimming Pools [[&] [And]] Spas Patented  
 Technology  
 Step *[Insert #]*  
 Swim [After Use] [In 15 Minutes] [In Just 15 Minutes After Use]  
 Swimming Pool Water Disinfectant  
 The Professional Side Of Pool Care  
 Shocks Water Clear  
 [Simply C] [Smart[er] C] [Step C]  
 Simply Smart[er] [Pool Care] [System]  
 Stabilized  
 Suitable For [Closing Pools] [Opening Pools] [Pool Closing] [Pool Winterization][Use In All Pools]  
 Treats XX,XXX Gallons Of Water [size [[&] [And]]]  
 Use For [Closing Pool] [Opening Pool]  
 UV Protected  
 Works Immediately

*[In the text "this product" or alternate brand name may be substituted for Shock Power 67 name]  
 [[Information in brackets] ] is optional or instructional; italics in brackets indicate instructions not part of labeling.]*

[Optional Claims and marketing language continued (previously approved):]

**SHOCK TREATMENT**

Shocking / Super Chlorinating Your Pool Water

Shocking the pool should be considered when:

- An increased number of swimmers are using the pool.
- Chloramines are present in the water and the chlorine is not effectively working.
- The water is cloudy even though a proper chlorine level is maintained.

Shocking must be done periodically to remove waste materials like suntan oils, perspiration, body oils and other organic waste.

**SHOCK SCHEDULE**

Summer – Once per week

Fall – Twice per month

Spring – Twice per month

Winter – Once per month

**SHOCK POWER 67 Features & Benefits:**

Patented Formula / Dissolves Quickly / Controls Algae and Bacteria\*

The best time to shock is early evenings with the pool circulating system in operation. This way the sun will not reduce the effectiveness of the treatment.

**The SHOCK POWER 67 Advantages:**

[This patented blend of ingredients] [or SHOCK POWER 67] [or This product] works fast allowing swimmers back into the pool in just 15 minutes. This is a premium grade shock product, so it takes only [10 oz.] [or 12.5 oz.] [or 13.5 oz.] [or 1 lb.] of SHOCK POWER 67 to treat 12,000 [to 15,000] [or to 18,750] [or to 20,000] [or to 24,000] gallons of pool water.

SHOCK POWER 67 can be added directly into the water without pre-dissolving and it is ideal for all types of swimming pools. It destroys swimmer wastes and other impurities that cause cloudy water. SHOCK POWER 67 dissolves faster than ordinary shock products without leaving residue. It does not increase the pH of the pool water or contain calcium that causes scale build-up.

DO NOT PRE-DISSOLVE [IN CONTAINER (ie. bucket)] BEFORE APPLYING.

[READ ALL PRECAUTIONARY STATEMENTS BEFORE USE]

\*During Super-Chlorination

Step #1 Balance	Step #2 Chlorinate	Step #3 Shock	Step #4 Algae Care	Step #5 Clarify
--------------------	-----------------------	------------------	-----------------------	--------------------

[The following wording can be used depending on size of package:]

For 10 oz package:TREATS 15,000 GALLONS!

For 12.5 oz package:TREATS 18,750 GALLONS!

For 13.5 oz package [pouch]: TREATS 20,000 GALLONS!

For 1 lb package: TREATS 24,000 GALLONS!

[GRAPHICS]



[In the text "this product" or alternate brand name may be substituted for Shock Power 67 name]

[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DAILY USE:** After steps 1 and 2 [or insert letter or other number], regularly check chlorine residual with a test kit and chlorinate daily or as needed to maintain 1.0 to 1.5 ppm residual chlorine. NOTE: 2¼ ounces of this compound per 10,000 gallons of pool water will increase an existing chlorine level by 1.0 ppm (¼ rounded measuring cup = 1 oz.)

**WEEKLY USE [or ROUTINE USE]:**

1. Check the pH of the pool water daily, adding sodium bisulfate [(may insert product name)] or soda ash [(may insert product name)] or equivalent products as necessary to maintain pH in the 7.2-7.6 range.
2. SHOCK POWER 67 is made up of fine particles that dissolve almost instantly when applied to water. Use the entire bag for each application [(if applicable)]. For best results, pour a steady stream of SHOCK POWER 67 into the deep end of the pool or pour [it] into the skimmer with the pump operating. Pour near the water surface (particularly if the wind is present while applying) to ensure the entire dose enters the water.
3. Operate the pump system 4-8 hours (minimum) after applying SHOCK POWER 67. Use 10 oz. of SHOCK POWER 67 to treat 12,000 -15,000 gallons of pool water every week for best results.

**SUPER CHLORINATION:** Whenever the pool water loses its sparkle, turns green, or the chlorine residual falls rapidly after regular chlorination, super chlorination is recommended. During the summer months, water should be super chlorinated with 1 lb. per 10,000 gallons of pool water every 10 to 14 days. Do not use the pool until the chlorine residual has dropped to 3 ppm.

*[The following directions may be used without other directions on labeling:]*

**TO CLOSE POOL FOR WINTER:** adjust pH, if necessary, to 7.2 – 7.6. Next, use one (1) pound per 10,000 gallons to shock (superchlorinate) to a chlorine level of 5ppm. For best results, pour a steady stream of SHOCK POWER 67 into the deep end of the pool or pour into the skimmer with the pump operating. Pour near the water surface (particularly if the wind is present while applying) to ensure the entire dose enters the water. Operate the pump system 4-8 hours (minimum) after application. Do not add algacide or apply pool cover until chlorine level drops below 5 ppm.

*[Reader's Note: Other appropriate ounces product and corresponding gallons of water treated may be substituted for 10 oz and 12,000 – 15,000 gallons]*

### STORAGE AND DISPOSAL

**STORAGE:** Keep product in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container in open area if possible, and flood with large amounts of water. **CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **IF EMPTY:** Place in trash [collection] or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.

*[In the text "this product" or alternate brand name may be substituted for Shock Power 67 name]  
[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]*

[Optional: Kit Label front panel]

[Brand name AQUA GUARD™ or Kem-Tek™ may be used]

[optional]: 5-Step Pool Care System

# SWIMMING POOL WINTERIZING KIT

For Closing Pool for the Winter  
Algaecide – Shock – Metal Out

FREE POOL CARE ADVICE

1-800-SOS-POOL

[this information may be on another panel]

Net Contents:

- \_\_\_ Qts [ or Gal]

[insert ABN for 7616-57]

- \_\_\_ Lbs.

[insert ABN for 7616-78]

- \_\_\_ Gal. Aqua Guard Metal Out

[Non-EPA registered product; may substitute name for same product]

KEEP OUT OF REACH OF

CHILDREN

NO SE DEJE AL ALCANCE DE LOS  
NIÑOS

**DANGER**

See back and side panels and individual  
containers for first aid statements  
and other precautions

[Note: Kit is to include EPA Reg. No. 7616-57 and 7616-78 labels fully visible on outside kit box as well as on the corresponding container inside the box.]

[In the text "this product" or alternate brand name may be substituted for Shock Power 67 name]

[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]



[Optional: Kit Label]

[The following may placed on front, side, or back panel of box and/or as an insert]

**STEPS FOR USING WINTERIZING KIT:**

- (1) Clean pool by skimming, brushing and vacuuming thoroughly.
- (2) Add Aqua Guard Metal Out [or similar brand name for non registered product] per dosage in directions for use.
- (3) Balance pool water. Adjust pH to 7.2- 7.6. Adjust Alkalinity to 80-120ppm.
- (4) Shock (superchlorinate) pool. Follow [insert ABN for EPA Reg. No. 7616-78] dosage in directions for use.
- (5) Allow the chlorine level to drop below 5.0 ppm before adding algaecide and using pool cover.
- (6) When chlorine level reaches 3 ppm, add [insert ABN for EPA Reg. No. 7616-57] per dosage in directions for use.
- (7) Lower pool water level 12" - 18" below the skimmer for mesh covers and 3" - 6" below the tile for solid, floating covers.
- (8) Winterize the pool plumbing and equipment properly according to region weather and manufacturer's instructions.

[The following information may be used on the insert or panel containing this information, location optional]

**SWIMMING POOL  
WINTERIZING KIT**  
For Closing Pool for the Winter  
Algaecide – Shock – Metal Out  
**FREE POOL CARE ADVICE 1-800-SOS-POOL**

[The following may appear in any appropriate place on the box label or on the insert:]

Manufactured by [for]:  
Chem Lab Products, Inc.  
5160 E. Airport Dr.  
Ontario, Calif. 91761

[Optional: Following may be included in addition to "Manufactured by [for]" address above: Distributed by [or Sold by] [or Marketed by] Insert additional company name and address]

[In the text "this product" or alternate brand name may be substituted for Shock Power 67 name]  
[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]