

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

300-1254080
17/1

OCT 27 1989

Mr. Richard Kelley
Harvest Drains, Inc.
P.O. Box 46
Pittsburg, KS 65702

Dear Mr. Kelley:

Subject: Tetradimorphos Registration Standard
Stockall Fly Control Mineral Mix
EPA Registration No. 7627-21
Your Letters dated January 20 and August 23, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the mandated labeling.

1. In the ingredient statement, add a colon to TETRADIMORPHOS.
2. You may delete the manure droppings statement. See our letter regarding Stockall Fly Control Block (EPA registration no. 7627-22).

BEST AVAILABLE COPY

BEST AVAILABLE COPY

55378:I:CR-44:Herbert:LR-5:KENCO:10/15/89:12/05/89:de:VO:CL

CONCURRENCES

SYMBOL	SURNAME	DATE					

293
-2-

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

Net Wt. 50 lbs.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

STOCKADE
STOCKADE
STOCKADE
STOCKADE

Fly Control Mineral Mix
with Rabon* Oral Larvicide

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.
7627-21

To prevent the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle.

ACTIVE INGREDIENT

Tetrachlorvinphos
2-chloro-1-(2, 4, 5-trichlorophenyl)
vinyl dimethyl phosphatc..... 0.60%
INERT INGREDIENTS*..... 99.40%
Total..... 100.00%

*Refers only to ingredients which are not larvicidal.

Guaranteed Analysis

Calcium (Ca), minimum 16.00%
Calcium (Ca), maximum 19.00%
Phosphorus (P), minimum 4.00%
Salt (NaCl), minimum 20.00%
Salt (NaCl), maximum 24.00%
Magnesium (Mg), minimum 1.50%
Iodine (I), minimum 0.003%
Vitamin A, minimum IU units/lb 30,000
Vitamin D₃, minimum IU units/lb 7,500

FEED INGREDIENTS

Calcium carbonate, salt, monocalcium and dicalcium phosphate, magnesium limestone, magnesium oxide, dried cane molasses, iron oxide, ferrous sulfate, manganous oxide, zinc oxide, calcium iodate, ferrous carbonate, cobalt carbonate, sodium selenite, copper sulfate, cobalt sulfate, vitamin A supplement, d-activated animal sterol (source of vitamin D₃), mineral oil, artificial and natural flavors, and cane molasses.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Feed Stockade Fly Control Mineral Mix at the rate of 4 ounces per 1,000 pounds of body weight per head per day by mixing it into the ground grain or complete daily ration. Stockade Fly Control Mineral Mix may be fed up to slaughter and to lactating dairy cows. Start feeding Stockade Fly Control Mineral Mix early in the spring before flies begin to appear and continue feeding throughout the summer into the fall until cold weather restricts fly activity.

Stockade Fly Control Mineral Mix prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle but is not effective against existing adult flies. When starting a feeding program during the fly season, it is desirable to use other control measures to reduce the population of existing adult flies.

In some cases, supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, Stockade Fly Control Mineral Mix should be used in conjunction with other good management and sanitation practices.

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS

BEST AVAILABLE COPY

CAUTION: Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, get medical attention. wear long-sleeved shirt and pants; chemical resistant gloves; shoes and socks for protection when handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water when disposing of equipment wash water. Do not use manure/droppings on land where food crops are to be grown during the current growing season.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Storage: Do not store next to herbicides. Store in a dry place in original container.
Container Disposal: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles into feeder equipment. Then dispose of empty bag in a sanitary landfill or by incineration; if allowed by state and local authorities, by burning. If burned, stay out of smoke. Wastes resulting from the use of this product maybe disposed of on site or at an approved waste disposal facility.



Manufactured by

HARVEST BRANDS, INC. Pittsburg, Kansas 66762

HARVEST

HARVEST is a trademark of Harvest Industries, Inc.

EPA REG. NO. 7627-21
EPA EST. NO. 07627-KS-01
074