



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

January 30, 2007

Mr. Mike Verner
Stockade Brands, Inc.
1057 South Broadway, P0 Box 46
Pittsburg, KS 66762

Subject: Label revision to comply with changes noted on the reregistration doc. business name change on labeling and registration:

Product Name: Stockade Fly Control Block

Company Name: Stockade Brands, Inc.

EPA File Symbol: 7627-22

EPA Receipt Date: 12/04/06

Dear Mr. Verner;

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable subject to the comments listed below. Two copies of the finished labeling must be submitted prior to releasing the product for shipment.

1. Within the ingredient statement replace the word "Inert" with "Other"

ACTIVE INGREDIENT Tetrachlorvinphos: (Z)-2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate	0.30%
INERT INGREDIENTS*	99.70%

*Refers only to ingredients which are not larvicidal

2. Within the First Aid statement, revise this entire section from :

FIRST AID

IF SWALLOWED: Call a physician or Poison Control Center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by poison control center or doctor.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment.

IF ON EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

In case of emergency call 1-800-835-0304. Have a product container or label with you when calling a poison control center or doctor or going for treatment.

to:

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person. Do not induce vomiting unless told to by a poison control center or doctor.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Contains an organophosphate that inhibits cholinesterase. **Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-435-0306.¹ for emergency medical treatment.**

NOTE TO PHYSICIAN

This product is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 1-PAM is also antidotal and may be administered, but only in conjunction with atropine. Product may cause aspiration pneumonia. Probably mucosal damage may contraindicate the use of gastric lavage.

¹ This number was extracted from the existing label and inserted into the new First Aid Section.

3. Revise the Environmental Hazards section as follows:

“ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Drift and runoff may be hazardous to aquatic organisms in adjacent areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or when disposing of equipment wash waters.”

4. Revise the Personal Protective Equipment statement as follows:

“PERSONAL PROTECTIVE EQUIPMENT (PPE)

“Some materials that are chemical-resistant to this product are” *(registrant inserts correct chemical-resistant material)*². “If you want more options, follow the instructions for category” *[registrant inserts A,B,C,D,E,F,G,or H]*¹ “on an EPA chemical-resistance category selection chart.”

“Loaders, mixers, applicators and other handlers must wear:

- long-sleeved shirt and long pants,
- shoes plus socks
- chemical resistant gloves”

The additional language “Chemical-resistant apron when cleaning equipment, mixing or loading.” may be removed.

5. Revise the language within the USER SAFETY RECOMMENDATIONS section as follows:

² The appropriate information must be inserted by Stockade Brands for the correct final PPE language.

“USER SAFETY RECOMMENDATIONS

Users Should:

Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.”

- 6. Revise and replace the Storage and Disposal section as follows³:

STORAGE AND DISPOSAL
DO NOT contaminate water, food or feed by storage or disposal.
PESTICIDE STORAGE: Store in cool dry location in original container.
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site in accordance with the label instructions or at an approved waste disposal facility. Open dumping is prohibited.
CONTAINER DISPOSAL: DO NOT reuse empty container. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill, or incinerate, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

- 7. Directions for Use revisions and/or additions:

- a. Within the “Directions for Use” directly under the statement: “It is a violation of Federal law to use this product in a manner inconsistent with its labeling.”, add the subtitle and associated language:

“USE RESTRICTIONS”

This product is not to be used on horses destined for slaughter. This product contains tetrachlorvinphos, which is a cholinesterase inhibitor. The most frequently reported clinical signs of cholinesterase inhibition in the horse are abdominal pain, lethargy, sweating, tearing and excessive salivation. If these signs are seen in horses, consult your veterinarian immediately. Do not use this product simultaneously or within a week before or after treatment with cholinesterase inhibiting drugs, pesticides or chemicals. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals. This product has not been tested in breeding horses.”⁴


- 8. The EPA registration number 7627-22 must be printed on the label as “EPA Reg. No. 7621-22” In addition; the Establishment number must be clearly visible on the label.

³ Note: The Agency recommends that the Storage and Disposal section be enclosed in a box, and placed at the end of the label text.

⁴ This use restriction post RED publication because of potential risks associated with use on horses.

Two copies of the finished labeling must be submitted prior to releasing the product for shipment. If these conditions are not complied with, the registrations will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. A stamped copy of the label identified by the Agency with "Accepted with Comments" is enclosed for your records. If you have any questions, you may contact Richard J. Gebken, at (703) 305-6701.

Sincerely,



George LaRocca
Product Manager 13
Insecticide Branch
Registration Division (7505C)

Enclosure

5 85

STOCKADE Fly Control Block

with Rabon® Oral Larvicide For Beef, Dairy Cattle and Horses

To prevent the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle and horses.

ACTIVE INGREDIENT Tetrachlorvinphos: (Z)-2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate 0.30%
INERT INGREDIENTS* 99.70%

*Refers only to ingredients which are not larvicidal

GUARANTEED ANALYSIS

Crude Protein	minimum	14.00%
Crude fat	minimum	0.50%
Crude fiber	maximum	5.00%
Calcium (Ca)	minimum	4.50%
Calcium (Ca)	maximum	5.50%
Phosphorus (P)	minimum	1.00%
Salt (NaCl)	minimum	18.00%
Salt (NaCl)	maximum	21.00%
Magnesium (Mg)	minimum	1.50%
Copper (Cu)	minimum	8 ppm
Selenium (Se)	minimum	2 ppm
Zinc (Zn)	minimum	27 ppm
Iodine (I)	minimum	25 ppm
Vitamin A	minimum IU units/lb	30,000
Vitamin D	minimum IU units/lb	7,500

FEED INGREDIENTS: soybean meal, cottonseed meal, dried cane molasses, corn distillers dried grains with solubles, magnesium limestone, salt, calcium carbonate, monocalcium phosphate, dicalcium phosphate, soft rock phosphate, grain sorghum, magnesium oxide, iron oxide, manganous oxide, zinc oxide, ferrous carbonate, calcium iodate, cobalt carbonate, sodium selenite, copper sulfate, vitamin A supplement, vitamin D supplement, mineral oil, artificial and natural flavors, and cane molasses

Keep out of the reach of children

CAUTION FIRST AID

IF SWALLOWED: Call a physician or Poison Control Center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by poison control center or doctor.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment.

IF ON EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

In case of emergency call 1-800-835-0306. Have a product container or label with you when calling a poison control center or doctor or going for treatment

PRECAUTIONARY STATEMENTS

Hazards to Humans

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction to some individuals.

Environmental Hazards

This product is toxic to fish.



Manufactured by
STOCKADE Brands, Inc., P. O. Box 46, Pittsburg, KS 66702

USER SAFETY REQUIREMENTS

Personal Protective Equipment (PPE) Mixers and handlers must wear long-sleeved shirt, long pants, shoes, socks and chemical resistant gloves. Follow manufacturer's instructions for clearing/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STORAGE & DISPOSAL

STORAGE: Do not store next to herbicides. Do not contaminate water, food or feed by storage or disposal. Store in a dry place in original container.

DISPOSAL: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into mineral feeders. Then dispose of bags in a sanitary landfill or by incineration if allowed by state and local authorities. If burned, stay out of smoke. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with this labeling.

Feed free choice to cattle and horses. Consumption should average 0.8 ounces of Fly Block per 100 pounds of body weight per day, which is equivalent to 8 ounces for a 1,000 lb animal daily. This will supply the recommended average daily intake of 70 mg of Rabon® Oral Larvicide per hundred pounds of body weight. Animals should not be starved for minerals before initiation of the Stockade Fly Block with Rabon® program, but omit all salt from other feed after the program is started. Do not feed other free choice sources of salt or mineral containing salt in any form. Allow one block for each 10 head and place near watering and loafing areas. Put out no more than two weeks supply at a time. If consumption of Stockade Fly Block with Rabon® is above 0.8 ounces per 100 pounds of body weight per day, reduce the number of feed locations or relocate. If consumption is below 0.8 ounces per 100 pounds of body weight per day, increase the number of feed locations. Start feeding Stockade Fly Block with Rabon® early in the spring before flies begin to appear, and continue feeding throughout the summer and into the fall.

Stockade Fly Block with Rabon® may be fed up to slaughter and to lactating dairy cows. It prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle and horses, but is not effective against existing adult flies. Supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure, but in other decaying vegetable matter or silage on the premises.

0613
Net Wt. 33.33 lb
(15.12 kg)

ACCEPTED
with COMMENTS
in EPA Letter Dated
Jan 30, 2007

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No 7627-22

EPA Reg No
EPA EST No