

**STOCKADE
STOCKADE
STOCKADE
STOCKADE®**

BEST DOCUMENT AVAILABLE

Net Wt. 50 lbs.

Fly Control Mixer

with Rabon® Oral Larvicide

To prevent the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle and house flies in the manure of treated swine.

PESTICIDALLY ACTIVE INGREDIENT

2-chloro-1-(2,4,5-trichlorophenyl)
vinyl dimethyl phosphate 0.40%*
INERT INGREDIENTS** 99.60%
Total 100.00%

*Each pound contains 1.81 grams Rabon.
**Refers only to ingredients which are not larvicidal.

RABON® is the registered trademark of Shell Oil Company.
U S Patent 3,102,842.

GUARANTEED ANALYSIS

Crude Protein, minimum 4.50%
Crude Fat, minimum 3.25%
Crude Fiber, maximum 17.00%
Total Sugars
(as invert), minimum 38.00%

FEED INGREDIENTS

Dried cane molasses, animal fat (stabilized with BHT).

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SWINE: All swine should be treated.

Mix 25 pounds Stockade Fly Control Mixer per ton of complete meal type feed and offer free-choice to hogs from weaning to market weight. This is equivalent to 22.7 milligrams of Rabon per pound of feed.

For sows, boars, and breeding gilts, mix 50 pounds of Stockade Fly Control Mixer per ton of meal type feed and offer 4-6 pounds of feed per animal per day. This is equivalent to 45.4 milligrams of Rabon per pound of feed.

CATTLE: For topdressing or use in mixed meal type feeds. Feed Stockade Fly Control Mixer to animals according to their live body weight by incorporating it into the daily ration or top dress in the grain, or roughage, as follows:

| Body weight (lb.) | Stockade Rabon Mixer | |
|-------------------|----------------------|-------|
| | (ounces) | (lb.) |
| 400-1295 | 8 | 0.50 |
| 1295-1620 | 10 | 0.625 |
| 1620-1940 | 12 | 0.75 |

Stockade Fly Control Mixer may be fed up to slaughter and to lactating dairy cows. Start feeding this product early in the spring before flies begin to appear and continue feeding throughout the summer into the fall until cold weather restricts fly activity.

Stockade Fly Control Mixer prevents the development of horn flies, face flies, house flies, and stable flies in the manure of treated cattle, but it is not effective against existing adult flies. When starting a feeding program during the fly season, it is desirable to use other control measures to reduce the population of existing adult flies.

In some cases supplemental fly control measures may be needed in and around feed lots, calf pens and barns to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises. In order to achieve optimum fly control, Stockade Fly Control Mixer should be used in conjunction with other good sanitation and management practices.

ACCEPTED
EPA Label D. E.

JUL 1 0 1984

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Storage: Do not store next to herbicides. Do not contaminate water, food or feed by storage or disposal.
Container Disposal: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into mineral feeders, then dispose of bags in a sanitary landfill or by incineration if allowed by state and local authorities.

Manufactured by

CAUTION Must be fed and handled in accordance with labeling.

Harvest Brands, Inc. Pittsburg, Kansas 66762



074

EPA REG. NO. 7627-
EPA EST. NO. 07627 KS-01

| | | |
|---|---------------------------|------------------|
| U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDE PROGRAMS REGISTRATION DIVISION (HHS 567) WASHINGTON, D.C. 20460 | EPA REGISTRATION NO. | DATE OF ISSUANCE |
| | TERM OF ISSUANCE | 10 JUL 1984 |
| NOTICE OF PESTICIDE: REGISTRATION RENEWAL REGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, 7 U.S.C. 136-136f.)</i> | NAME OF PESTICIDE PRODUCT | |
| NAME AND ADDRESS OF REGISTRANT (Include ZIP Code) | | |
| BEST DOCUMENT AVAILABLE | | |
| NOTE: Changes in labeling, formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. | | |
| On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. | | |
| A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. | | |
| Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. | | |
| <input type="checkbox"/> ATTACHMENT AVAILABLE | | |
| SIGNATURE OF APPROVING OFFICIAL | | DATE |

7/9/84 JJP

161/123975
18/1