

Razorback



ACCEPTED
6-18-68
7629-19

Insecticides

USDA Reg. No. 7629-19

NET CONTENTS GALLONS RAZORBACK METHYL PARATHION 7.5 EC

(CONTAINS 7.5 POUNDS METHYL PARATHION PER GALLON)

Razorback Methyl Parathion 7.5 E.C. contains 7.5 lbs. of Methyl Parathion per gallon. It is a highly concentrated emulsifiable concentrate that mixes readily with water.

DIRECTIONS FOR USE

This product is designed to control certain insects on cotton and soybeans when used as directed below in sufficient water to cover one acre. This product may be applied by aircraft, hose or sprayer. Water for use consistent with crop growth and good coverage.

CROP	TO CONTROL	AMOUNT PER ACRE	REMARKS
COTTON	Cotton leafworm	2.5-4.25 oz.	Apply in sufficient water to cover one acre. For leafworm, apply on 10-15 day intervals every 3-7 days until controlled. For other insects mentioned, applications should begin when infestation reaches the point where control is required and repeated as needed.
	Boll weevil, Cotton fleahopper, Lygus and other mites	4.25-8.50 oz.	
	Thrips and Spider mites		
	Cotton aphid	4.25-12.75 oz.	
	Stink bugs, Cotton leaf perforator	8.50-16 oz.	
	Cabbage loopers, Armyworm	16-20 oz.	
SOYBEANS	Stink bugs, Three cornered alfalfa hopper, Velvet bean caterpillar	6.5-8.5 oz.	Apply in sufficient water to cover one acre. Applications should begin when insects or their damage first appear. Full coverage of plant during applications is essential for good control. NOTE: DO NOT APPLY WITHIN 20 DAYS OF HARVEST OR GRAZING.

to maintain control. Full coverage is essential for good control. NOTE: DO NOT APPLY WITHIN 5 DAYS OF HAND PICKING. WORKERS ENTERING FIELDS WITHIN 24 HOURS AFTER APPLICATION SHOULD WEAR PROTECTIVE CLOTHING. Methyl parathion will control the Tumidus and Desertorum species of mites but will not control the Fumiculatus (two spotted) species.

Do not reuse container. Destroy by crushing and/or perforating. Pury with all waste chemicals or washings, away from all water supply. Do not burn.

ACTIVE INGREDIENTS:

Diethyl dimethyl O-isopropyl phosphorothioate	73.20%
Aromatic petroleum solvent	18.00%
INERT INGREDIENTS	8.80%
	100.00%

Otherwise known as Methyl Parathion

⚠ DANGER-POISON ⚠
KEEP OUT OF REACH OF CHILDREN

FIRST AID TREATMENT

IF SWALLOWED: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a Physician IMMEDIATELY.

IF ON SKIN: In case of contact, remove contaminated clothing and immediately wash skin with soap and water.
IF IN EYES: Wash or rinse in running water for at least 15 minutes.

ATROPINE IS ANTIDOTAL

Keep on hand an emergency supply of 20 tablets, grains 1/100. In case of accidental poisoning, take 3 tablets (grs. 1/100) and call physician at once. Physician: **Enough atropine** must be given in the shortest practical time to produce dilation of pupils. Patient must be under constant supervision and additional atropine may be necessary without delay. Clear chest by prompt drainage. Use artificial respiration and oxygen if patient becomes comatose. Use of airway may be necessary.

See Right Side Of Panel For Additional Warnings.

MANUFACTURED FOR

PLANTERS
of PINE BLUFF, INC.
P. O. Box 7427
PINE BLUFF, ARKANSAS

WARNING

Poisonous If Swallowed, Inhaled or Absorbed Through Skin. Rapidly Absorbed Through Skin. Do not get in eyes, on skin, or in clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for methyl parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Ventilated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate food and feedstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash and decontaminate clothing with soap and hot water before reuse.

This product is toxic to wildlife. Birds and other wildlife in treated areas may be harmed.

WARNING FLAMMABLE

Keep away from heat and open flame.
Keep container closed.
Leaking packages should be removed to a safe place.
Do not store at temperature below 20° F.
Caution: Do Not Use In Undiluted Form.

Dealers Should Sell in Original Packages Only.

CAUTION: USE OF THIS MATERIAL IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH THE DIRECTIONS MAY PRODUCE PLANT INJURY, EXCESSIVE RESIDUES OR OTHER UNDESIRABLE RESULTS.

NOTE: Seller's liability shall be limited to the terms of this label and subject thereto. The user assumes all risk of injury or damage arising from the use of this product under any conditions.