

007 30

3001354013
171

Mr. C.A. Turner
Walnut Grove Products
Second and Linn Street
Atlantic, IA 50022

Dear Mr. Turner:

Subject: Tetrachlorvinphos Registration Standard
Walnut Grove 4x4 FLI-KIL 10 Mineral
EPA Registration No. 7631-20
Walnut Grove 4x4 Add-Mix FLI
EPA Registration No. 7631-21 ✓
Walnut Grove 4x4 Pasture Lick and FLI-KIL
EPA Registration No. 7631-23
Walnut Grove 4x4 Para Kill Mineral "R"
EPA Registration No. 7631-17
Your Letter Dated August 28, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. Under Environmental Hazards, change "This product is toxic" to "This pesticide is toxic"
2. Delete "General Classification" under the Directions for Use. Products are no longer classified as general use.

55397:I:Hebert:LLR-8:KEMCO:10/26/89:12/06/89:DD:EK:aw

BEST AVAILABLE COPY

2 14
-2-

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (H7595C)

Enclosure

BEST AVAILABLE COPY

ACCEPTED
with COMMENTS
In EPA Letter Dated:

10/30/68

50 LBS. NET WEIGHT

**WALNUT GROVE® 4x4®
ADD-MIX® FLI-KIL**
Contains RABON® Oral Larvicide.

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

7631-21

To prevent the development of house flies in the manure from treated swine.

ACTIVE INGREDIENT

Tetrachlorvinphos: 2-chloro-1-(1,4,5-trichlorophenyl)
vinyl dimethyl phosphate 0.404% *

INERT INGREDIENTS 99.596% **
100.00%

*Rabon Insecticide. Each pound contains 1.83 grams Rabon.

**Refers only to ingredients which are not larvicidal.

EPA REG NO. 7631-21

EPA EST NO. 7631-IA-1 7631-IA-3 7631-IA-5 7631-NB-2
 7631-IA-2 7631-IA-4 7631-NB-1 7631-WI-1

GUARANTEED ANALYSIS

Crude Protein, not less than	40.00	%
Crude Fat, not less than	3.00	%
Crude Fiber, not more than	7.00	%
Calcium (Ca), not more than	4.50	%
Calcium (Ca), not less than	3.50	%
Phosphorus (P), not less than	2.00	%
Salt (NaCl), not more than	2.50	%
Salt (NaCl), not less than	1.50	%
Iodine (I), not less than	0.0012	%

FEED INGREDIENTS

Dehulled Soybean Meal, Fish Meal, Blood Meal, Meat Meal, Milo Distillers Dried Grains with Solubles, Dehydrated Alfalfa Meal preserved with Ethoxyquin, Rice Hulls, Anitna, Fat preserved with BHT and Citric Acid, Cane Molasses, Dicalcium Phosphate, Calcium Carbonate, Salt, Sodium Selenite, Ethylenediamine Dihydriodide, Copper Sulfate, Manganous Oxide, Ferrous Sulfate, Cobalt Carbonate, Zinc Oxide, Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Vitamin B₁₂ Supplement, D-L-Methionine, L-Lysine, Riboflavin Supplement, Calcium Pantothenate, Niacin Supplement, Biotin, Choline Chloride, Menadione Dimethylpyrimidinol Bisulfite (source of Vitamin K), Mineral Oil, BHA and Calcium Propionate (preservatives).

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK OF LABEL

FOR ADDITIONAL PRECAUTIONARY STATEMENTS

RABON® is a Registered Trademark of Shell Oil Company.

Manufactured by
WALNUT GROVE PRODUCTS
Division of W.R. GRACE & CO.
General Offices
Atlantic, Iowa 50022

BEST AVAILABLE COPY

WALNUT GROVE® 4x4® ADD-MIX® FLI-KIL

PRECAUTIONARY STATEMENTS — HAZARDS TO HUMANS

CAUTION

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, get medical attention. Wear long-sleeved shirt and pants, chemical resistant gloves, shoes and socks for protection when handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water when disposing of equipment wash water.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place in original container.

DISPOSAL: Completely empty container into application (mixer/feeder) equipment. Then dispose of empty bag in a sanitary landfill or by incineration or if allowed, by state and local authorities by burning. If burned, stay out of smoke. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

No preslaughter withholding period is required.

PIGS (weaners to market weight): Mix 25 lb. of Walnut Grove 4x4 Add-Mix Fli-Kil per ton of meal type feed and offer free choice. This is equivalent to 22.7 mg of Rabon per lb. of feed.

SOWS, BOARS, AND BREEDING GILTS: Mix 50 lb. of Walnut Grove 4x4 Add-Mix Fli-Kil per ton of meal type feed and offer 4 to 6 lb. of feed per animal per day. This is equivalent to 45.4 mg of Rabon per lb. of feed.

Start feeding Walnut Grove 4x4 Add-Mix Fli-Kil early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

All swine should be treated. Walnut Grove 4x4 Add-Mix Fli-Kil prevents development of house flies in the manure from treated swine but is not effective against existing adult flies.

In some cases, supplemental fly control measures may be needed in and around the area to control adult flies which move in from other areas or which breed on decaying vegetable matter elsewhere on the premises.

In order to achieve optimum fly control, Walnut Grove 4x4 Add-Mix Fli-Kil should be used in conjunction with other good management and sanitation practices.

Manufactured by
WALNUT GROVE PRODUCTS
Division of W. R. GRACE & CO.
General Offices
Atlantic, Iowa 50022