EPA REGISTRATION HO. 12 4 1985 U.S. ENVIRONMENTAL PROTECTION AGENCY 7631-23 OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-367) TERM OF ISSUANCE WASHINGTON, D.C. 20460 NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: REGISTRATION Pasture Lick Mo Fli-Kil (Under the Federal Insecticide, Fungicide, and Rodenticide Act. as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

L

Walnut Grove Products Division of W. R. Grace & Co. 200 Linn Street Atlantic, IA 50022

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the tabeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally requistered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you release the product for shipment:
  - Add the phrase "EPA Registration No. 7631-23."
  - 3. Make the following label changes at next printing:
    - a. Delete "General Classification" following Directions to use.

"Any reference or 'general use' classification must be removed from (the product's name)'s labeling. 'General Use' as a classification is no longer deemed valid by the Agency, even when products are not subject to restricted use as in the case of (product name). If a product is classified for restricted use, this classification notifies individuals that the chemical may be applied only by or under the direct supervision of a certified

ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL	Jeg/ Shen	6/24/5

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

applicator. The absence of a restricted use classification clearly implies that the aforementioned restriction does not apply to a particular pesticide, or its uses. A second classification for general use is thereby unnecessary and should not appear on (product name)'s labeling."

The information submitted February 22, 1985, is acceptable and has been included in your product file. The raw data requested in our letter of December 24, 1984, is not required at this time.

This application has been approved based on the provisions of PR Notice 84-4 pertaining to data compensation. A final rule on data compensation has become effective as of April 25, 1985, and future applications must be submitted under these new procedures. Information on new procedures and forms will be set forth in a PR Notice which will be mailed to all registrants and applicants.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767)

### Enclosure

RD/IRB: JOB: 85822: LaRocca: RD: 85/34: Kendrick&Co: 898-1270:6/7/86: Del: 6/12/85: DKD



Net Weight 50 lb.

## WALNUT GROVE 4X4 PASTURE LICK® NO FLI-KIL

With RABON® Oral Larvacide

Control of fecal flies in manure of treated cattle. Prevents development of face flies, born flies, house flies and stable flies in the marage of treated cattle.

ACTIVE INGREMENTS: 2-chloro-1(2, 4, 5-trichlorophamyl) vinyl dimethyl	By Weight
phosphate*	0.6184
INERT INCREDIENTS**	99.3824
Total	100.000€
*Pach nound contains 2.802 a Rabon.	100.0004

\*\*Refers only to ingredients which are not larvicidal.

EPA Reg. No. 7631-

EPA Bat. No. 7631-IA-1

7631-IA-3

7631~1A-5 7631-ND-2

7631-WI-1

7621-IA-2 7631-1A-4 7631-ND-1

### FEED INCREDIENTS

Cottonseed Meal, Linseed Meal, Soyosan Meal, Milo Distillars Dried Grains with Solubles, Sunflower Seed Heal, Wheat Middlings, Debydrated Alfalfa Meal preserved with Ethonyquin, Care Molasses, Salt, Calcium Carbonate, Dicalcium Phosphate, Oppper Sulfate, Iron Sulfate, Cobalt Carbonate, Kinc Oride, Hanganese Orde, Magnasium Oride, Etnylanediamine Dihydriodidm, Calcium Sulfate, Vitemin A Supplement, Vitemin D3 Supplement, Minaral Cil, Ethoxyquin (a preservative).

### GUARANISED ANALYSIS

Crude Protein, not less than	
Crude Fat, not less than 1.00	
Crude Fiber, not more than 6.50	•
Calcium (Ca), not more than	•
Calcium (Ca), not less than 5.00	•
Phosphorus (P), not less than 2.70	•
Salt (Macl), not more than 14.00	
Salt (NaCl), not less than 12.00	
Indine (I), not less then 0.00	
Magnesium (Mg), not less than 13.00	
Vitamin A, (minimum)	
Vitamin D3, (minimum) ———————————————————————————————————	und

## KEEP OUT OF REACH OF CHILDREN

### CAUTION

SEZ BACK OF LABEL FOR ADDITIONAL PRECAUTIONARY STATISHENIS.



Hansafactured by WALNUT GROVE PRODUCTS Divison of W. R. GRACE & CO. General Offices Atlantic, Iowe 50022

RABOND is the registered trademark of Shell Oil Co. U.S. Pat. 3,102,842

ACCEPTED WHAT COMMENTS in EPA Letter Drink

JUN 2 4 1985

Under the Federal Insecticies, Pungleide, and Rodenticide Act as amended, for the posticide registered under EPA Reg. No.

Resp out of reach of children. Hermful if seallowed. Avoid contact with skin and eyes. Avoid breathing dust. Which thoroughly with soep and water after handling and before mating or smoking. If in eyes, wesh with plenty of water for 15 minutes. If irritation parsists, see a physician.

### BOWACH JANGEROOMYG

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water, food or feed by storage, cleaning of equipment or disposal of wastes.

### STORAGE AND DISPOSAL

STORAGE: Store Walnut Grove 4x4 Pesture Lick MD FLT-KIL in a dry, well ventilated storage area away from other posticides enimal feeds, herbicides, fertilizers, and chemicals. Store in original container with la'd intact to prevent loss of identity of product. Repair demaged bags promptly to prevent possible contamination of other products.

PESTICIDE DISPOSAL: Wester resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into mixing equipment by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities. If burned, stay out of smoke.

# DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### FEEDING DIRECTIONS

Walnut Grove 4x4 Pasture Lick MO FLI-KIL is designed to be fed to beef cattle on pasture. Regulate consumption to 2 ownors (0.125 lb.) per head per day for each 500 lb. of body weight.

# Walnut Grove 4x4 Pasture Lick

	the track		
Weight of	MO FLI-KIL	Rabon	Magnesium Oxdde
Animal (lb.)	_(lb.)/hd./day	(milligrams)	(ounces)
500	0.125	350	0.5
600	0.150	420	0.6
700	0.175	490	0.7
800	0.200	560	C.8
900	0.225	630	0.9
1000	0.250	700	1.0

onsumption of Walnut Grove 4x4 Pasture Lick MO FLI-KIL is above sified levels reduce the number of feeding locations or relocate. If consumption is below specified levels increase the number of feeding locations. Start feeding early in the spring before flegin to appear an continue feeding throughout the summer and the fall.

Walnut Grove 4x4 Pasture Lick MO FLI-KIL prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle, but is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies.

Supplemental fly control me sures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control Walnut Grove 4x4 Pasture Lick MD FLI-KIL should be used in conjunction with other good management and manitation practices.

Keep an adequate supply of clean, frash water available to animals at all times.

Manufactured by
WALNUT GROVE PRODUCTS
Division of W. R. GRACE & CO.
General Offices
Atlantic, Iowe 50022

BEST AVAILABLE COPY