



INGREDIENTS

Active Ingredients

Silicon Dioxide, from diatomaceous earth	85%
Other Elemental Oxides	10%
Moisture	5%
 Total	 100%

KEEP OUT OF REACH OF CHILDREN
CAUTION
 Statement of Practical Treatment

If Swallowed: Call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled: Remove person to fresh air. Get medical attention.

If on Skin: Wash with plenty of soap and water. Get medical attention if irritation persists. If dryness occurs, use moisture-renewing lotions.

If in Eyes: Wash with plenty of water. Get medical attention if irritation persists. Consult physician if irritation persists.

SEE REVERSE SIDE OF PACKAGE FOR
 ADDITIONAL PRECAUTIONARY STATEMENTS



Manufactured by:
 Eagle-Picher Minerals, Inc.
 PO Box 12130, Reno, NV 89510

EPA Reg. No. 007655-1
 EPA Est. No. 007655-NV-001

Net Weight 25lbs. (11.34 kg.)

ACCEPTED

NOV - 4 1999

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 7655-1

Crop Guard

READ ENTIRE LABEL BEFORE EACH USE

Directions for Use

It is in violation of Federal law to use this product in a manner inconsistent with its labeling. For use in homes, apartment buildings, hotels, farm buildings, stored grains, animal beddings and insulation.

Grain Storage

Crop Guard™ can be used with stored grains including barely, buckwheat, corn, oats, rice, rye, sorghum, wheat and mixtures of these grains. Moisture content of grain should be regulated to less than 12% for effective insect control. Add 7 pounds of Crop Guard per ton of grain at a point where sufficient blending can occur. Uniformity of blend is important for efficient pest control. Treated grain may have reduced flowability. USDA directive 918.49 advises that grain properly identified as containing Crop Guard diatomite will not be downgraded solely based on diatomite content. Refer to the USDA Directive for proper identification and grading procedures.

Insulation:

Crop Guard can be mixed with cellulose insulation to aid in the control roaches, slugs, ants, earwigs, grasshoppers, crickets, silverfish, millipedes, centipedes, sowbugs, pill bugs, lice and mites in insulated areas. Mix 1 lb. of Crop Guard with 20-25 lbs. of cellulose insulation before blowing material into treatment site.

Aids in the Control of Fleas and Ticks:

Domestic Animals: USE ONLY ON DOGS AND CATS Do not use on dogs and cats under 12 weeks old. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or medicated animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Directions for use: Work Crop Guard thoroughly into animal's fur with a brush. Wipe excess off with a damp cloth being careful not to remove product that is near the animal's skin and in contact with insects. Application over the entire animal is necessary. Reapply every two or three days. Frequent use may dry animal's skin. Apply Crop Guard liberally to pet's bedding and in sleeping quarters, particularly in corners, cracks and crevices.

Carpet Application: Sprinkle lightly over carpet and work into nap with broom or carpet rake. Vacuum carpet 48 hours after application to remove dust. Reapply when flea infestations are apparent.

Roaches, Slugs, Ants, Earwigs, Grasshoppers, Crickets, Silverfish, Millipedes, Centipedes, Sowbugs, Pill Bugs, Lice, Mites, Box Elder Bugs, and Carpet Beetles: Apply Crop Guard in areas frequented by these pests such as cabinets, drawers, cupboards and in cracks and crevices. Build a barrier about ¼" high that pest will crawl through. Remove and replenish as necessary.

Product Description: Crop Guard diatomaceous earth acts on insects physically by abrading the exterior skeleton and dehydrating the insect. Crop Guard insect control utilizes the physical qualities of diatomaceous earth.

Storage and Disposal: Do not contaminate water, food or feed by improper storage or disposal.

Storage: Store in a cool dry place.

Pesticide Disposal: Product waste resulting from the use of Crop Guard may be disposed of on-site or at an approved waste disposal site (check local regulations).

Container Disposal: Completely empty bag into application equipment. Then dispose of empty container in a sanitary landfill or by incineration or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Precautionary Statement

Hazards to Humans and Domestic Animals

Caution: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Use adequate ventilation and avoid breathing dust. Wear a suitable dust mask when using this product during prolonged exposure.

For further information contact Eagle-Picher Minerals, Inc.
At (775) 824-7600