

X 7615-8 PM 32

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS
PRODUCT IN A MANNER
INCONSISTENT WITH ITS LABELING

SPA WATER CARE

Effective use of all spa sanitizers depends on maintaining proper water balance. The following ranges are highly recommended:

pH 7.4 - 7.8

Total Alkalinity 125-150 ppm

Calcium Hardness 200-300 ppm

Residual Available Chlorine 2.0-3.0 ppm

Cyanuric Acid (Indoors) 0 ppm, (Outdoors) 30 ppm

DIRECTIONS

Use one-quarter ounce of Formula 2 Spa Sanitizer per 250 gallons of water as an initial treatment. Repeat the procedure until a residual of 2.0 to 3.0 ppm is established. Frequent testing to determine additional doses needed to maintain the proper residual is highly recommended. Use a reliable test kit with fresh solutions for pH and chlorine testing.

If a need for superchlorination arises, use one-half ounce of Formula 2 Spa Sanitizer per 250 gallons of water. Bathers should not enter the spa until the available chlorine residual falls to 3.0 ppm.

Before using the spa, shower in order to avoid adding soap, lotions, or oils from the body into the water. Do not add food or beverages to the water. Avoid overloading the spa.

If the spa is used daily, it should be drained completely and fresh-filled about once a month.

STORAGE AND DISPOSAL

Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate water, food, or feed by storage or disposal, or cleaning of equipment.

formula 2[®] Spa Sanitizer

ADD

TWO level teaspoons weigh One-quarter ounce


EPA Reg. No. 7675-8
EPA Est. No. 7675-NC-1
Patent No. 3171814



LITHCO

Lithium Corporation of America

Bessemer City, North Carolina
A subsidiary of Gulf Resources & Chemical Corporation
FMC




Active Ingredient, lithium hypochlorite - 29%
Inert Ingredients - 71%
CONTAINS 35% AVAILABLE CHLORINE

KEEP OUT OF REACH OF CHILDREN.

DANGER

SEE OTHER PRECAUTIONS
AND FIRST AID ON SIDE PANEL

NET WEIGHT 2 LBS.



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER:

Highly corrosive Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

PHYSICAL AND CHEMICAL HAZARDS
STRONG OXIDIZING AGENT:

Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reuse container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

PRACTICAL TREATMENT (FIRST AID):

If swallowed: Feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately.

If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If in eyes: Flush with cold water for at least 15 minutes. Get medical attention.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with a NPDES Permit. For guidance contact the regional office of EPA.