

# Lithco Sodium Hypochlorite 150

Active ingredient Sodium Hypochlorite ..... 12.5%  
Inert ingredients: ..... 87.5%

**KEEP OUT OF REACH OF CHILDREN**

## DANGER

### STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

If contact with eyes occurs, flush with water for at least 15 minutes. Get prompt medical attention.

If contact with skin occurs, wash with plenty of soap and water.

If swallowed, drink large quantities of milk or gelatin solution. If these are not available, drink large quantities of water. DO NOT give vinegar or other acids. DO NOT induce vomiting. Get prompt medical attention.

(See additional precautions below.)

### PRECAUTIONARY STATEMENTS:

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear face shield or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waterways unless in accordance with an NPDES permit. For guidance, contact the regional office of the U.S. Environmental Protection Agency.

#### PHYSICAL OR CHEMICAL HAZARDS

**STRONG OXIDIZING AGENT:** Mix only with water according to label directions. Mixing this product with chemicals (e.g., ammonia, acids, detergents, etc.) or organic matter (e.g., urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

EPA Reg. No. 7675-14

Manufactured by  
Lithco Corporation of America  
A subsidiary of FMC Corporation  
Bessemer City, NC 28016

EPA Est. 7675-NC-1

**LITHCO**

### STORAGE & DISPOSAL

Store this product in a cool dry area away from direct heat or sunlight to avoid deterioration. In case of spill, flood area with large quantities of water. Product or rinsates that cannot be used should be diluted with water and disposed in a sanitary sewer. Return empty truck tank to manufacturer for recondition and reuse. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.


## Lithco Sodium Hypochlorite 150

### MANUFACTURING USE ONLY

For manufacturing use only in the formulation of end-use products intended as

- sanitizers of surfaces (e.g., wooden butcher blocks, stainless steel tops, concrete floors, tile walls); or
- sanitizers of commercial and household laundry; or
- agents to wash or assist in lye peeling of fruits and vegetables; or
- agents to help control microorganisms on eggs for human consumption; or
- disinfectants of poultry drinking water; or
- disinfectants of human drinking water (emergency/public/individual), swimming pool water, Hubbard/immersion tank water, spas/hot tub, hydrotherapy pools, human drinking water systems (e.g., water mains); or
- disinfectants of nonporous hard surfaces (e.g., tile, glass, stainless steel, fiberglass); or
- agents to help control microorganisms in sewage, wastewater, industrial and pulp and paper process water systems; or
- algicide/slimicides in cooling towers or evaporative condensers; or
- sanitizers of dialysis machines; or
- sanitizers of toilet bowls; or
- agents to help control algae and bacteria in fish and lobster ponds/tanks and conditioning oysters; or
- agents to help control slime on boat bottoms; or
- agents to sanitize and deodorize artificial sand beaches; or
- agents to kill scavenger fish in fish hatchery ponds.

Reformulators and repackagers of this product must obtain their own registrations from the Environmental Protection Agency.



**BEST AVAILABLE COPY**

# Lithco Sodium Hypochlorite 150

Active ingredient Sodium Hypochlorite ..... 12.5%  
Inert ingredients ..... 87.5%

**KEEP OUT OF REACH OF CHILDREN**

## **DANGER**

### **STATEMENT OF PRACTICAL TREATMENT (FIRST AID)**

If contact with eyes occurs, flush with water for at least 15 minutes. Get prompt medical attention.

If contact with skin occurs, wash with plenty of soap and water.

If swallowed, drink large quantities of milk or gelatin solution if these are not available, drink large quantities of water. DO NOT give vinegar or other acids. DO NOT induce vomiting. Get prompt medical attention.

(See additional precautions below.)

### **PRECAUTIONARY STATEMENTS:**

#### **HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER:** Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear face shield or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waterways unless in accordance with an NPDES permit. For guidance, contact the regional office of the U.S. Environmental Protection Agency.

#### **PHYSICAL OR CHEMICAL HAZARDS**

**STRONG OXIDIZING AGENT:** Mix only with water according to label directions. Mixing this product with chemicals (e.g., ammonia, acids, detergents, etc.) or organic matter (e.g., urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.


EPA Reg. No. 7675-14

Manufactured by

EPA Est. 7675-NC-1

**LITHCO**

Lithium Corporation of America  
A subsidiary of FMC Corporation  
Bessemer City, NC 28016



**BEST AVAILABLE COPY**