

0909

Reg # 7693-1

PM-17

12/6/70

181

07041

# Stoner

## A415

# Insect Spray

**KILLS ROACHES, SILVERFISH<sup>1</sup>, ANTS  
FLIES, GNATS, MOSQUITOES, WASPS,  
HORNETS AND OTHER INSECTS.**

<b>ACTIVE INGREDIENTS:</b>	
Pyrethrin	0.50%
Pyrethrin I, Isomer	0.75%
100% Purity Dicyclohexyl dimethylcarbamate	0.40%
Inert ingredients	98.35%

<sup>1</sup>Equivalent to 57% (100% Purity) Dicyclohexyl dimethylcarbamate and 1.43% other inert compounds.  
\*EPA Reg. No. 7693-1, Insecticide Spray.

**CONTENTS UNDER PRESSURE. HARMFUL OR FATAL  
IF SWALLOWED. VAPOR HARMFUL. SKIN AND EYE  
IRRITANT. Read carefully other cautions on back panel.  
KEEP OUT OF THE REACH OF CHILDREN.**

**Net Weight 16 oz. (1 lb.) 454 grams**

## A415 Insect Spray

Stoner Insect Spray can be used to quickly drop and kill most flying and crawling insects. Heavy duty formulation instantly paralyzes insects before they can get away. Use on windows, floors, cracks and openings where insects may enter. Great for basements, garages, porches, yards and other areas where nuisance bugs are found.

**DIRECTIONS:** Shake well before using.

1. For flying insects such as flies, gnats, mosquitoes, wasps, and hornets, spray room towards ceiling. Fill the room with mist or spray 2 to 5 seconds per 1,000 cubic feet. Leave room immediately after spraying. Close off room while spraying and for 15 minutes afterward. Ventilate room after treatment.
2. For roaches and silverfish, spray into cracks and around doors and floors.
3. For ants, spray ant trails, and around window frames, door sills, or wherever ants may enter.
4. For further insect control, thoroughly spray floors, floor coverings, and floors and bedding where animals sleep. Replace treated bedding with fresh bedding.

Do not spray on skin or animals. Wash with soap and water after using. Avoid inhalation of mist. Avoid contamination of feed and foodstuffs. Remove birds, fish bowls, and other pets from rooms being sprayed.

**CAUTIONS: CONTENTS UNDER PRESSURE.** Do not store or use near heat, sparks, or open flame. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120° F. High temperatures may cause bursting. Keep out of the reach of children. Contains: 1,1,1 Trichloroethane, Petroleum Distillates, Difluorochloromethane

**HEALTH HAZARDS: HARMFUL OR FATAL IF SWALLOWED.** Do not ingest. **VAPOR HARMFUL.** Use only in a well ventilated area. Avoid prolonged breathing of vapor. Exposure to high level may result in signs of nervous system depression, and irritation of the nose and throat. **SKIN AND EYE IRRITANT.** Wear skin and eye protection. Avoid contact with eyes and prolonged or repeated contact with skin. For more specific health and safety information, please refer to the Material Safety Data Sheet available for this product from your employer or Stoner, Inc.

**FIRST AID:** If swallowed, call physician immediately. If overcome by vapors, remove person from contaminated area. If not breathing, artificial respiration should be administered by qualified personnel. Do not give epinephrine. For eye contact, flush thoroughly with water for 15 minutes. For skin contact, wash thoroughly with warm soapy water.

**STORAGE:** Store in an area inaccessible to children.

**DISPOSAL:** Wrap empty container and discard in trash. Do not puncture or incinerate. Do not reuse empty container.

EPA Est. 07693-PA-1 • EPA Reg. No. 7693-1

**STONER**  
INCORPORATED

P.O. Box 65 • Quarryville, PA 17586 • (717) 786-7355

**Not Reviewed.** Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.