7698-2	1 01/27/20	103		
C. JHI TEO FTA NES.	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C)	EPA Reg. Number: 7698-21	Date of Issuance: JAN 27 2003	
The secret of th	401 M St., S.W. Washington, D.C. 20460 NOTICE OF PESTICIDE	Term of Issuance: Conditional Registration		
(under FIFRA, as amended)	der FIFRA, as amended)		Name of Pesticide Product: Rolyx Fescue Mag	
Name and Address of Registrat Hubbard Feeds, I 424 N. Riverfront	nc.	t ,		

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

- 2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, EPA Reg. No.7698-21
- 3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

Elud Cel

George LaRocca Product Manager 13 Insecticide Branch Registration Division (7505C)

enclosure

Signature of Approving Official: Date:



For Beef and Dairy Cattle On Pasture, and Stocker Cattle


(Contains Rabon® Oral Larvicide)

Contains RABON¹ to prevent the development of Horn Flies, Face Flies, House Flies and Stable Flies in the manuce of treated cattle

ACTIVE INGREDIENT

Tetrachlorvinphos. (Z)-2-chloro-1-(2,4,5-trichlorophenyl)	
vinyl dimethyl phosphate	0.56%*
INERT INGREDIENTS	99.44%**
Each pound contains 2 54 g RABON	100.00%
**Refers only to ingredients which are not larvicidal	

GUARANTEED ANALYSIS



INGREDIENT STATEMENT

Molasses products, plant protein products, magnesium oxide, monocalcium phosphate, dicalcium phosphate, hydrolyzed vegetable oil, calcium carbonate, manganese sulfate, zinc sulfate, copper sulfate, copper chloride, ethylenediamine dihydriodide, calcium iodate, cobalt carbonate, sodium selenite, vitamin A acetate, vitamin D₃ supplement, vitamin E supplement, thiamin mononitrite.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store product in a cool, dry warehouse in the original container. Disposal: Allow animals to completely empty container. Then return containers for recycling or dispose of empty containers in a sanitary landfill. Do not burn containers. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal

facility. When fed to cattle, ROLVXM-FLISCUE MAG passes through the digestive system into the

animal's manure where it kills fly tantae on contact shortly after fly eggs hatch. By preventing larval gevelopment, ROLVXTM-FESCUE MAG helps to control horn flies and face flies on pasture and house flies and stable flies in and around lots and buildings.

EPA REG. NO. 7698-xx RABON' IS A REGISTERED TRADEMARK OF BOEHRINGER INGELHEIM VETMEDICA, INC. EPA EST. NO. 7698 - CD - 003 • 7698 - MN - 003 • 7698 - CA - 001 • 7698 - TX - 001

329B-21

250 Lb.

P OUT OF REACH OF CHILDREN UTION HAZARDS TO HUMANS AND DOMESTIC ANIMALS

PRECAUTIONARY STATEMENTS Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing, Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum using tobacco or using the toilet

First Aid

lf swallowed	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vorniting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye Call a poison control center or doctor for treatment advice.
Have the product container or also contact 1-800-424-9300 f	label with you when calling a poison control center or doctor, or going for treatment. You may or emergency medical treatment.
Note to Physician/Veterinariar atropine sulfate by injection is	NOTE TO PHYSICIAN This product is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition are presen antidotal. 2-PAM is also antidotal and may be administered, but not in conjunction with atroping
Follow manufacturer's instruct	PERSONAL PROTECTIVE EQUIPMENT I shirt and pants; chemical resistant gloves; shoes and socks for protection when handling. USER SAFETY REQUIREMENTS stions for cleaning/maintaining personal protective equipment. If no such instructions for wash water. Keep and wash personal protective equipment separately from other laundry.

USER SAFETY RECOMMENDATIONS Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **ROLYXTM-FESCUE MAG** supplement is designed for self-feeding to grazing cattle and stocker cattle. Place containers in dry spots near loafing areas and watering locations. Feed at the rate of one container for every 20-50 head. A minimum of two (2) containers may be required in small groups of animals to ensure proper accessibility. Free-choice consumption will depend on size of the animals fed, seasonal weather conditions, as well as quality, source and availability of other feeds. Provide free access to clean, fresh water at all times. **ROLYXTM-FESCUE MAG** supplement contains no salt. Provide salt free choice.

When free-choice feeding ROLYXTM-FESCUE MAG, cattle should consume 0.83 pounds of ROLYXTM-FESCUE MAG per 100 pounds of body weight per month. This will supply the recommended average daily intake of 70 mg RABON• Oral Larvi-cide per 100 pounds body weight. Animals should not be starved for minerals before initiation of the RABON• program is started. Put out no more than a two to three week supply at a time.

If consumption of ROLYXTM-FESCUE MAG is above 0.83 pounds per 100 pounds of body weight per month, reduce the number of feeding locations or relocate the containers. If consumption is below 0.83 pounds per 100 pounds of body weight per month, increase the number of feeding locations. Start feeding ROLYXTM-FESCUE MAG early in the spring before the flies begin to appear, and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

ROLYX[™]-FESCUE MAG may be fed until slaughter and to lactating cattle.

ROLYXTM-FESCUE MAG prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated animals, but, is not effective against existing adult flies. When starting a feeding program during the fly season, it is desirable to use other control measures to reduce the population of existing adult flies.

In some cases, supplemental fly control measures may be needed in and around lots and buildings to control adult house flies and stable flies which can breed not only in manure but in other decaying vegetable matter or sitage on the premises.

In order to achieve optimum fly control, ROLYXTM-FESCUE MIAG should be used in conjunction with other good management and sanitation practices.

WARNING: This product, which contains added copper, should not be fed to sheep or other species that have a low tolerance to supplemental copper.



Manufactured For: **HUBBARD FEEDS INC** Mankato Minnesota 56001 CRYSTALYX[™] is a registered trademark of RIDLEY BLOCK OPERATIONS



113.4 kg