

HOW TO APPLY: LANSCAPER gives best results when applied directly to the soil or when undesirable plant is completely wet with diluted solution. (See Right-hand column).

WHEN TO APPLY: For best results, apply LANSCAPER from August through November in areas of light winter rainfall ( 8 to 20 inches). In areas of heavy winter rains ( 20 inches or more) applications should be made in the Spring. Excessive rainfall may carry the chemical through the root zone too rapidly and insufficient rainfall may not carry it into the lethal zone, resulting in poor control of grasses and weeds. High soil temperatures tend to reduce killing effects of LANSCAPER.

#### RATES TO USE:

**PERENNIAL GRASSES:** To control such perennial grasses as Johnson, Bermuda, quack, para and others, apply at the rate of 5 to 6 pints per 100 square feet.


**PERENNIAL BROAD-LEAVED WEEDS:** To control such weeds as bindweed, Canada thistle, leafy sponge, Russian knapweed, Hoary cress and other hard-to-kill perennial, apply at the rate of 6 to 8 pints per 100 square feet.

**SPOT TREATMENT:** For treating small areas, LANSCAPER may be applied with a low pressure sprayer at the rate of 5 to 6 pints per 100 square feet. Thoroughly wet the foliage and dampen the soil surface under the plants.

**DO NOT APPLY LANSCAPER WHERE IT MAY LEACH OR BE WASHED INTO ROOTS OF DESIRABLE PLANTS.**

**NET CONTENTS:**

Manufactured by:  
**CHEMICAL SPECIALTIES, INC.**  
149 West Trigg Avenue  
Memphis, TN. 38106-2699



**A NONSELECTIVE, WATER SOLUBLE HERBICIDE FOR THE CONTROL OF BOTH PERENNIAL GRASSES AND DEEP ROOTED BROAD-LEAVED WEEDS ON NON-AGRICULTURAL LAND.**

#### ACTIVE INGREDIENTS:

Sodium Chlorate ..... 22.15%

#### INERT INGREDIENTS:

Water ..... 60.03%

Sodium tetraborate ..... 11.42%

Sodium hydroxide ..... 6.40%

**TOTAL:** ..... 100.00%

Each gallon of LANSCAPER contains 2.37 lbs of sodium chlorate with a fire retardant.

E.P.A. REG. NO. 7701-34

E.P.A. EST. NO. 7701-TN-1

**KEEP OUT OF REACH OF CHILDREN**

**⚠ DANGER**

#### STATEMENT OF PRACTICAL TREATMENT

**In Case of Contact with EYES:** Flush eyes with water for 15 minutes. Get medical attention.

**In Case of Contact with SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.

**If SWALLOWED:** Drink promptly a large quantity of milk, egg whites, gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

(Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.)

Manufactured for

## GENERAL WEED KILLER

**HAZARD TO HUMANS & DOMESTIC ANIMALS  
DANGER**

**CORROSIVE.** Causes eye damage. Harmful or fatal if swallowed. Do not get in eyes or on clothing. Wear goggles or face shield when handling. Harmful if absorbed through skin. Avoid contact with skin. Wash thoroughly after handling. Remove contaminated clothing before reuse.

**ENVIRONMENTAL HAZARD:** Keep out of lakes, streams, ponds. Do not apply when weather conditions favor drift to target area.

It is a violation of Federal Law to use LANSCAPER in a manner inconsistent with its labeling.

#### DIRECTIONS FOR USE

Dilute one gallon of LANSCAPER WEED KILLER with 10 gallons of water. Spray to wet plants thoroughly. This will kill annuals and will knock down top growth of perennials. **FOR USE ON GRASSES** use 5 to 6 pints per 100 square feet in sufficient water for uniform coverage.

**FOR CONTROL OF WEEDS AND VINES** treat soil 6 feet below vegetation to kill creeping underground roots.

**FOR USE PRIOR TO ASPHALT PAVING:** Treat compacted soil at rate of 4 to 5 pints LANSCAPER per 100 sq. ft.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, handling or cleaning of equipment.

**STORAGE:** DO NOT STORE OR TRANSFER THIS PRODUCT INTO ALUMINUM TANKS OR EQUIPMENT.

Storage must be in a cool place, in a fire resistant area where you have acids, solvents or oils stored.

**DISPOSAL:** Triple rinse (or equivalent). Offer to responsible party for puncture and dispose in a sanitary landfill (Use local guidelines). Do not reuse container.

7701-34