POP DEDUCTION OF GOUSEFLY AND LOSQUIRG POPULATIONS AND TAXABLE OF CONTROLORS

Insection of four gallons of stica le colvert or dielet fuel. For residual effect adjust machine for a course wet spray and apply to sever man holes, garbage dum, s. around luilding foundations, and garbage can storage racks, city dumys, assass disposal areas and alleways. Thoroughly Det all surfaces. Repeat treatment when necessary, so attempt should be made to control files and measures by using this as a space spray but rather as a method of killing eggs and larvae.

THROUGH THE SKIE. AVOID BREATHING SPINY MIST. AVOID CONTACT WITH SKIE, LYES OR CLOTHING. IF SWALLOWED SIT FROMPT OF BICAL ATTEMTION. ASSOCIATE IS ENTIROTAL. IN CASE OF SKIE CONTACT WASH THORGOGILY WITH SOME AND MATERIAN HEAD ANTER DEATH. FOR MY CONTACT WASH WITH SALE. SELECTION OF SKIED SHAPE STATE OF STATE OF STATE.

AVOID COLANIESCIOLOR F. FE ON AVORATORE CON AMP SPINO COLE COLE CROME COL GROW.

O'TO DESCRIPTION AND ALLEY FIRM OF ADMITTED AND ALLEY OF COMMISSION AND ALLEY AND ALLEY OF COMPANY AND ALLEY AND ALL

FOR NEW IN SPECIALISE FORESTA

THE IN THE COMPROL OF PLIES, MOSQUITOS AND CERTAIN OTHER INSECT PESTS

TOTAL THE CONTENT OF THE CONTENT OF

acufacture in the seminated formulation, The. 777 F. aim officet 39196

Aromatic Petrole

- \* Technical Chlord
- \*\* Halathion ----
- \* Aguivalent to 7. indere and 4.8% }
- \*\* Consists of \$-0-0 reresolutionate

in cold or freezing life will rot sare to to room temperature

ACCE

UNDER THE TED FUNCICIDE AND FOR ECONOMIC TED UNDER VO?

ACCEPTED

UNDER THE PEOFAL INSECTIONS

PALE CADE OF ROOM REGION AND

THE TALL THE PEOFAL INSECTIONS

PALE THE PEOFAL INSECTIONS

THE TALL THE PEOFAL INSECTIONS

T

Canuarity

(FRONT PANEL)

Animal Repellents, Inc. Griffin, Georgia

BEE BOP

Net Weight 1-1/2 oz. avoir.

CAUTION: HARMFUL IF SWALLOWED. KEEP OUT OF REACH OF CHILDREN. Read precautionary label on rear panel.

## (REAR PANEL)

Kill Wasps, Yellow Jackets, Bees, Hornets from a distance of seven feet. Quick Knock-Down and Kill!

DIRECTIONS FOR USE: Spray nest, crevice or hole where insects are; also spray around area until wet for residual killing action. Do not spray indoors, but may be used in factories, warehouses, or on porches. If it is windy, be sure that the wind is at your back.

## ACTIVE INGREDIENTS:

Pyrethrins	.15%
Piperonyl Butoxide*	.30%
N-Octyl Bicycloheptene Dicarboximide	.50%
Chlordane (Technical) **	2.00%
Petroleum Distillate	84.05%

INERT	INGREDIENTS: .	 							•	•	13.00%
											100.00%

- \*Equivalent to 0.24% (butylcarbityl)(6-propylpiperonyl) ether and 0.06% related compounds.
- \*\*Equivalent to 1.2% octachloro-4,7-methanotetrahydroindane and 0.8% of related compounds.

CAUTION: If swallowed do not induce vomiting. Call physician immediately. Repeated or prolonged contact with skin can cause toxic symptoms. Wash hands well with soap and water after using or skin contact. Do not apply to perons, pets, or vegetation. Avoid breathing of spray mist. Avoid contamination of feed or foodstuffs. Do not store above 120°F. Contents under pressure. Do not puncture or incinerate container. Do not place in direct sunlight, on radiators, stoves, or other sources of direct heat.

ACCEPTED

USDA Reg. No.\_\_\_