

Feb 5, 1972

### ACTIVE INGREDIENTS:

Pyrethrins -- .050%, \*Piperonyl butoxide, technical -- .100%, \*N octyl ticlophos dicarboximide -- .166%, \*\*O-isopropoxyphenyl methylcarbamate -- 1.00%, Petroleum distillate -- 80.631%.

### INERT INGREDIENTS:

18.000%. \*Consists of .08% (butylcarbitol) (6 propylpiperonyl) ether and .02% related compounds. \*\*MGK 264, Insecticide Synergist. \*\*Bargen, U.S. Pat. No. 3,111,535.


**WARNING:** Flammable! Contents under pressure. Do not use near fire, sparks or flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

**CAUTION:** May be harmful if swallowed. Inhalation absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should be avoided. Wash thoroughly with soap and warm water after handling. Avoid contamination of food, utensils and food preparation areas. Remove pets and cover fish bowls before spraying. If poisoning occurs, get prompt medical aid.

#### TO PHYSICIAN - ATROPINE SULFATE IS ANTIDOTAL.

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in service areas while food is exposed.

**FLAMMABLE** -- DO NOT SPRAY INTO OR NEAR OPEN FLAME. DO NOT SMOKE WHILE USING.



# TIME-MIST<sup>®</sup> Roach Ant Spider Spray

Insect Killing Power Lasts  
for 1 to 2 Weeks Indoors

Kills Ants, Roaches, Spiders and  
other crawling insects in and  
around Schools, Theaters, Ware  
houses, Motels, Hotels and Other  
Industrial Establishments.

**CONDITION**: EXTERIOR OR EXPOSED AREAS  
DO NOT SPRAY ON PLANTS OR DIRECTLY ON LEAVES.

Ref. A-17-1972

This formulation provides a residual kill of the crawling insects listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. Spray residues kill insects many weeks after the spray deposit has dried. ANTS BROWN DOG TICKS, CLOVER MITES, CRICKETS, EARWIGS, FLEAS, MILLIPEDES, ROACHES SAW-TOOTHED GRAIN BEETLE (exposed stage), SCORPIONS, SILVERFISH, SOWBUGS, SPIDERS.

### DIRECTIONS:

**General:** Spray only on surfaces. Do not use as a space spray. Spray surfaces until wet. Point spray away from people, plants and pets.

**INDOOR USE:** Spray into cracks, crevices, around baseboards, and other places where insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves and in and around waste containers. Repeat as needed. Do not spray foodstuffs or house plants. For ants, spray trails and places where ants enter premises. Do not allow children to contact treated surfaces until surfaces are completely dry.

**BROWN DOG TICKS:** Spray sleeping quarters of pets, around baseboards, window and wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

**OUTDOOR USE:** Spray on infested areas thoroughly, including outside of houses, office buildings, walls, trees, foundations, porches, decks, places where birds roost, under the eaves, spray along walkways, key lines, utility poles. Do not spray spray drift.

MAX. EXPOSURE TIME  
TIME MISTING AS SOON AS  
GENERAL TIME  
X  
MAINTAIN CONCENTRATION DURING