

When used as directed, this product will aid in controlling and/or preventing the development of unsanitary slime conditions which are unsightly, produce foul odors and which are often the cause of equipment breakdown.

DIRECTIONS FOR USE

Initial Dose: Slug dose 1-2 gallons per 1000 gallons of water in the system when microbial growths are visible. Repeat as needed until control is evident.

Periodic or Subsequent Dose: In systems where microbial control is evident, feed 1-3 quarts to 5000 gallons of water in the system every 7 days or sooner should visible growth appear.

Add this product on distribution decks, sewer basin or sump.

For best results, rid system of organic debris if possible. If soap or anionic detergent is used, rinse thoroughly before charging with this product.

Do not be alarmed with the sudden appearance of a considerable amount of organic debris in the system during the first week of operation. This is normal and is a good indication that this has effectively penetrated and dislodged dead organic material which tenaciously adheres to metal and wooden surfaces as living matter.

This product is compatible with virtually all corrosion inhibition additives, but should not be used in the presence of soap or other anionic detergents.

DAIRY FARMS

After cleaning and just prior to use, sanitize Dairy Farm Equipment by spraying, circulating or immersion in a 200 ppm available chlorine solution. To prepare, add one ounce to Besco Algaecide to each 4 gallons of water used. Expose equipment to the sanitizing solution for at least 2 minutes or as specified by local regulations.

DAIRY PLANTS

EQUIPMENT

After cleaning and just prior to use, sanitize equipment by spraying, circulating, or immersion in a 200 ppm available chlorine solution. To prepare, add one ounce of Besco Algaecide to each 4 gallons of water used. Expose equipment to the sanitizing solution for at least 2 minutes or as specified by local regulations.

BOTTLES

After cleaning and immediately before filling, sanitize bottles with a 50 ppm available chlorine solution. To prepare, add 1 ounce of Besco Algaecide to each 16 gallons of water.

CONCENTRATION CHART

Available Chlorine	Besco Algaecide
50 ppm	1 ounce to 16 gallons
100 ppm	1 ounce to 8 gallons
200 ppm	1 ounce to 4 gallons

BESCO ALGAECIDE

FOR INDUSTRIAL RE-CIRCULATING WATER COOLING SYSTEMS AND DAIRY PLANTS

HELPS KEEP WATER SYSTEMS CLEAR AND FREE OF BACTERIAL & ALGAL SLIMES

ACTIVE INGREDIENTS:

Sodium Hypochlorite 10%
 INERT INGREDIENTS 90%

EPA REG. NO. 7718 -
 EPA EST. NO. 7718-LA-01

NET CONTENTS GALLONS

DANGER: KEEP OUT OF REACH OF CHILDREN. (See right panel for First Aid and additional precautions) Rinse empty container thoroughly with water.

MANUFACTURED BY
BESCO EXPORTING CORP.
 MANUFACTURING CHEMISTS SERVING
 Industrial - Municipal - Commercial

P. O. BOX 173 • 200 N. MYRTLE
 METAIRIE, LOUISIANA 70004

BEST DOCUMENT AVAILABLE

GENERAL

CONSULT FEDERAL, STATE OR LOCAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS, OR BURY IN A SAFE PLACE

ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER SUPPLIES OR FEEDS BY STORAGE OR DISPOSAL
- OPEN DUMPINGS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDES MAY INCLUDE PESTICIDES THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish. Do not enter lakes, streams, ponds or pools unless in accordance with a NPDES. For guidance contact your Regional Environmental Protection Agency

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMEST ANIMALS

DANGER:

Keep Out of Reach of children. Harmful if Swallowed. Skin and eye contact cause severe irritation. Avoid contact with skin and eyes.

FIRST AID

If on skin, flush skin with plenty of soap and water. If in eyes, flush with plenty of water for at least 15 minutes. Get prompt medical attention. If swallowed, drink large quantities of milk, whites, gelatin solution, these are not available. Drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

used as directed, this product is effective in controlling and/or preventing development of unsightly slimes which are unsightly, produce odors and which are often the cause of equipment breakdown.

DIRECTIONS FOR USE

Preparation: Slug dose 1-2 gallons per million of water in the system. Microbial growths are visible, as needed until control is evident.

Preventive or Subsequent Dose: In systems where microbial control is evident, add 1-3 quarts to 5000 gallons of water in the system every 7 days or when visible growth appears.

Apply product on distribution decks, basins or sumps.

For best results, rid system of organic material as much as possible. If soap or anionic detergent is used, rinse thoroughly before applying with this product.

Do not be alarmed with the sudden appearance of a considerable amount of debris in the system during the first week of operation. This is normal. It is a good indication that this product has actively penetrated and disintegrated dead organic material which has previously adhered to metal and wood surfaces as living matter.

This product is compatible with virtually all corrosion inhibition additives, but should not be used in the presence of other anionic detergents.

STORAGE AND DISPOSAL

CONTAMINATE WATER, FOOD OR FEED BY ACCIDENTAL LEAKAGE OR SPILLAGE.
 STORAGE: DO NOT STORE IN UNLIDED CONTAINERS.
 PUMP: PUMPS PROHIBITED.
 REUSE EMPTY CONTAINER

DAIRY FARMS

After cleaning and just prior to use, sanitize Dairy Farm Equipment by spraying, circulating or immersion in a 200 ppm available chlorine solution. To prepare, add one ounce to Besco Algaecide to each 4 gallons of water used. Expose equipment to the sanitizing solution for at least 2 minutes or as specified by local regulations.

DAIRY PLANTS

EQUIPMENT

After cleaning and just prior to use, sanitize equipment by spraying, circulating, or immersion in a 200 ppm available chlorine solution. To prepare, add one ounce of Besco Algaecide to each 4 gallons of water used. Expose equipment to the sanitizing solution for at least 2 minutes or as specified by local regulations.

BOTTLES

After cleaning and immediately before filling, sanitize bottles with a 50 ppm available chlorine solution. To prepare, add 1 ounce of Besco Algaecide to each 16 gallons of water.

CONCENTRATION CHART

Available Chlorine	Besco Algaecide
50 ppm	1 ounce to 16 gallons
100 ppm	1 ounce to 8 gallons
200 ppm	1 ounce to 4 gallons

ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS.

PESTICIDE DISPOSAL

PESTICIDE MIXTURES OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

BESCO ALGAECIDE

FOR INDUSTRIAL RE-CIRCULATING WATER COOLING SYSTEMS AND DAIRY PLANTS

HELPS KEEP WATER SYSTEMS CLEAR AND FREE OF BACTERIAL & ALGAL SLIMES

ACTIVE INGREDIENTS:

Sodium Hypochlorite 10%
 INERT INGREDIENTS 90%

EPA REG. NO. 7118 -
 EPA EST. NO. 7118-LA-01

NET CONTENTS GALLONS

DANGER: KEEP OUT OF REACH OF CHILDREN. (See right panel for First Aid and additional precautions) Rinse empty container thoroughly with water.

MANUFACTURED BY

BESCO EXPORTING CORP.

MANUFACTURING CHEMISTS SERVING
 Industrial - Municipal - Commercial

P. O. BOX 173 • 200 N MYRTLE
 METAIRIE, LOUISIANA 70004

BEST DOCUMENT AVAILABLE

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITY FOR APPROVED ALTERNATIVE PROCEDURES

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS, OR BURY IN A SAFE PLACE.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with a NPDES permit. For guidance contact your Regional Office of the Environmental Protection Agency.

**PRECAUTIONARY STATEMENTS
 HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS
 DANGER:**

Keep Out of Reach of Children. Harmful if Swallowed. Skin and eye contact may cause severe irritation. Avoid contact with skin and eyes.

FIRST AID:

If on skin, flush skin with plenty of soap and water. If in eyes, flush with plenty of water for at least 15 minutes. Get prompt medical attention.

If swallowed, drink large quantities of mild, egg whites, gelatin solution or if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.