

<b>US ENVIRONMENTAL PROTECTION AGENCY</b> <b>OFFICE OF PESTICIDES PROGRAMS</b> <b>REGISTRATION DIVISION (TS-767)</b> <b>WASHINGTON, DC 20460</b>	<b>EPA REGISTRATION NO.</b> 7729-7	<b>DATE OF ISSUANCE</b> NOVEMBER 12, 1987
	<b>TERM OF ISSUANCE</b> Until Reregistration	
	<b>NAME OF PESTICIDE PRODUCT</b> John Taylor Chemical 5% Sevin Bait	

**NOTICE OF PESTICIDE:** ☒ **REGISTRATION**  
☐ **REREGISTRATION**  
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

**NAME AND ADDRESS OF REGISTRANT (Include ZIP code)**

John Taylor Fertilizer Company  
P.O. Box 15289  
Sacramento, CA 95851

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
  - a. Add the phrase "EPA Registration No. 7729-7."
  - b. The Misuse Statement: "It is a violation of Federal law to use this product in a manner inconsistent with its labeling" must appear under the "Directions for Use" heading and preceding the use directions.
  - c. The heading below must be placed above the paragraph "May be harmful if swallowed. Avoid breathing . . . ."

Precautionary Statements  
Hazards to Humans and Domestic Animals

☐ ATTACHMENT IS APPLICABLE

**SIGNATURE OF APPROVING OFFICIAL** *Dennis H. Edwards* **DATE** 11/12/87

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

4. A 1-year storage stability study must be submitted for this product. This study must be submitted within 15 months from the date of this registration.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

Enclosures

**BEST AVAILABLE COPY**

**John Taylor Chemicals**

# 5% SEVIN\* BAIT

ACTIVE INGREDIENT:	BY WT.
Carbaryl (1-naphthyl N-methylcarbamate) .....	5%
INERT INGREDIENTS .....	95%
TOTAL .....	100%

\*Trademark of Union Carbide Corporation for the active ingredient  
1-naphthyl N-methylcarbamate.

## CAUTION

**CAUTION:** Keep out of reach of children and animals.  
May be harmful if swallowed. Avoid breathing vapors (dust or spray mist).  
Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.  
Do not take internally. Wear regular long-sleeved work clothing. Change to  
clean clothing daily.

To avoid contamination, do not ship or store with feed or foodstuffs.

## ANTIDOTE STATEMENT

ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. See NOTE  
TO PHYSICIAN below.

## STATEMENT OF PRACTICAL TREATMENT

of harvest for the above crops, except sorghum for grain with  
harvest or within 14 days if sugar beet tops are to be used for  
**Alfalfa, Clover and Peas:** Apply at the rate of 30 pounds per acre  
apply within 3 days of harvest.

**Asparagus:** Apply at the rate of 30 to 40 pounds per acre no  
day before harvest. Do not repeat applications within 3 days.

**Grapes:** Apply at the rate of 30 to 40 pounds per acre. No repeat

**Cucumbers, Melons, Pumpkin, Squash, Safflower and**  
(seedling stage only): Apply at the rate of 30 to 40 pounds per acre.

**NOTE:** The above dosage directions are for overall broadcast  
applications. If applied as a band application, reduce dosage

## ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates.  
Do not apply directly to water or wetlands. Do not contaminate  
cleaning of equipment or disposal of wastes.

**THIS LABEL TO THE PHYSICIAN.**

**IF SWALLOWED:** Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing, drink 1 to 2 glasses of water and induce vomiting by touching the back of the throat with finger.

**IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists.

**IF ON SKIN:** Wash thoroughly with soap and water.

**IF INHALED:** Move from contaminated atmosphere and call a physician.

**NOTE FOR PHYSICIAN:** Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. Do Not Use 2-PAM, opiates, or cholinesterase inhibiting drugs.

Consultation on therapy can be obtained at all hours by calling the Union Carbide emergency number (304) 744-3487.

**DIRECTIONS FOR USE**

For the control of Armyworms, Crickets, Darkling Ground Beetles and Earwigs on the following crops:

Broccoli, Cabbage, Cauliflower and Lettuce, (seedling stage only): Apply 30 to 40 pounds per acre. Do not apply within 3 days of harvest.

Corn, Sorghum, Tomatoes, Peppers, Beans, Carrots, Potatoes and Sugar Beets: Apply 30 to 40 pounds per acre. Do not apply within 3 days

**NOTICE:** The statements made on this label, or by any of our agents concerning this material, are given for information only. They are believed to be true and accurate, but because conditions of use which are of critical importance are beyond its control, John Taylor Fertilizers Co. does not make, nor does it authorize any agent or representative to make, any warranty, guarantee or representation, express or implied, concerning this material, except that it conforms to the chemical description on the label. Neither John Taylor Fertilizers Co. nor the seller shall be held responsible in any manner for any personal injury or property damage or other type of loss resulting to the buyer or to any person from the handling, storage or use of this material when used contrary to the label directions. The buyer assumes all risk and liability resulting from such handling, storage or use and accepts and uses this material on these conditions.

JFEC-#131-C

**JOHN TAYLOR FERTILIZERS CO.**

POST OFFICE BOX 15289  
SACRAMENTO, CALIFORNIA 95851

treatment area. Before applying, warn beekeepers to locate hives beyond bee flight range until one week after application or to take other equally effective precautions.

**CROP ROTATION STATEMENT**

Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl label(s).

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

LOT NO. \_\_\_\_\_

NET WEIGHT 50 POUNDS

**BEST AVAILABLE COPY**