

pm 19 7729-7

Page 1 of 2
Follow Copy

SEP 29 1992

Mr. Tad H. Gantenbein
John Taylor Fertilizers Co.
P.O. Box 15829
Sacramento, CA 95821

Dear Mr. Gantenbein:

Subject: Revised Labeling
John Taylor Chemicals 5% Sevin Bait
EPA Reg. No. 7729-7
Your submission of August 15, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling change given below before you release the product for shipment bearing the amended labeling.

In the Environmental Hazards statement change "wetlands" to "areas where surface water is present or to intertidal areas below the mean high water mark."

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide Rodenticide Branch
Registration Division (H7505C)

5% SEVIN* BAIT

| | |
|--|--------|
| ACTIVE INGREDIENT: | BY WT. |
| Carbaryl (1-naphthyl N-methylcarbamate)..... | 5% |
| INERT INGREDIENTS..... | 95% |
| TOTAL..... | 100% |

*Trademark of Union Carbide Corporation for the active ingredient 1-naphthyl N-methylcarbamate.

EPA Registration No. 7729-7

EPA Est. No. 2935-CA-1

CAUTION

CAUTION: Keep out of reach of children and animals

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

May be harmful if swallowed. Avoid breathing vapors (dust or spray mist). Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Do not take internally. Wear regular long-sleeved work clothing. Change to clean clothing daily.

To avoid contamination, do not ship or store with feed or foodstuffs.

ANTIDOTE STATEMENT

ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. See NOTE TO PHYSICIAN below.

STATEMENT OF PRACTICAL TREATMENT

GENERAL

Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately and SHOW A COPY OF THIS LABEL TO THE PHYSICIAN.

IF SWALLOWED: Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing, drink 1 to 2 glasses of water and induce vomiting by touching the back of the throat with finger.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash thoroughly with soap and water.

IF INHALED: Move from contaminated atmosphere and call a physician.

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. Do Not Use 2-PAL: opiates, or cholinesterase inhibiting drugs.

Consultation on therapy can be obtained at all hours by calling the Union Carbide emergency number (304) 744-3487.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For the control of Cutworms, Crickets, Darkling Ground Beetles and Earwigs on the following crops:

Broccoli, Cabbage, Cauliflower and Lettuce, (seedling stage only): Apply 30 to 40 pounds per acre. Do not apply within 3 days of harvest.

Corn, Sorghum, Tomatoes, Peppers, Beans, Carrots, Potatoes and Sugar Beets: Apply 30 to 40 pounds per acre. Do not apply within 3 days of harvest for the above crops, except sorghum for grain within 21 days of harvest or within 14 days if sugar beet tops are to be used for food or feed.

Alfalfa, Clover and Peas: Apply at the rate of 30 pounds per acre. Do not apply within 3 days of harvest.

Asparagus: Apply at the rate of 30 to 40 pounds per acre no later than one day before harvest. Do not repeat applications within 3 days.

Grapes: Apply at the rate of 30 to 40 pounds per acre. No time limitation.

Cucumbers, Melons, Pumpkin, Squash, Safflower and Sunflowers, (seedling stage only): Apply at the rate of 30 to 40 pounds per acre.

NOTE: The above damage directions are for overall broadcast treatments. If applied as a band application, reduce dosage accordingly.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

Bee Caution: This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Before applying, warn beekeepers to locate hives beyond bee flight range until one week after application or to take other equally effective precautions.

CROP ROTATION STATEMENT

Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl label(s).

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

LOT NO _____

NET WEIGHT 50 POUNDS

Under the
Pesticide
Law, this
product is
registered