

ROCCAL®-D

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR DISINFECTION OF ALL HARD INANIMATE SURFACES including floors, walls, examination tables, operating tables, diagnostic and therapeutic equipment and devices, furniture, cages, and carts.

Clean all surfaces with a suitable detergent and rinse thoroughly with water. Apply ROCCAL-D dilution by mop, sponge or spray to thoroughly wet the surfaces for at least 10 minutes before allowing the surfaces to air dry.

For use in veterinary hospitals and premises, and where effectiveness against *Pseudomonas aeruginosa* is required, apply ROCCAL-D at 1:200 dilution.

For use as a general disinfectant in areas such as kennels, runs, vehicles, animal bathing areas, laboratory animal facilities, and feedlot areas in barns, apply ROCCAL-D at 1:400 dilution.

FOR DISINFECTION OF EATING AND DRINKING UTENSILS for animals not intended as food sources for human consumption. Scrub and prewash with warm water, soak in ROCCAL-D 1:400 dilution for at least 10 minutes, and rinse with potable water. Prepare fresh solution daily, or sooner if it becomes soiled or diluted.

For use by professional and paraprofessional personnel in veterinary hospitals and other animal facilities.

PREPARATION OF USE DILUTIONS

DILUTION 1:400 Add 10 ml (2 teaspoons) of ROCCAL-D to 1 gallon of water.

DILUTION 1:200 Add 20 ml (4 teaspoons) of ROCCAL-D to 1 gallon of water.

Do not mix ROCCAL-D with soap or anionic detergents.

EPA Reg. No. 7733-3

(EPA EST-44 PA-1)

ROCCAL®-D

VIRUCIDE¹

DISINFECTANT • DETERGENT • DEODORANT

Active Ingredients	20.00%
Alkyl dimethyl benzyl ammonium chlorides (67% C ₁₂ , 25% C ₁₄ , 7% C ₁₆ , 1% C ₈ , C ₁₀ , and C ₁₈)	
Inert Ingredients	80.00%
Total Ingredients	100.00%

Dilute with water as directed

STORAGE AND DISPOSAL

STORAGE: Store in original container in areas inaccessible to small children. Keep securely closed. Do not contaminate food or feed.

DISPOSAL: Do not reuse empty container. Rinse thoroughly with water and detergent. Discard in trash.

¹Virucidal for *Canine Distemper virus*, *Canine Herpes virus*, and *Pseudorabies virus* at dilutions recommended for hard inanimate surfaces.

DANGER: Keep out of reach of children.

Corrosive to tissues. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling the concentrate. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

1 GALLON

ACCEPTED

NOV 25 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 7733-3



DISINF

Bacteric

Pseudo

Staphy

Strepto

Salmo

Salmo

Escher

Klebsi

Enteroc

Proten

Cotym

Virucic

Canine

Canine

Pseudo

at dicit

PA 11