



KILLS  
FLEAS



KILLS  
TICKS

## TOTAL RELEASE INDOOR - INSECT FOGGER

For use in Rooms, Apartments, Homes, Attics, Basements,  
Campers, Boats, Household Storage Areas,  
Garages, Pet Sleeping Areas, Cabins.

One Unit Treats Up to 8,000 Cubic Feet

### POTENT INGREDIENTS:

Trans Allethrin (allyl homolog of Chenn II)	300%
Related compounds	02%
Phenoxybenzyl diisobutyl "2,2-dimethyl-3-methylpropenyl cyclopropanecarboxylate	191%
C. formers	00%
Pentane distillate	14.477%

### INERT INGREDIENTS:

d-(+)-trans phenothiazine	
*cis/trans isomer ratio, max 25% trans	100.000%

## CAUTION KEEP OUT OF REACH OF CHILDREN

See back Panel for Additional Precautionary Statements

Flies, Mosquitoes, Cockroaches, Spiders, Centipedes,  
Fleas, Wasps, Ticks, Black Carpet Beetles,  
Saw-toothed Grain Beetles, Rice Weevils,  
Small Flying Moths, Pill Bugs,  
Crickets and Silverfish.

Net Weight 7.5 Ounces

ARI  
P. O. Box 999  
Griffin, Ga. 30223

EPA Reg. No. 7754-24

EPA Est. No. 7754-Ga-1

### Precautionary Statements Hazards to Humans and Domestic Animals

#### CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes: flush with plenty of water. Get medical attention if irritation persists. Avoid consumption of food and beverages.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

#### Physical Hazards

Corrosive - Vapors are irritants. Irritating to eyes. Irritating to skin. Irritating to mucous membranes.

### Directions For Use General Classification

Read entire label before using this product.  
Do not use near heat or flame.

### Storage and Disposal

Keep Store in a cool dry place away from heat and direct sunlight. Do not store in areas where food is handled or prepared.

This product controls Fleas, Mosquitoes, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Spiders, Centipedes, Fleas, Ticks, Wasps, Pill Bugs, Crickets and Silverfish. In Control of Cockroaches.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put up all lamps and closet lights.

Close doors and windows. Point valve opening away from face and eyes when releasing.

Use one unit for every 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or areas where flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before reentry.

**TO OPERATE VALVE:** To set valve in open position for automatic discharge, press valve button all the way down, holding the arm. Then place fogger on stand or shelf in the center of the room with valve locked open, pulling several layers of newspaper or pad under fogger. Leave building unoccupied and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two areas, or when necessary.

**To Kill Fleas:** Destroy beds and bedding and replace. Use proportions above. Treatings

and treat with care to avoid damage to fabrics.

**To Kill Fleas:** Use proportions above. Treatings

