PM 13 1954-119

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY 7754-48

543°


Until Reregistration

ARI Flying Insect Killer With Permethrin

ARI P.O. Box 510 Orchard Hill, GA 30266

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.
- Make the labeling changes listed below before you release the product for shipment.
- Add the phrase "EPA Registration No. 7754-48" to your label before you release the product for shipment.
- Under " Directions for Use" or " Precaputionary Statements" add the following limitations:Do not use in commercial Food/Feed Handling Establishments, restaurants or other areas where food/feed is commercially prepared or processed.
- 3. Submit five (3) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.



EPA Form 1320-1A (1/90)

Printed on Recycled Paper

"U.S. GPO 1994 522 503/82085 / 9

250

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6 (e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (13) Insecticide-Rodenticide Branch Registration Division (7505C)

Enclosures

ARI Flying Insect Killer with Permethrin

- * Contains Pyrenone® and Permanone®
- * Controls residential and garden insects
- For Household Use
- A broad spectrum insecticide highly effective against bees, black flies, blow flies, fruit flies, gnats, hornets, houseflies, mosquitoes, skipper flies, small flying moths, weeps, and other listed flying insects.

ACTIVE INGREDIENTS:

Pyrethrins	0.10%
*Piperonyl Butoxide, Technical	
**Permethrin	
INERT INGREDIENTS:	99,35%
	100.00%

Equivalent to min. 0.4% (butylcarbityl)(6-propylpiperonyl) ether and 1. 1% related compounds.

••(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2- dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

PYRAPERM, PYRENONE, and PERMANONE - Registered Trademarks of Roussel Uclaf Corporation.

EPA REG. NO. 7754


EPA EST. NO. 7754-GA-1

KEEP OUT OF REACH OF CHILDREN CAUTION STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing, apply artificial respiration, preferably mouth to mouth. Get medical attention.

SEE SIDE PANEL FOR USE PRECAUTIONS



ARI PO BOX 510 ORCHARD HILL, GA 30266

BEST COPY AVAILABLE

PRECAUTIONARY STATEMENTS **Hazards To Humans & Domestic Animals** CAUTION

Harmful if inhaled. Causes skin irritation. Do not get on skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying. Vacate room after treatment and ventilate before reoccupying.

Environmental Hazards

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

Physical Or Chemical Hazards
Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in conduits, motor housing, junctions and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store in a cool, dry area. Do not transport or store below 32°F. Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches. Remove birds and cover fish aquariums before spraying.

INDOORS:

HOUSEFLIES, FRUIT FLIES, MOSQUITOES, GNATS, WASPS HORNETS, BEES, BLACK FLIES, SKIPPER FLIES. BLOW FLIES AND SMALL FLYING MOTHS: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room dosed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects. Repeat treatment as necessary.

OUTDOORS:

Point spray nozzle away from faile. Held can on slight downward angle. For best results, spray when air is calm. Allow, a few minutes for product to take effect. Spray with wind if breeze is blowing.

FLYING INSECTS: FLIES, MOSQUITOES, GNATS, SMALL FLY-ING MOTHS, HORNETS AND YELLOW JACKETS. Allow fog to drift over area. Direct spray toward pushes, or grass from at least 4 to 6 feet away. Give special attention to brooding areas such as narbage cans and compost piles. Repeat as necessary.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.