. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460



NOTICE OF PESTICIDE:

x Registration
Reregistration

(under FIFRA, as amended)

7754-51
Term of Issuance:

Conditional

Name of Pesticide Product:

2 0 NOV 19951

ARI Yard & Patio Formula 1

Name and Address of Registrant (include ZIP Code):

ARI

PO Box 510

Orchard Hill, GA 30266

Note: Clar es in labeling differing in substance from that accepted in connection with this registration must be submit ed to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
 - 2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 7754-51".
 - b. Delete the last sentence under Environmental Hazards. This statement is not appropriate since this is an aerosol product and uses no other equipment to apply product.
 - c. Under Ornamental Garden Insects revise the first sentence of the second paragraph to read: "May be used on ornamental plants

Signature	of	Approving	Official

Date

EPA Form 8570-6		CONCURRENCES	
SYMBOL		***************************************	
SURNAME //Leloos	1		
DATE			

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COPY

page 2 EPA Reg. No.

- d. Your Confidential Statement of Formula lists the flashpoint as <70. Is this 70° F? If so, then at the minimum you must add "Flammable" to the Physical and Chemical Hazards. If the flash point is <20° F then you must add "Extremely Flammable." See 40 CFR 156.10 for more information.
- 3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Froduct Manager (13) Insecticide-Rodenticide Branch Registration Division (H7505C)

1

ARI

Yard & Patio Formula 1

- · Controls residential and ornamental garden insects
- · For household use
- A broad spectrum insecticide highly effective against ants, carpenter ants, bees, carpet beetles, centipedes, clover mites, cockroaches, crickets, earwigs, firebrats, fleas, grain beetles, millipedes, mole crickets, moths, pillbugs, scorpions, silverfish, sowbugs, spiders, ticks, wasps, and many other pests

ACTIVE INGREDIENTS:

*Tetramethrin	0.15%
**Permethrin	0.15%
***Piperonyl Butoxide, Technical	0.75%
INERT INGREDIENTS:	98.95%
	100.00%

- *1-cyclohexene-1.2-dicarboximidomethyl-2.2-dimethy-3-(2-methylpropenyl) cyclopropanecarboxylate
- **(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.
- *** Equivalent to min. 0.4% (butylcarbityl)(6-propylpiperonyl) ether and 0.1% related compounds. Tetraperm Registered Trademark of Roussel Uclaf Corporation.

EPA REG. NO. 7754 — L R

EPA EST. NO. 7754-GA-1

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention,

IF IN EYES: Flush with plenty of water, Call a physician if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

See Side Panel For Use Precautions.

NET CONTENTS:

ARE Orchard Hill, GA 30266

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

CAUTION:

Harmful if absorbed through skin or inhaled. Causes tact with skin, eyes and clothing. Avoid breathing v tact immediately flush eyes or skin with plenty of w tion persists. Wash thoroughly with soap and water nated clothing and wash before reuse. Avoid cont Remove pets and birds and cover fish aquaria before vacate room after treatment and ventilate before reopets to contact treated areas until surfaces are dry.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not apply directly t minate water when disposing of equipment washwa

PHYSICAL OR CHEMICAL HAZARDS:

Contents under pressure. Do not use or store near h or incinerate container. Exposure to temperatures at not apply this product in conduits, motor housings, electrical equipment because of possible shock haza be harmed or stained by water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a ing.

STORAGE & DISPO

Store in a cool, dry area. Do not transport or store teral layers of newspaper and dispose of in trash. Do

In the home, all food processing surfaces and utens ment or thoroughly washed before use. Exposed foo

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and inches. Remove birds and cover fish aquariums before the container of the cover fish approximately and cover fish approximately and cover fish approximately appro

MCCEPTED
with COMMENTS
ht EPA Letter Dated

2 0 NOV 1995

United the Federal In a like Footshields, and he laws a substitled, for the resistend under his a constitution of the substantial and the substant

INDOORS:

Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and direct spray upward into center of room win a slow sweeping motion. Spray 5-10 seconds for average room. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects. Repeat treatment as necessary.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment as necessary.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary.

TO CONTROL Clothes Moths and Carpet Beetles on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

OUTDOORS:

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation due to Ants, Clover Miles, Crickets, Earwigs, Millipedes and Sowbugs (Pillbugs). Spray foundation of building where inserts are active and may be find entrance, up to a height of 2 to 3 feet. Apply as a residual spray to outside surface of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary.

FLYING INSECTS: Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets and Yellow Jackets. Allow fog to drift over area. Direct spray toward bushes, or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary.

CRAWLING INSECTS: Ants, Cockroaches, including Asian Cockroaches, Crickets, Mole Crickets, Centipedes, and Silverfish. Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant trails and hills.

ANTS, LONE STAR TICKS, CRICKETS, FLEAS AND EARWIGS: Apply thoroughly to infestations in bushes, grass or weeds. For Ants, spray freely around ant trails and hills.

FOR CONTROL OF OR THE MENTAL GARDEN INSECTS: For use on roses, Jahlas mentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, exposed Translated finites.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatinfestations to prevent spreading in large garden areas. May also be used on other plants asters, azaleas, begonias, camellias, camations, chrysanthemums, dahlias, geraniums, cranpalm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wander

Effective when used as directed against Whiteflies, Aphids, Spiders and Red Mites, expo Japanese Beetles, Pavement Ants, Clover Mites and Army Worms. When spraying plant than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wettin plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects sible. Repeat treatment as infestations occur.

Buyer assumes all risks of use, storage or handling of this material not in strict accordant herewith.