

HERITAGE HOUSE NEW SYSTEMIC

WEED AND FEED **PLUS**

(Back Panel)

Heritage House NEW SYSTEMIC WEED AND FEED PLUS kills most broad-leaved vining-type lawn weeds while it feeds your lawn. Kills Buckhorn, Dandelion, Curly Dock, Plantain, Thistles, Chickweed, Clover, Ground Ivy, and Parslane. Lawn Food is combined with 2,4-D and MCCP to provide feeding action and help grass thicken to fill in bare spots left by weeds.

NEW SYSTEMIC
WEED AND FEED **PLUS**

WHAT CORN COB CHEMISTRY MEANS

The carrier in this product is ORGANIC - tiny corn cob granules saturated with plant nutrients and weed control solutions.

Patented*

Each Corn Cob granule has been impregnated with the proper ingredients. Result - a uniform, lightweight product that releases the ingredients evenly as the Corn Cob granule decomposes due to moisture and temperature.

Because of its organic nature, the Corn Cob granule is subject to decay when in contact with the soil and decomposes into Humus - a desirable benefit.

* Process Patented under U. S. NO. 3,252,785

HERITAGE HOME NEW SYSTEM
WEED AND FEED PLUS

(Back Panel)

DIRECTIONS

WHEN TO APPLY

Use anytime weeds are actively growing and when temperature reaches 50 degrees or above. For maximum effectiveness, apply on moist foliage, when lawn is damp from dew, rain or sprinkling. Control is slower if soil is dry or weather cool.

HOW TO APPLY

Apply over entire lawn area. Use a spreader set for an application rate of 4 lbs. per 1,000 Sq. Ft. ~~Shut off spreader as you stop or turn around.~~ Rain or sprinkling, mowing or heavy traffic within 24 hours reduces effectiveness, and a repeat treatment may be needed-- wait at least one week. Delay planting new grass for two weeks. Do not apply to new plantings until after grass has been mowed at least twice. Grass may become discolored temporarily in period of high heat or humidity, but with watering will make a fairly rapid recovery.

CAUTION:

Avoid inhaling dust, avoid contact with skin, eyes or clothing. Avoid contamination of food or foodstuffs. Wash hands after using. Antidote: If taken internally, induce vomiting and call a physician immediately.

WARNING:

Use only when there is no hazard of drift. May injure bentgrass, St. Augustine, Dichondra, carpet grass, and grass seedlings in newly seeded ground. Do not apply directly to or otherwise permit the product to contact vegetables, flowers, grapes, fruit trees, ornamentals or other desirable plants which are sensitive to 2,4-D and similar materials. Excess amounts of 2,4-D acid in the soil may temporarily inhibit seed germination or plant growth. Do not store near fertilizers, seeds, insecticides or fungicides. Do not use on crops that will be utilized for food or forage purposes. Do not contaminate water used for domestic or irrigation purposes.

Thoroughly clean spreader equipment with a suitable cleaner before using for other purposes.